


# HP Professional

AN INDEPENDENT PUBLICATION FOR USERS OF HP COMPUTERS ■ VOL. 2 ■ NO. 3 ■ \$4.00


MARCH 1988

- UNIX Dominates  
The Growing  
Workstations Market
- X Window, Part 3
- Programming  
Languages



## DEVELOPMENT

Application Testing





# What lucky numbers are the perfect match for your HP 3000?



## Zentec's 8392. Available now at \$849!

The Zentec 8392 is everything the HP user needs and more—for less. Immediate delivery brings you a 14-inch diagonal screen, HP-compatible keyboard layout, ergonomic design, and complete compatibility with HP application software.

With features that outperform all others, the Zentec 8392 also provides ANSI X3.64 compatibility for operation with your DEC® computer as well. It's so flexible, reliable, and efficient, your cost-per-seat is noticeably lower in the multi-user environment.

Your Zentec 8392 is key selectable for both 80 and 132 columns with

standard memory of 8 pages. We back our promise with a full one-year warranty and cost-effective maintenance contracts available throughout North America and Canada through Dow Jones Service Company.

Install the Zentec 8392 and your search for the perfect match is complete.

Call 800-332-5631 (outside Calif.) or 408-727-7662 for information and the name of your nearest authorized distributor.



**ZENTEC**™  
THE CUSTOM TERMINALS COMPANY

European inquiries, call our International Headquarters in the U.K. at 44-4867-80666.  
DEC is a registered trademark of Digital Equipment Corporation.

ENTER 111 ON READER CARD





# Closer to Genius

Introducing PowerHouse PC™, the most powerful 4GL for serious application development on a personal computer.

PowerHouse PC delivers more power than any other PC application development product. It gives you OS/2™ performance and integrated communications. And it gives you all of this — today.

PowerHouse now lets you prototype and build serious business applications on your PC in addition to HP, Digital and DG mid-range computers. The simplicity of one language across architectures gives you the flexibility of choosing the production environment that best suits your needs.

Use PowerHouse PC as a *development workstation* to develop applications for your mini, as a *host extension* to offload processing, or for *stand-alone* applications. Complete with a communications facility, PowerHouse PC makes the most of your resources by allowing you to share applications and data between architectures. What makes PowerHouse PC even smarter is that it runs under both *DOS and OS/2*.

When you're ready for serious application development on a personal computer, you're ready for PowerHouse PC.

## COGNOS

OS/2 is a trademark of International Business Machines Corporation. The Cognos logo and PowerHouse are registered trademarks of Cognos Incorporated. PowerHouse PC is a Cognos trademark.

Cognos Corporation, 2 Corporate Place, 1-95, Peabody, MA, USA 01960, (800) 4-COGNOS. Cognos Incorporated, 3755 Riverside Drive, P.O. Box 9707, Ottawa, Ontario, Canada, K1G 3Z4, (613) 738-1440, Telex: 053-3836. Cognos Limited, Westerly Point, Market Street, Bracknell, Berkshire RG12 1QB, United Kingdom, National (0344) 486668, International +44 344 486668, Telex: 846337 Cognos G.

ENTER 103 ON READER CARD



## Missing Peace

LaserJet escape sequences can be puzzling. All those l's, 1's, O's, o's and 0's can get to look alike after a while, and the LaserJet still won't do quite what you'd like it to. Then, just when you think you've got it, somebody turns the printer off and you're back to square one.

That's why we came up with the Laser Toolkit. With a few simple menus, you create a print specification: fonts, page size, line spacing, duplexing, orientation, or other page characteristics. Then activate your creation any time you need it just by using an HP3000 file equation. What could be simpler?

Just for good measure, we've put in reduction printing: with the Laser Toolkit, you can put two or four standard line printer pages on one side of a letter-sized sheet of paper. Between reduction printing and reduced-size paper, you can cut your paper costs by 70 percent or more.

In short, if you've been puzzling over how to get the most from your LaserJets and your HP3000, the Laser Toolkit may be just your piece. Call us for a demonstration tape today!

ENTER 113 ON READER CARD



299 W. Foothill Blvd., Suite 230, Upland, CA 91786  
(714) 985-1581 (800) 858-4507 TLX 532678 OPT INC

PROTEK - London, England, 1 245 6844, TLX 263978 PROTEK  
APPIC - Epina-sur-Orge, France, 1 64 54 82 32, TLX 603409 MIGHTY  
FACER INFORMATION DESIGN - Epping, Australia, 2 484 3979, TLX 1071589



# C CONTENTS

MARCH 1988

VOL. 2, NO. 3

---

## 28 **FOCUS: UNIX — The Right Solution?**

*by Ken F. Sellers*

Choosing a proprietary operating system.

---

## 36 **FOCUS: The Growing Workstations Market**

*by Dr. Michael M. Dediu*

Dominated by UNIX.

---

## 42 **X Window**

*by Ken Fullett*

Much more than just a windowing system, Part 3.

---

## 48 **Programming Languages**

*by David Goldstein*

Where horizons meet.

---

## 56 **Retrieval and Display**

*by Dr. Michael M. Dediu*

The use of computer graphics to display information.

---

### COLUMNS

#### **DEVELOPMENT: Application Testing**

*by Lisa Burns Hartman*

Doing it right .....68

#### **OPINION: Looking Back, Looking Forward**

*by Greg Goebel*

Reality dictates that HP move away from the BASIC-only computer .....78

### DEPARTMENTS

**Editorial** ..... 8

**Letters** ..... 12

**Q&A** ..... 14

**News & Trends** ..... 18

**Industry Watch** ..... 22

**New Products** ..... 24

**Product Showcase** ..... 93

**Calendar** ..... 96

**Advertisers Index** ..... 96



#### **INDUSTRY WATCH:**

HP reaffirms its commitment to openly developed UNIX standards . . . 22.

#### **On The Cover:**

This month's cover illustration is the work of Pennsylvania-based airbrush artist Jim Serfass.



Are you getting all  
the performance  
your HP3000 was  
designed to deliver?

In today's highly  
competitive world,  
performance is the bottom  
line. And because the  
hardware to improve  
performance is costly,  
knowing what to buy  
and when to buy is vital.

Now you can make these  
important decisions with  
complete confidence.  
Without any guesswork.  
SYSVIEW and SYSPLAN,  
developed by Carolian  
Systems, are two  
sophisticated software tools  
that give you all  
the facts you need  
to make the right decisions.  
Facts about your  
system's resources.  
So you can maximize  
the performance of your  
current system and  
accurately predict your  
future hardware needs.

That's total performance.  
And that's what you get  
with SYSVIEW and  
SYSPLAN.

Call us today for a  
trial evaluation.

**CAROLIAN**  
SYSTEMS INTERNATIONAL INC.

#### HEAD OFFICE:

3397 American Drive, #5,  
Mississauga, Ontario,  
Canada L4V 1T8.  
Telephone (416) 673-0400.  
Telex 06986766 TOR.  
Fax (416) 673-7030.

#### DISTRIBUTORS:

**NIKE COMPUTERS  
LIMITED,**  
Rushall Hall, School Road,  
Brewood, Stafford,  
ST19 9DS England.  
Telephone (0902) 851381.  
Telex 336992 SECRET G.  
Fax (0902) 851434.

**NUNEZ, SANTA CRUZ Y  
ASOCIADOS, S.A.,**  
Presidente Mazaryk 178,  
Polanco, Mexico City,  
11560 Mexico D.F.  
Telephone 545-31-07.  
203-36-97.

**SINGAPORE  
COMPUTER SYSTEMS  
PTE. LTD.,**  
26 Ayer Rajah Crescent,  
#05-01/10 Ayer Rajah,  
Industrial Estate,  
Singapore 0513.  
Telephone 775-2477.  
Telex RS38585 SCS.

**SOFTKOL,**  
27, Leon Blum Blv.,  
Ramat Aviv,  
Tel Aviv 694 61, Israel.  
Telephone 972-3-413762.  
Telex 34 1118 BXTVIL.

**DATALAGET I  
VAXJO AB,**  
Vallviksvagen 8,  
352 51 VAXJO, Sweden.  
Telephone 470 810 50.  
Telex 5200 TELEVJ S.  
Fax 470 828 15.

# HP Professional

**Publisher:** Carl B. Marbach  
**Editorial Director:** R.D. Mallery

## Editorial

**MANAGING EDITOR** Lonni Wright  
**COPY EDITOR** Karen Detwiler  
**EDITORIAL ASSISTANT** Randi Koenig  
**CONTRIBUTING EDITORS** Lisa Burns Hartman,  
Don Person  
**CONTRIBUTORS** Dr. Michael M. Dediu,  
Ken Fullett, Greg Goebel, David Goldstein,  
Ken F. Sellers

## Design

**DESIGN/PRODUCTION DIRECTOR**  
Leslie A. Caruso  
**DESIGN/PRODUCTION ASSOC.** Ruth Ann Leiby  
**ART/PRODUCTION ASSOC.** Timothy M. Kraft  
**ART ASSISTANT** Sue Ann Rainey  
**PRODUCTION ARTIST** Richard Kortz  
**TRAFFIC/PRODUCTION ASST.** Joann Corvino  
**TYPESETTING (EDITORIAL)** MaryEllen Springer  
**TYPESETTING (MARKETING)** Diana Pohl

## Circulation & Administration

**VICE PRESIDENT** Peg Leiby  
**DIRECTOR OF MARKETING** Mary Wardlaw  
**CIRCULATION FULFILLMENT**  
Ruth Henderson, Claire Hollister, Margie  
Pitrone, Donna Schmidt  
**ACCOUNTING** Andrea Beneke, Kim Slackway

## MIS

**MANAGER** John F. McGlinchey  
**STAFF** Bonnie Auclair, Kevin Kennelly, Ruth  
Mermelstein, Rebecca Schaeffer

## PROFESSIONAL PRESS, INC.

For information on how to contact your sales  
representative, see page 96. Editorial, advertising  
sales and executive offices at 921 Bethlehem Pike,  
Spring House, PA 19477 ■ (215) 542-7008  
TWX 910 333 9522 ■ Easylink 62805174  
FAX (215) 628-2845


HP PROFESSIONAL ISSN 0986145X is published  
monthly by Professional Press, Inc., 921 Bethlehem Pike,  
Spring House PA 19477. Subscriptions are complimentary  
for qualified U.S. and Canadian sites. Single copy price,  
including postage, \$4. One year subscription rate \$30 U.S. and  
Canada; \$60 foreign. All orders must be prepaid. Second  
Class postage paid at North Wales, PA, and additional mail-  
ing offices. POSTMASTER: Send all correspondence and  
address changes to HP PROFESSIONAL, P.O. Box 445,  
Spring House, PA 19477. COPYRIGHT © 1988 by  
Professional Press, Inc. All rights reserved. No part of this  
publication may be reproduced in any form without writ-  
ten permission from the publisher. All submitted manu-  
scripts, photographs and/or art work are sent to Professional  
Press, Inc. at the sole risk of the sender. Neither Professional  
Press, Inc. nor HP PROFESSIONAL magazine are respon-  
sible for any loss or damage. This magazine is not spon-  
sored, endorsed or approved by or connected in any way  
with Hewlett-Packard Corporation. "HP" is a registered  
trademark of Hewlett-Packard Corporation. Hewlett-  
Packard is the owner of the trademark and is the source of  
all "HP" products.

**BPA**

ENTER 216 ON READER CARD



# YOU GET MORE THAN THE GENERAL— YOU GET HIS ENTIRE ARMY



When you enlist with Bradmark, you get more than the best general-purpose IMAGE and TurboIMAGE database management utility—you get services that only a company of our size and strength could provide.

For years, DBGENERAL and our other database utilities have been supporting your IMAGE databases. Throughout this time, our staff has been allied with you, our users, in the fight for your IMAGE: everything from our sales reps' personal attention and care to our technicians' expert handling of your database questions and problems.

We staff our support lines every hour, every day so if your database becomes a warzone, we strike back with DBGENERAL's arsenal of features and our front-line experience. And with our comprehensive documentation, educational newsletter, and many technical presentations throughout the world, we arm you with the knowledge to keep your databases in top form.

Our forces are based in Houston, Buffalo, New York, Los Angeles, and London and allied with distributors in Australia, Canada, Mexico, France, Germany, Scandinavia, and the Far East.

With Bradmark, you get more than The General: you get an army. So stop fighting the battle—the battle's already been won.



## BRADMARK

Computer Systems Inc.

Buffalo (716) 689-6882  
Cincinnati (513) 891-7867  
Houston (713) 621-2808  
Los Angeles (213) 432-7713  
New York (718) 398-1352

Australia 61 (2) 868-1877  
Belgium 32 (56) 41-83-99  
Canada (613) 448-2333  
France 33 (1) 4588-8830  
Germany 49 (89) 6088-3077

Holland 31 (30) 52-1114  
Israel 972 (3) 413-762  
Mexico 52 (5) 254-3274  
Scandinavia 46 (9) 910-364-80  
UK 44 (22) 346-0881

ENTER 234 ON READER CARD



# Dedication.



Model HP 700/94



The difference between HP and other terminals.

It was clear in the Hewlett-Packard 2392A and 2394A models.

It's even clearer in the new HP 700 family of block mode terminals.

With larger screens. 80/132 display columns. More memory. Green, amber and soft-white screen colors. Standard printer port. And full ANSI emulation.

And now they're at significantly reduced prices. Which is another difference HP dedication makes.

**Call 1 800 752-0900, Dept. 234G**

Call us toll-free for more information about the new HP 700 family of terminals for HP (as well as IBM, DEC and ASCII) systems.

**ENTER 252 ON READER CARD**



Model HP 700/92



**HEWLETT  
PACKARD**

*we never stop  
asking*  
"What if..."



# A Summit But No Treaty

---

A summit meeting with Vittorio Cassoni of AT&T was held at a New York hotel during the last week of January with representatives of HP, DEC, Apollo and other leading vendors who license UNIX. After the meeting, vendor spokesmen said there were no assurances that release 4 of AT&T's System V would remain non-proprietary.

The Sun is setting on the land of UNIX. Ever since Sun and AT&T became entangled via a 20 percent stock purchase, there have been rumblings that maybe UNIX is no longer the land of the free. It seems that AT&T has developed a new vision of UNIX that is somehow linked with the Sun Sparc chip set.

This is not unlike the lease on Hong Kong.

I've always wondered just who is going to pay for the subsequent releases of UNIX. It seemed to me that too much of the income from UNIX licenses was going into corporate bottom lines instead of further development. Some form of shakeout (shakedown?) was inevitable. After all, how long should AT&T provide an "open" operating system to a world in which DEC is making hay with a closed VMS (hay = \$billions)? Now that AT&T has bought a piece of an accomplished computer maker, why carry on helping the competition?

Also, how can UNIX ever survive in a world in which Digital is pouring hundreds of millions into aggressive VMS development, following one plan and heading one way? If the enhancements to a release of UNIX have to filter through myriad committees of many vendors before they reach the common core release, how can there be a plan or even a steady direction?

One wonders just how air-tight the license agreements between AT&T and the various vendors really are. It's too late for the vendors to transition to Berkeley. What recourse do the users who bought their licenses from these vendors in good faith have? Sounds like the litigation event of the decade. I've heard much grandstanding about open systems and standards for years now. Let's see how fast all that noble talk unravels.

Perhaps the answer for HP lies in those standards. What UNIX needs is a fully funded third-party developer that isn't a computer manufacturer. Perhaps such an organization could be forged by the X/OPEN committee. In the face of the current bad news, this might be "mission critical."


These developments add a new meaning to the disclaimer we are always forced to add whenever we print the word UNIX:

"UNIX is a trademark of AT&T."

A handwritten signature in black ink, appearing to be "R. M. L." followed by a long, sweeping flourish that extends to the right.



# Don't let another fast Falcon Disk Subsystem pass you by.



If poor performance and insufficient disk capacity have got your HP 3000 bogged down, try a bird of a different feather — EMC's Falcon Disk Subsystems. High speed Falcon subsystems make HP 3000 systems fly while saving you more than just chicken feed!

With state-of-the-art Winchester technology and EMC's proprietary caching algorithm, Falcon disk subsystems really get your system performance off the ground. Featuring four megabytes of controller cache, the Falcon soars through even the worst I/O bottlenecks.

Every situation is different. No one has the same storage requirements, so now there is a whole family of Falcons to choose from. Pick the capacity to fit your needs. You can even configure up to 5.34 gigabytes in a single cabinet.

#### The Falcon Family

<i>Falcon 400</i>	<i>~ 406 megabytes</i>
<i>Falcon 600</i>	<i>~ 625 megabytes</i>
<i>Falcon 800</i>	<i>~ 890 megabytes</i>
<i>Falcon 1200</i>	<i>~ 1.25 gigabytes</i>

Sealed Winchester technology makes high maintenance costs a thing of the past. In some cases, you can even buy or lease a Falcon for what you are now spending just to maintain and operate your older drives. And a 50,000 hour Mean Time Between Failure rating makes the Falcon the most reliable subsystem in its field.

To further assure reliability, every Falcon is fully compatible with HP's sophisticated fault isolation diagnostics. EMC's network of Sales and Service locations worldwide provides on-the-spot service.

Falcon Series disk subsystems are available today. Don't let another one pass *you* by; join the thousands of satisfied HP 3000 users who already have a Falcon up and flying.

For more information, contact your local EMC sales representative or call:

**1-800-222-EMC2 Ext. 2290**  
(In Mass., 617-435-1000)




## EMC<sup>2</sup>

**The System Enhancement Company.**

HP is a registered trademark of Hewlett-Packard, Inc.  
Falcon is a trademark of EMC Corporation.



Who stands  
behind their  
HP compatible  
with a five  
year warranty  
and a free  
trial offer?





# Cumulus.



The reason we can afford to send you an HP® compatible terminal for a free trial\* is this: You won't want to send it back.

Why?

Because the strongest sales tools we have are *your* eyes. Just set the *Cumulus HCT* next to an HP 2392A, 2394A or 700/9x and prepare yourself for a contrast that's startling.

What you'll see is leadership in every key issue of display quality. A display area 80% larger than an HP. The fastest refresh rate to eliminate flicker and shimmer. And highest-density character quality to achieve far superior legibility.

The result is the clearest image of *any* terminal in its class. Period.

What's more, our advanced terminal technology and industrial design enable us to offer the first five year warranty in the history of terminals. And best of all, the *HCT* costs only \$795.

For product literature, or to find out how you can take advantage of our free trial offer, call the Cumulus Hotline today.

## *Trial Offer Hotline:*

1-800-952-6300 Dept. U21

Inside CA

1-800-423-4440 Dept. U21

ENTER 153 ON READER CARD

**Cumulus**

1007 Elwell Court  
Palo Alto, California 94303  
(415) 960-1200

\* Subject to availability. For qualified buyers only.  
HP is a registered trademark of Hewlett-Packard Corp.



## LETTERS

### More Accounting Software

As HP software professionals, we were disappointed that Peat Marwick's widely used financial management package for the public sector, FAMIS, was not included in your November 1987 article, "Debit/Credits Revisited — An Update On Accounting Software."

The Financial Accounting Management Information System (FAMIS) provides the functions of general accounting, management accounting, treasury accounting and budget development in an integrated, online environment.

FAMIS is provided via a one-time license fee; optional annual maintenance and free software upgrades are available. The system is written in HP COBOL, and the source code is included in the license fee.

FAMIS provides not only fund accounting and encumbrance accounting, but also fully integrated variable-level appropriation control, project budget control on an inception-to-date basis, and revenue and expenditure information for the entire organizational and programmatic classification structure. The system uses lookup tables for the accounting transaction decision table and the classification control tables, thus ensuring a fast, accurate system.

**Ronald L. Reynolds**

**Peat Marwick Main & Co.**  
**Washington, D.C.**

### Series 80s For EEs

I was pleased to see that Don Person, in his article, "Survival Training" (December 1987), suggested donating old HP 85 computers to a school computer laboratory. In December 1985, I equipped an undergraduate laboratory with eight HP 87 computers. This lab is the last required lab class taken by all electrical engineering majors. They

Address letters to the editor to the *HP PROFESSIONAL* magazine, P.O. Box 445, Spring House, PA 19477-0445. Letters should include the writer's full name, address and daytime telephone number. Letters may be edited for purposes of clarity or space.

study automatic test equipment with the IEEE 488 interface. They also use 16-bit parallel and RS-232 interfaces.

We would be interested in acquiring gifts of old HP 85, 86 and 87 computers, ROMS, interfaces, etc., for use in this laboratory.

**Ronald B. Standler**  
**Pennsylvania State University**  
**University Park, PA**

### In Search Of 85s

This letter is in reference to Don Person's article, "Survival Training: What To Do With Your HP 85" (December 1987).

Our department feels exactly the same as you do. The HP 85 is the finest computer for teaching BASIC programming and instrument control.

All our freshmen now take two semesters of programming. The course includes the usual programming concepts, but the applications are electrical problems wherever possible. In addition, the students use the HP-IB bus to control the following programmable instruments:

Keithley Multimeter

HP power supply  
HP relay actuator  
Wavetek function generator

The text for the course is the HP 85 manual.

The computers and the instruments are then used in the sophomore courses as well as in our new Upper Division junior and senior courses. We also use IBM PCs for those Upper Division courses that require special software (e.g., PALASM, SPICE, 8086 ASSEMBLER).


Originally we used a less expensive computer in the freshmen year and the HP 85s in the follow-up years. Last year we had to replace the freshmen computers and, after much soul searching, we decided to buy more HP 85s, even though we knew they probably would be discontinued by HP. The choice also was more difficult because the HPs cost about twice as much as the IBM PCs. We felt, however, that the HP 85 was the best computer for beginning students. We have about 45 HP 85B computers — 25 in our freshmen lab and 20 in another lab that is shared by sophomores and Upper Division students. There are several other labs that we would like to equip. We also can use non-working units for spare parts. We also need ROMS (particularly MATRIX and PRINTER/PLOTTER ROMS), ROM drawers, manuals and other peripheral equipment.

Perhaps some of your readers would like to donate their HP 85s if they are not using them any more. (Phone: 516-420-2589) We will put them to good use.

**Herbert J. Zipper**  
**State University**  
**Agricultural And Technical College**  
**Farmingdale, NY**



# Downloading as easy as 1-2-3.



ONLY  
**\$995**  
FOR YOUR HP 3000.

## Introducing DataExpressJr., the start of something big.



**1. FOUNDATION:** DataExpressJr. is the ideal foundation for your information center solution. IMACS provides a sophisticated yet inexpensive

way for the end user to extract HP 3000 data, to compute, reformat and download to Lotus 1-2-3.®



**2. STRUCTURE:** DataExpressJr. is structured to increase productivity in your company immediately. Its use of Lotus-like terminology and processes provides familiarity for the end user. DataExpressJr.

has a controlled interface to an IMAGE™ database and, with the use of Reflection™, it can completely automate the PC download.



**3. BUILDING:** This extract-only program anticipates your changing system requirements. DataExpressJr. is completely compatible with other members of the highly successful DataExpress product family. This compatibility provides over

twenty different product feature levels and options to build with as your needs grow.

In short, it's as easy as 1-2-3. You can use function keys to select data from the menus and DataExpressJr. reformats and

downloads it to your PC, automatically when you are using Reflection™. You can even generate a report from the data.

It's all you need in your HP 3000. Talk to IMACS about using DataExpressJr. as the foundation of your information center.

You've been asking for it . . . now you can get it . . . from IMACS.

## DATAEXPRESSJr.™

ENTER 219 ON READER CARD



IMACS SYSTEMS CORPORATION  
4676 Admiralty Way, Suite 516  
Marina Del Rey, CA 90292  
(213) 823-4577

IMX SYSTEMS CORPORATION  
London, England  
(010) 541-0242  
Telex 51-944017

Calgary, Canada  
(403) 259-2478  
Telex 03-827973

IMX International Rotterdam  
The Netherlands  
(010) 412-3642



# Q & A

## QUESTIONS & ANSWERS

*Editor's Note: If you have questions concerning any aspect of Hewlett-Packard computer operation and applications, send them to Q & A, HP PROFESSIONAL, P.O. Box 445, Spring House, PA, 19477.*

### THE TRUTH

It was very interesting for me to read Q&A in the December 1987 issue, especially the question on "Sizing Up A Disc File." The way the file system builds files is certainly a mysterious enough topic, with plenty of confusion to go around. The answer given did an admirable job of trying to clear up some of this confusion. And, needless to say, I was quite flattered by your reference to my *Thoughts and Discourses on HP 3000 Software* book (available free from us here at VESoft). The part of it that is most relevant to this topic is probably our "The Truth About Disc Files" paper.

There were a few minor inaccuracies in the answer that I feel I ought to point out. For those who want to verify my comments, I tested this out on MPE version G.B3.00, the V-MIT release of MPE V/E. It may be that both of us are right, but for different releases of MPE.

First, the RECSIZE (Record Size) parameter must be a non-zero integer in the range -32,766 to 16,383 (rather than -32,767 to +32,767). Saying:

```
:BUILD X;REC = 16384,1,F,ASCII
```

will get you:

```
INVALID RECORD SIZE SPECIFICATION (FSERR 10)
```

Saying:

```
:BUILD X;REC = -32767,1,F,ASCII
```

will get you:

```
INVALID RESULTANT BLOCK SIZE (FSERR 11)
```

(somewhat surprising in light of the fact that a record size of -32,767 is actually the same as 16,384, since the 32,767-byte record size is divided by two and rounded up to get the word record size).

Second, the answer quite aptly points out that buffered I/O (the default way of accessing a file) places its own restrictions on the size of a file block; if you access a file with buffered I/O, the file system has to read at least one entire block of the file into a buffer data segment.

Once upon a time, the maximum size of a file system buffer data segment was 8,192 words, which meant that with the file system default of two buffers, each block has to be at most 4,096 words long (unless you were willing to always access the file NOBUF). If you tried to open a file in such a way that #BUFFERS \* BLOCKSIZE was greater than 8,192, you'd get the infamous file system error 57 (OUT OF VIRTUAL MEMORY?!?).

Eventually the maximum buffer segment size was raised to about 14,000 words that the Q&A mentions; however, the file system also was smart enough to allocate only as many buffers as could fit inside the maximum size. Thus, if you tried to access a 14,000 words/block file with the default two buffers, the file system would let you access it, but would give you only one buffer (since two buffers of 14,000 words each wouldn't fit in the data segment).

In V-MIT (and I believe even for a few earlier releases), you can build a file with a block size of up to 32,640 words (more about this later). For instance, you might say:

```
:BUILD X;REC = 16320,2
```

building a file with two records of 16,320 words each per block. Try building this file and then reading or writing it with FCOPY (which always uses buffered I/O as a default). You'll see that, at least on V-MIT and later, it works.

What, then, are the constraints on block size? Well, for one, although you can talk about negative block sizes (meaning block sizes in bytes), the block size is, to the best of my knowledge, always stored on disc and returned by the file system as a positive number of words. I believe that you can't either specify or get a negative block size.

A file's block size may be from 1 to 32,640 (not 32,767) words. If you tried to build a file with block size of 32,768 or more; e.g.:

```
:BUILD X;REC = 8192,4
```


you'll get the message:

```
INVALID RESULTANT BLOCK SIZE (FSERR 11)
```

*Continued on page 16.*



*Three years ago, we cut your backup in half.  
Now we can make your operator disappear.*




**H**ocus-pocus. That's what some folks said when we told them BackPack™ could cut the time and tape required for HP 3000 system backup in half. Of course, now that it's done just that at HP sites from here to Hong Kong, most of the doubting Thomases have become loyal fans.

Now we've got something else up our sleeve. It's The Amazing Unattended Backup Solution. At the end of the day, you run BackPack and start your store. Then you turn out the lights and go home. BackPack stores your data in compressed format to a disc file, then resets all store bits. Next morning, you copy the stored data to tape in background mode, while users run their applications as usual.

For an unattended full dump, you need one-third of your total disc space free. If you've got less space available, you can probably still do daily backups unattended and full dumps partly unattended.

Just a little more backup magic . . . from the company with a sixth sense about system performance.

**BackPack. From Tymlabs.**



Tymlabs Corporation • 811 Barton Springs Road • Austin, Texas 78704, U.S.A. • 512.478.0611 • Telex 755.820 •  
Wick Hill Associates Limited • 42A-44 High Street • Egham, Surrey, England TW20 9DP • 0784.38441 • Telex 268.764 WHAUK G  
Tymlabs-APPIC • 59, Rue du Faubourg Poissonnière • 75009 Paris, France • 1.45.23.41.11 • Telex 643013F  
Megatec Pty., Ltd. • 2 Brunswick Road • Mitcham 3132 Victoria, Australia • 03.874.3633 • Telex 152592

ENTER 109 ON READER CARD



What if you attempt to build a file with block size of 32,767 (or any other size between 32,641 and 32,767)? Try saying:

```
:BUILD X;REC = 4681,7      (4681*7 = 32767)
```

and you'll get the error:

```
INSUFFICIENT SPACE FOR USER LABELS (FSERR 107)
```

There is a one-byte field in a file's file label called "sector offset to data" which indicates the distance (in sectors) from the file label to the first sector of the first data block. Since this is a one-byte field, its maximum value is 255. This, incidentally, is why a file can have at most 254 user labels — if a file had 255 user labels (one sector each, as all user labels always are) plus a one-sector file label, then the sector offset to data would be 256, which would be too large.

In any event, a file's data (everything except the file label and the user labels) must start in its own block. If the block size were greater than 255 sectors, then the sector offset to the first data block again would have to be greater than 255 sectors. Therefore, the maximum block size is  $255 \times 128 = 32640$  words.

Another interesting point: To be precise, the block size is not just  $\text{RECSIZE} \times \text{BLOCKFACTOR}$ ; rather, if the RECSIZE is an ODD number of bytes, it has to be rounded up to the next highest even number before multiplying. Thus, if the record size is three bytes (-3) and the blocking factor is 10, then the block size is not 30 bytes; rather, the record size is rounded up to four bytes (two words), so the block size becomes 20 words.

Curiously enough, I made exactly the same mistake — stating that the block size is exactly equal to the record size times the blocking factor — in my "Truth About Disc Files" paper. Even more curious is that, in one particular case, MPE makes exactly the same mistake, too! Let's try a little experiment:

```
:BUILD X;REC = -3;DISC = 120000
:LISTF X,2
```

What do we see?

FILENAME	CODE	SIZE	TYP	LOGICAL EOF	RECORD LIMIT R/B	SPACE SECTORS #X MX
X		2W	FB	0	120000 64	235 1 8

Whoops! We didn't specify "ASCII" on the :BUILD, so the file was built as a binary file, with a record size calculated in words. Thus, the file has a record size of two words = four bytes. Not what we want.

Let's try again:

```
:BUILD Y;REC = -3,,,ASCII;DISC = 120000
:LISTF Y,2
```

We now see:

FILENAME	CODE	SIZE	TYP	LOGICAL EOF	RECORD LIMIT R/B	SPACE SECTORS #X MX
Y		3B	FA	0	120000 85	354 1 8

MPE tried to set the blocking factor to the maximum number of records that can fit into one sector. Since a sector is 256 bytes long, it divided 256 bytes by three bytes and got a blocking factor of 85. Why, then, does Y take 354 sectors where X (whose record size is actually 33 percent larger than Ys) takes 235 sectors?

Well, if we run LISTDIR5 and do a >LISTF Y, we'll see that Y actually has a block size of 170 words. In reality, the file system calculates the block size to be the record size in words multiplied by the blocking factor; in this case, it's  $2 \times 85 = 170$ . In its attempt at fitting as many records into a sector as possible, MPE tried to put in too many. As a result, it wastes  $256 - 170 = 86$  words out of each 256-word block — almost 34 percent of the total space of the file!

Incidentally, our own MPEX doesn't make the same mistake. If you say:

```
:RUN MPEX.PUB.VESOF
%!ALTFILE X+Y,BLKFACT= BEST
```

both X and Y will be set to have the optimal blocking factor of 64.

The answer also indicates that if you write a record into the last record of a file, all intervening extents will be allocated. Although this is quite plausible (and, in fact, may be the way the system ought to work), it isn't quite true. Try it yourself. Type:

```
:BUILD X;DISC = 1023,8
```

and then run a small program that does an FWRITEDIR into record number 1022 (the highest possible record number in this file). Then, do a :LISTF X,2, and you'll see:

FILENAME	CODE	SIZE	TYP	LOGICAL EOF	RECORD LIMIT R/B	SPACE SECTORS #X MX
X		128W	FB	1023	1023 1	256 2 8

The EOF is 1023, seeming to indicate that the file is completely written. However, the number of allocated extents is only two, and the number of sectors in the file is only 256! If you do a LISTDIR5 "LISTF X;MAP" or an MPEX "%!LISTF X,4", you'll find that indeed only the first and last extents are

*Continued on page 80.*



Now  
available  
under UNIX®  
on 800 Series  
HP-PA Systems



## History's greatest collection systems don't work on the shop floor.

### But CAPTURE does.

If Noah thought he had a tough collection job, he should try gathering data in a factory. He'd find all kinds of unmated devices generating or collecting data for limited uses.

CAPTURE removes the limitations. It's the ultimate software tool for real-time collection and distribution of data in a factory environment.

CAPTURE works with the devices you already have. Such as bar code readers, RF terminals, laser scanners, scale concentrators, and employee badges. Or the engineering department's home-grown gadget.

Use the collected data for any purpose you desire. You can modify the data, produce bar code labels, display full-color charts and graphs, or share data with

existing computer systems.

So CAPTURE can be your first step to a total CIM solution. In fact, the system works in any manufacturing environment for virtually any application: Process control. Quality control. Machine control. MRP. Job costing. Warehousing. Or you name it.

But even with all that power and versatility, CAPTURE is easy to install and use. No programmer assistance is required for shop personnel to gather, maintain and display data.

For more information on how CAPTURE can make history of your data collection problems, write or call ICC. We're the people who leave you to your own devices.

# CAPTURE

Industrial Computer Corporation  
6065 Barfield Road/Suite 114 • Atlanta, Georgia 30328

Telephone: 404/255-8336

ENTER 159 ON READER CARD



Manufacturing  
National Account Program



## CSI Celebrates 20th Anniversary In HP Marketplace

*Dealer Of New & Remarketed HP Equipment*

**T**his year, Computer Solutions Inc. (CSI, Orange, NJ) celebrates its 20th year in the Hewlett-Packard marketplace.

Gerald O. Heath, President, began the company in 1968 as a time-sharing firm. CSI then expanded into hardware sales, service and software. Today, it is a leading dealer of new and remarketed Hewlett-Packard

equipment and referenced vendor of educational software under the HP+ software supplier program.

CSI's facilities include corporate headquarters in Orange, NJ, and a branch office in Torrance, CA. A \$3 million inventory of HP 1000 and HP 3000 CPUs and peripherals includes both the older and more current HP product lines.

## DISC Provides OMNIDEX For Spectrum

*Means Faster Retrieval Speeds*

**D**ynamic Information Systems Corporation (DISC, Denver, CO) announced that its information management product, OMNIDEX, now is available to customers wishing to use it on the newly released Spectrum class machines.

Native-mode programs developed for the Spectrum machines now directly can call OMNIDEX intrinsics. Several large customers, including Distribution Resources Corporation (Engle-

wood, CO) and Houghton-Mifflin (Burlington, MA) successfully have been using OMNIDEX and its related products IMSAM and DBMGR on their newly installed Spectrums and receiving full technical support from DISC.

In a recent benchmark, OMNIDEX ran a test report over seven times faster on a Micro3000 than the same report on an IBM 3081.

## HP Chooses Brock Control Systems To Automate Telemarketing Centers

*Software Installed In 5 HP Locations*

**B**rock Control Systems (Atlanta, GA) has installed the Brock Activity Manager Series in the first of five Hewlett-Packard Company locations. The Brock automated telemarketing and account information management system will be installed in HP's Customer Information Center in Cupertino, CA, and Installed Base Telesales Centers in Atlanta, GA; Rolling Meadows, IL; Palo Alto, CA; and Rockville, MD. The total number of HP users of Brock software will be more than 100.

The Brock Activity Manager Series is a multiuser software system designed to automate telemarketing, account management and customer support information and activity. Version 5.0 of the Brock Activity Manager Series is currently installed in more than 120 companies across the country.

"We chose the Brock software because it handles multiple contacts, selling situations and sales cycles at a single site," said Janice A. MacKanin, Information Systems Manager at HP's Customer Information Center.


Currently, the Brock

software is targeted for two functional areas within HP: the Customer Information Center and the Installed Base Telesales Centers. The HP Customer Information Center provides one 800 number that customers may call to receive information about HP products. Telemarketers and technical support representatives at the CIC provide assistance, fulfill literature requests, answer questions from online information databases and manage prospect history through the Brock software.

Installed Base Telesales Centers will maintain customer sales information databases in the Brock system. By accessing these databases, the customer reps will use Brock software for follow-up sales and to maintain a close relationship with customers.

The Brock software is compatible with the HP 9000 Series 800 engineering computers, which have the HP-UX operating system. Brock will be operational on the HP 9000 Models 840 and 850 superminicomputers, which use HP Precision Architecture.





*Designed for PC networks, multiuser systems and minicomputers, the HP LaserJet 2000 printer from Hewlett-Packard prints 20 pages per minute and has 67 internal character sets.*

## LaserJet 2000 Makes Debut

### Targeted To Multiuser Environments

**E**arlier this month, HP announced the HP LaserJet 2000 printer, the first HP LaserJet-compatible printer specifically targeted to multiuser environments.

Designed for use with personal computer networks, departmental systems and minicomputers, the HP LaserJet 2000 printer has 20-page-per-minute print speed, advanced paperhandling features, increased graphics memory and 34 internal fonts.

The new printer, comparable in size to a small departmental copy machine, is available in three configurations.

The standard Model 2684A features compatibility with the de facto industry standard HP Printer Com-

mand Language (PCL); 1.5 MB RAM; full-page, 300-dpi raster graphics; two 250-sheet input bins and a 1,500-sheet correct-order output bin.

Model 2684P has the same features as the standard model, plus a third paper-input bin that holds 2,000 sheets of 8 1/2-inch or European A4 paper.

Model 2684D features automatic two-sided (duplex) printing, enabling users to print two pages of information for the price of a single page. It also has a third 2,000-sheet paper-input bin.

According to Douglas K. Carnahan, general manager of HP's Boise, Idaho, Division, marketing headquarters for the HP LaserJet printer family, the LaserJet 2000 has a monthly print

volume of up to 70,000 pages at a cost per page of roughly two cents, approximately half that of the current HP LaserJet printers.

Like all other printers in HP's laser printer family, the LaserJet 2000 supports HP's PCL language. As a result, more than 500 HP and Value-Added software programs that run on the HP LaserJet, LaserJet Plus, LaserJet 500

Plus and LaserJet Series II printers are compatible with the HP LaserJet 2000 printer.

The standard HP LaserJet 2000 printer, Model 2684A, is \$19,995. HP Model 2684P, which includes the input bin, is \$21,995. Model 2684D duplex HP LaserJet 2000 printer is \$24,995. The 1-MB add-on memory module is \$750. Printer interfaces are \$500 each.

## RetroTech Modernizes Material-Handling Equipment For York International

### Contract Provides HP 1000 System Replacement

**R**etroTech Inc., a Fairport, NY, engineering company, recently completed a material-handling equipment modernization for York International (Madisonville, KY).

The air-conditioning manufacturer contracted with RetroTech to replace the electrical controls on the three double-deep Automated Storage/Retrieval System (AS/RS) machine controls and the inbound/outbound conveyor.

The existing controls were replaced with Modicon 884 programmable controllers. A new D.C. motor and Fincor 3220 regenerative drive controller system replaced the existing SCR drive control and AC motor system to provide a state-of-the-art, off-the-shelf, ramp-controlled longitudinal drive system. An array of Banner SM502 photocells was used to read reflective-taped, binary-encoded positioning targets for the longitudinal and vertical axis.

The original paper inventory control system, which consisted of a mylar punch card envelope and reader system, allowed a part number ticket to be matched to a rack location.

The new HP 1000 system replacement monitors all S/R machine activity and tracks inventory in and out of the system. User-friendly screens assist operators in storing, retrieving and diagnosing system activities. The HP 1000 also enables York International to link the automated warehouse to the HP 3000 host system using AMAPS. The host link allows improved scheduling and provides real-time flexible manufacturing capabilities to York's operations.

RetroTech Inc. has completed seven other similar contracts and currently has two more in progress.



## Tymlabs Ports Backpack To Precision Architecture

*Spectrum Version Promised In '88*

**A**n HP 3000 Series 950 was installed at Tymlabs Corporation in December 1987, and shipments of Precision Architecture versions of Tymlabs' products already have begun.

"We are extremely impressed with the improvements HP has made in the reliability and performance of MPE XL over the last 12 months. The 950 will undoubtedly become the preferred upgrade path for large customers," said Tymlabs' president Morgan Jones.

The conversion of Tymlabs' product line to run on the Precision Architecture systems is reported to be running smoothly thus far, with compatibility-mode versions of PreView, Menu Processor, Math/3000 and Payroll/Personnel already shipping.

The new 950 is connected to Tymlabs' three other HP 3000 systems over a LAN via NS/3000. The first project for which the system is being used is the porting of Backpack, the firm's high-speed and unattended system backup utility, to the Precision Architecture environment. Since Backpack is a system-level program whose operations are integrated with those of the operating system, Tymlabs felt they

needed a 900 Series on site to completely do the job.

Winston Kriger, technical director, reported that "by having the full range of HP hardware right here on site, we shortened our testing cycle, since the operation of new product versions can be tested on almost all possible HP 3000 configurations here in our own computer room. And if a customer runs into trouble, our tech support team can immediately reproduce the problem on the same equipment. This helps us determine whether the source of the problem is software, firmware or hardware."

Tymlabs chose the 950 over the less expensive 930, since the 950 will be the system of choice for larger customers who need the most power HP has to offer. It's the best machine for the Backpack development team to use because they work on schemes to increase data compression and improve performance.

Tymlabs is committed to delivering a Spectrum version of Backpack in 1988, which will deliver the same performance advantage as Backpack provides on the stack-based HP 3000s with equivalent or improved functionality. Tymlabs plans to provide a tape format that will allow interchangeability of data between MPE V and MPE XL systems, within the limits imposed by Hewlett-Packard.



*The HP 64700 emulators and analyzers mark HP's entrance into the entry-level microprocessor-development market.*

## HP Offers Entry-Level Microprocessor Development Tools

*Combines New Emulator Technology With Logic-Analyzer-On-A-Chip*

**H**ewlett-Packard has combined new emulator technology with its logic-analyzer-on-a-chip to create a new family of high-performance microprocessor-development tools at prices comparable to other entry-level emulators.

The HP 64700 series consists of standalone, in-circuit emulators and emulation analyzers for the industry's most popular 8- and 16-bit microprocessors. Emulators and analyzers for the Z80, MC68000, 80186 and 80188 microprocessors are available initially, with other products planned. A fully integrated external timing/state analyzer also is available as an option.

With the introduction of the HP 64700 series emulators, HP believes it is the first vendor to offer entry-level microprocessor-

development tools for engineers in small design teams with a migration path to a high-performance development environment for the largest development teams.

The HP 64700 series can be run with most computer systems or a basic terminal. Special user interfaces are available for PCs and compatibles including the HP Vectra PC, and HP 9000 Series 300 workstations.

The HP 64700 series introduces several features for the entry-level emulation market such as:

- a comprehensive software- and hardware-migration path from an entry-level to a high-performance microprocessor-development environment;
- greatly improved cable lengths and innovative probing technology;
- triggering capabilities in the emulation and external analyzers that feature eight-level sequenc-



ing, time tags and prestore;

- an optional 16-channel external analyzer that can function as an independent 100-MHz timing analyzer as well as a 25-MHz state analyzer;

- synchronized operation and cross-triggering with other HP 64700 and HP 64000-UX emulators/analyzers;

- real-time code-coverage analysis implemented in hardware to provide a history of the memory addresses that are written to or read from during program execution;

- a high-speed RS-422C serial

interface to improve emulator download and upload times;

- a dual-bus architecture complemented by dual-port emulation memory to ensure non-intrusive, real-time emulation; and

- hybrid foreground or background emulation monitors to ease emulator setup while offering full target-system support.

Prices for 8-bit emulation support range from \$8,900 for the emulator and emulation analyzer to \$12,250 for the emulator, emulation analyzer, PC interface and assembler/linker.

## HP To Introduce MC68030-, MC68882-Based Workstations

*Continues Relationship With Motorola*

**H**ewlett-Packard has announced its plans to introduce engineering workstations based on the Motorola MC68030 processor and MC68882 floating-point coprocessor.

These systems will extend the performance of the HP 9000 Series 300 workstations and servers, while preserving object-code compatibility in HP-UX, which adheres to AT&T's UNIX System V Interface Definition Issue 2.

In addition, HP will offer a CPU-board upgrade with the MC68030, available for HP 9000 Models 330 and 350. The Model 350 employs the 25-MHz MC68020, while the Model 330 employs the 16.6-MHz MC68020. Both computers utilize the same chassis and power supply. A Model 330 to 350 CPU-board

upgrade now is available.

The MC68030-based systems and CPU upgrade are expected to be available in mid-1988. Performance of the new systems will be higher than that of the Model 350, which is rated by HP at 4.0 MIPS. The upgrade price for the Model 350 can be expected to be lower than the Model 330 upgrade, reflecting the differential that exists between both models.

The Series 300 and Series 800 share a common HP-UX operating system and common graphics standard.

"HP has been a close strategic partner of Motorola," said Jack Browne, Motorola 68000 marketing manager. "HP has helped define and verify the 68030 processor. Also, Motorola is working with HP to provide a higher clock rate 68030 than has been announced to date."

## HP's Vectra CS First Portable Equipped With AutoSync Modem

*Eliminates Need For SDLC Board*

**H**ewlett-Packard's Vectra CS PCs are the industry's first portables to be equipped with a Hayes AutoSync 2400 bps modem. This patented Hayes technology allows users to communicate synchronously without using a Synchronous Data Link Control (SDLC) board.

The modem was demonstrated for the first time at the Communication Networks Conference and Exposition in Washington, D.C., January 26-28.

Hayes developed the modem, the HP Model D1003A, for installation in an expansion slot in the HP Portable Vectra CS computers. It provides both asynchronous and synchronous communications capabilities in one device. By communicating synchronously using a PC's standard asynchronous communications port, the modem elimi-

nates the need for an SDLC board in the PC. Providing both asynchronous and synchronous capability in one modem lowers communications equipment costs and enables users to communicate in virtually any environment.

All high-speed Hayes modems implement Hayes AutoSync, including the company's new 2400 bps and 9600 bps V-series modems. Hayes AutoSync is a feature developed by Hayes that's covered by U.S. Patent No. 4,700,358, issued October 13, 1987, for "Asynchronous/Synchronous Modem."

The Hayes AutoSync feature enables the modem to automate the execution of an asynchronous to synchronous data conversion once the telephone connection is established. This conversion is initiated using software that implements the Hayes Synchronous Driver (HSD).



*HP's Vectra CS personal computer is the industry's first portable to be equipped with a Hayes AutoSync 2400 bps modem.*



INDUSTRY  
WATCH

## HP PRO Staff

## In Support Of UNIX

Lewis Platt, HP executive vice president in charge of the

Technical Systems Sector, spoke of HP's commitment to UNIX standards during his plenary speech at UniForum, February 8-11, at Infomart in Dallas.

"HP has a strong continuing commitment to work with other members of the industry and independent standards organizations to create and maintain a set of openly developed standards for the benefit of our customers and the industry. . . . We are not interested in any actions that would compromise the value of UNIX as a standard," said Platt.

His presentation and HP's prominent appearance at the show reaffirmed the company's plans to vigorously promote UNIX across its product lines — both technical and commercial systems. Platt expressed his optimism about the success of UNIX.

"All the signs seem to point up. Acceptance by academia, by vendors, by governments and by customers seems to increase daily. There are predictions of dizzying growth rates into the next decade. . . .

"But the vision of UNIX as a major universal operating system is endangered," he added. "If newer releases of UNIX are developed with a target architecture in mind, with features determined unilaterally, its performance will be compromised on all but that target architecture."

Platt's concerns were in response to the position of AT&T on the future development of UNIX standards, particularly in regard to the "possible dependency on a proprietary chip." He stressed HP's commitment to continu-

ing discussions with AT&T in order to keep the development and standards-setting process open.

SUPPORTING PLATT'S PROMISE of his company's position, HP announced at UniForum that it will make its key office-system products — including the HP NewWave application environment — available on HP computers running UNIX.

In making this announcement, HP believes it is the first major systems vendor to commit to offering its complete family of office services software for both a proprietary and an open operating system.

According to Robert J. Frankenberg, general manager of HP's Information Systems Group, development of the UNIX-system office products will occur in three parallel phases:

■ *HP's host-based office and communication services will be ported to HP-UX, which adheres to AT&T UNIX System V Interface Definition 2, and supported by personal computers running the HP NewWave application environment.*

■ *HP will provide an X Window interface through which MS-DOS and OS/2 systems will be able to run UNIX-system applications.*

■ *The HP NewWave environment will be ported to HP-UX and made available on UNIX system workstations.*

"Once HP NewWave is on a UNIX system, all workstations connected to the networked system will have a common look and feel, and have access to the same office services," Frankenberg said. "It won't matter what workstation or host operating system is used. Whether it's MS-DOS, OS/2, UNIX, HP-UX or MPE, customers will have a common application environment.

Office services from HP's Personal Productivity Center to be ported to HP-

UX include communications software for electronic mail, document conversion and the electronic exchange of documents; the sharing of expensive computer resources such as disc drives, tape backup drives, printers and plotters; and the ability to quickly access data from a wide range of sources across a network.

Also at UniForum, HP announced the first HP terminal for personal-computer-based multiuser environments. It also introduced a terminal that can be used for UNIX systems as well as general-purpose ASCII applications.

When connected to a PC running XENIX, the new HP 700/44 (\$575) can use the same programs as the PC, including MS-DOS applications. Like the new line of Vectra PCs, the HP 700/44 keyboard has the IBM PC character set and enhanced PC keyboard layout.


Up to 32 terminals can be connected to the HP Vectra RS/20 and up to 16 terminals can be connected to the Vectra ES/12.

Designed for business, technical and manufacturing applications, the new HP 700/43 display terminal is an enhanced version of the HP 700/41 unveiled in August 1987.

With four pages of memory, 80- and 132-column modes, 58 programmable keys and 12 emulation modes, the HP 700/43 terminal offers more features at a lower U.S. list price (\$475) than competing ASCII terminals by IBM, Wyse Technology, TeleVideo and ADDS.

HP also enhanced its HP 700/71, IBM 3191-compatible terminal by increasing the refresh rate from 64 Hz to 72 Hz and by adding the soft-white screen option at no additional cost. ■





# A TO D SIMULTANEOUSLY

**Infotek introduces AD300—the first 32-channel analog/digital converter board for HP 9000 Series 200/300 with four-channel simultaneous sampling.**


- 32 channels single-ended/16 channels differential allow complete event sampling.
- Up to four-channel simultaneous sampling for optimum accuracy and control.
- 200 kHz sample rate.
- 64K on-board buffer for highest speed without (or with) DMA.
- Board-level design for maximum economy.
- Programmable external voltage trigger for flexibility.
- Programmable digital output

port permits communication with outside instruments.

- HP GPIO protocol—no special software—for fast, easy programming.
- Maximum performance in a single I/O slot.

Data acquisition has never been so fast, accurate or easy to perform—at such a low cost. The new Infotek AD300 offers the most sophisticated analog-to-digital conversion for all HP 9000

Series 200/  
300 com-



puters, and costs many thousands of dollars less than stand-alone converters. Its microprocessor control and 64K on-board buffer reduce the load on the host computer—while GPIO protocol compatibility and a simple, three-step programming procedure reduce the load on the operator!

Here is the quality and performance you expect from Infotek—world leader in HP enhancement products. Call or write today for more information to Infotek Systems, 1045 S. East Street, Anaheim, California 92805-8508, (714) 956-9300, (800) 227-0218, in California (800) 523-1682, TELEX 678870.



**INFOTEK  
SYSTEMS**



# NEW PRODUCTS

## CONTEXT 1.0 Provides Knowledge Access

LatiCorp Inc. recently announced CONTEXT 1.0, a knowledge access system that delivers precise information.

CONTEXT 1.0's applications include publishing, software development, word processing management, and legal, medical and scientific research. It allows any ASCII files, C sources (text, strings and comment fields), and formatted word processing documents to be searched without structuring and defining fields in advance.

CONTEXT 1.0 uses the inverted indexing method. Searches may use Boolean, proximity, limiting and ranging operators, a synonym thesaurus, stop lists, dates, values and user-defined fields. It can support approximately two billion documents in each collection or group of documents. One, two or three collections can be searched simultaneously and may span physical volumes such as disc drives.

CONTEXT 1.0 operates in networks of departmental computers running under the UNIX and MS-DOS operating systems. It is written in C and supports a variety of terminals, monitors and printers, including the HP 9000, IBM PC/AT under DOS and SCO XENIX, the VAX line under ULTRIX 2.0 and Sun 3 under Sun OS.

Contact LatiCorp, Inc., 185 Berry St., San Francisco, CA 94107; (415) 543-1199.

**Enter 900 on reader card**

## DATA-NET Enhances Laser Printing

Integrated Marketing Corp. (IMC) has announced several enhancements to its DATA-NET peripheral sharing systems.

Four different models of the DATA-NET series (\$795 and up) allow users to connect a variety of computers and peripherals in a network environment. The enhanced products have evolved over the past three years to meet the changes in plotting applications, desktop publishing software and file

conversion from the 5¼-inch to the emerging 3½-inch format standard.

Each of the DATA-NET ports individually can be selected by the user as input or output ports, while any and all ports can be designated as the chosen output.

Users of DATA-NET for printing and plotting applications may use the suite of EPROM-resident software commands to perform the whole gamut of printing tasks, including pause to change paper, simultaneous operation to different printers by more than one user, next-available printer output, printing of collated copies, and holding lengthy report data in the buffer without locking out other users (printing is performed when the document is complete). DATA-NET's ability to handle bidirectional signals also makes it possible to perform plotting and desktop applications.

The six- and eight-port DATA-NET systems are available in a combination of serial and parallel configurations. Each model comes with a standard memory buffer of 256K RAM memory, which is user compatible to 1 MB. DATA-NET ports can be configured by users with their own personality

for uninterrupted operation until a change is required, eliminating the need for daily setups.

The DATA-NET peripheral sharing systems are 100 percent compatible with HP laser printers and compatibles, IBM, DEC, Apple, DOS, UNIX and XENIX computer systems, protocols and operating systems. Contact Integrated Marketing Corp., 1031-H E. Duane Ave., Sunnyvale, CA 94086; (408) 730-1112.

**Enter 901 on reader card**

## Esprit Introduces PC-Compatible LAN Term

For users seeking to run PC applications on their desktop as well as share resources and files in a local area network with the same convenience as a terminal, Esprit Systems introduces the LAN TERM processing terminal.

The LAN TERM (\$1,095) includes an 8-10 MHz 8086-compatible CPU to run DOS, XENIX and PICK applications, and a built-in ARCnet interface for easy integration into a Novell Netware-based network.

An RS-232 port for direct connection to a host, mouse or other



*DATA-NET has enhanced its DATA MANAGER series to allow users to connect a variety of computers and peripherals.*



serial device, and a parallel port for access to a printer also are included.

The LAN TERM's on-board 8-10 MHz NEC V-40 microprocessor is the heart of a single-card PC-compatible architecture that includes an AT-compatible keyboard and an EGA-quality display.

The LAN TERM includes 768K RAM, allowing users to access up to 640K RAM to run spreadsheets and CAD applications such as Lotus 1-2-3 and AutoCAD. The remaining 128K RAM easily supports the network software and terminal emulation functions. An Intel 8087-2 coprocessor is optional.

Contact Esprit Systems Inc., 100 Marcus Dr., Melville, NY 11747; (516) 293-5600.

**Enter 925 on reader card**

## TRAX/COBOL Provides Source-Level Debugging

Corporate Computer Systems Inc. recently announced its TRAX/COBOL Debugger, the first software package on the HP 3000 to provide source-level debugging, a sophisticated multiwindow user interface and debug capability for V/PLUS applications.

Rather than inserting DISPLAY statements and recompiling, TRAX lets you interact with the executing COBOL source. You can stop program execution, print and change user identifiers and even single-step execute without recompiling. With TRAX, bugs are simpler to find and existing applications are easier to understand and maintain. Programs become more self-documenting because you can trace the logic flow through the actual application operating on real data.

TRAX's secret is its multiwindow operator interface. TRAX divides the CRT into two primary windows and several optional secondary windows. The initial interface view consists of the command window and the source display window. Additional windows can be requested if you require more information, yet all are active at the same time. You can restack windows to bring the most important information to the front of the display.

With TRAX, you can debug a V/PLUS COBOL application using a single terminal. TRAX provides a way to see and interact with your V/PLUS screen as well as debug the underlying COBOL application simultaneously, yet all interaction remains at the source code level.

Three different types of program break-



*Esprit's new  
PC-compatible  
LAN TERM pro-  
cessing terminal.*

points are provided with TRAX: simple, iterative or conditional. Commands may be attached to breakpoints so that they're executed when the breakpoint is struck. It provides single-step mode where individual source statements are executed on each terminal carriage return. Single-step operations either can single-step into routines or over them. TRAX also gives you full assembly level support.

Contact Corporate Computer Systems Inc., 33 West Main St., Holmdel, NJ 07733; (201) 946-3800.

**Enter 906 on reader card**

## EEsof Releases CAT Enhancement

EEsof has released ANACAT Version 1.1, an advanced, computer-aided test (CAT) software program for the calibration, measurement, management, de-embedding and embedding of vector network analyzer data.

One new feature of ANACAT 1.1 is its time-domain output, which allows users to view analyzer data in both time and frequency domains. Additionally, time-domain output now can be observed in either RF or baseband format and for either impulse or step response. Time-domain gating also can be performed.

ANACAT 1.1 (\$7,500) is available on the HP 9000 Series 300 (HP-UX) and the IBM PC XT/AT and compatibles.

With newly incorporated macro commands, users now can automate any set of

keystrokes, including complete test procedures. With the enhanced view menu, data display can be normalized to any measurement and labels can be customized or blanked to secure classified data.

ANACAT 1.1 easily displays measurements of one- to six-port devices and supports HP 8510, 8753, and 3577 vector network analyzers; HP 662x family of programmable BIAS supplies and the HP 4145 semiconductor parameter analyzer; Wiltron 360 network analyzer and Sun Electronics' TC01 temperature chamber controller including any temperature chamber connected or retrofitted to that controller.

Contact Donn Mutch, EEsof, Inc., 5795 Lindero Canyon Rd., Westlake Village, CA 91362; (818) 991-7530.

**Enter 902 on reader card**

## PROJECT MANAGER Converted To HP 3000

TEI Inc. has announced that PROJECT MANAGER/3000, a project management package, is being converted to run on the HP 3000. PROJECT MANAGER has been available on a DEC VAX and many UNIX workstations for five years under the name VUE and has over 200 installations. It's also available for IBM PCs and compatibles.

PROJECT MANAGER also will be available running under MPE/XL in the near future. An HP 9000 version will be available

*Continued on page 82.*







# Adager is quick and clean.

**How do you measure "quick"?** By means of a benchmark which YOU can run on your own computer, at your convenience.

The BARUG Database Shootout provided a well-known benchmark, which includes a Turbo-IMAGE database and a list of transformations. Upon request, we will send you a tape with the database, the requirements, and an Adager-generated stream. If you prefer to specify the transformations using another sequence, you can generate your own stream file, automatically, by running Adager with "parm=8" in session mode. Naturally, if you cannot stand the thought of batch processing, you can just run Adager OnLine. You will enjoy duplicating the benchmark on any machine of your choice. Here are our results, for your reference.

## **Adager runs the BARUG benchmark in:**

2 hours 29 minutes on an HP3000 Series 42 with disc caching,

1 hour 14 minutes on a Series 70 with disc caching,


46 minutes on an HP3000 Series 930,

18 minutes on a Series 950.

**How do you feel "clean"?** For starters, please consider this: You receive a small Adager tape that you install in a couple of minutes on ANY HP3000 computer running IMAGE/3000 or Turbo-IMAGE under MPE or MPE-XL.

A program that runs on a Series II (vintage 1976), on a Series 950 (vintage 1987/1988), and on any HP3000 in between, definitely qualifies as "clean". But besides just running, Adager runs well. Adager is good, clean fun!

Adager is quick and clean. You can measure it and you can feel it.



**The Adapter/Manager for IMAGE/3000 Databases**

Apartado 248


Antigua, GUATEMALA

Telephone +502 (2) 324333

Telex 5460 Adager GU

ENTER 100 ON READER CARD







*Choosing A Proprietary Operating System*

# UNIX: The Right Solution?

[ By Ken F. Sellers ]

**A** new concern for both the computer buyer and computer sales representative has been introduced by the availability of UNIX as an operating system. The computer buyer rarely had any options regarding operating systems; he simply took whatever his computer vendor gave him.

The computer sales representative now has the added responsibility of selecting which operating system to propose to a prospective client and being able to justify that selection. A clearer understanding of both UNIX and proprietary operating systems may help both.

Since the first computer systems were created, the operating system has promoted the systems programmer, concerned the applications programmer and totally mystified the application user. The computer industry, without deception, kept its secrets shrouded in a mist of new, highly technical phrases and "buzzwords" that required specialists to interpret for the businessman who constantly was looking at new technology to improve profitability.

Most operating systems were created by the equipment manufacturers to optimize the interpretation of users' needs into the actions of the equipment necessary to supply those needs. In fewer words, because the equipment was created by the manufacturer, it required a unique operating program. As competition between computer manufacturers increased over the years, it became increasingly necessary for the operating system to offer greater speeds, functions and marketability — at greater costs.

Thanks to "Reverse Engineering" and a steadily growing and improving



engineering and technical work force, this generation of computer users saw many of the equipment manufacturers' subassemblies turned over to a second tier of manufacturers that then supplied those components. As good entrepreneurs, these new businesses began to offer similar (if not duplicate) components to the competition. Then the uniqueness formerly supplied by the equipment was gone and had to be provided by the operating system, which offered a wide variety of application software unavailable on other operating systems.

These circumstances created a continuing cycle of inventiveness in equipment and operating systems that made an end user's equipment and application software obsolete on a rather frequent basis. The dwindling prices in equipment were replaced by selling new operating systems, new application software and training services. It was obvious to many industry watchers that, as users grew more knowledgeable, the old practices of the manufacturers had to give way to a new era that justified the user's investments through a longer product life span, less expensive equipment upgrades or portable application software. Old ideas weren't as marketable anymore.

In 1969 at AT&T's Bell Laboratories, the systems programming staff developed what they believed to be the optimum operating system for supporting program development. Originally written in a second-generation assembly language, UNIX later was rewritten in C, a higher level language, coincidentally developed at Bell Labs. The initial intent for UNIX was strictly as an internal tool for development.

AS THE LEVEL of Bell Labs' efforts grew, many non-profit and academic organizations were authorized to utilize this new operating environment. After wide acclaim by these users, UNIX was first marketed by AT&T as a "technical" operating environment in 1981.

Though not the first operating system developed by someone other than a computer equipment manufacturer, UNIX was being offered by AT&T and was, because of its creation in C (a relatively portable programming language), touted as the solution to the problems created by the proprietary operating environments of the major computer manufacturers. Since 1981, AT&T has joined the ranks of the computer manufacturers and, as would be expected, uses UNIX as the operating system.

Major computer  
manufacturers involved  
with the standardization  
processes have built their  
success on equipment  
innovation and proprietary  
operating systems.

Between the original product in 1981 and the first System V, AT&T struggled with delivery of a bug-free UNIX due to a lack of compatibility between new versions, a common difficulty of operating system suppliers.

While AT&T was experiencing these problems, one of its

authorized academic users, The University of California at Berkeley, had taken UNIX Version 7 and began enhancements that were released as BSD (Berkeley System Distribution) in 1983. BSD offered additional functionality regarding a faster file system, support of virtual memory and demand paging as well as Berkeley's unique networking environment.

To AT&T's credit, the folks there subsequently recognized the inconsistencies of their past efforts and agreed to establish "System V" as the basis for a standardization of

the product. In addition, they've established a standard for the interface between the operating system and applications called SVID (System V Interface Definition) and SVID compliance tests called the System V Verification Suite.

An article by Jeremy Young and Tom Manuel in the October 15, 1987, issue of *Electronics* opened with "The position of UNIX as a world standard appears all but assured now." The statement suggests that there's still some doubt about UNIX or the standards.

To many within the industry, the standardization process requires review by others, not just AT&T, since the standards should support a variety of long-term goals not necessarily shared by AT&T. As a result, several U.S. and international organizations have been formed to promote various elements of the standardization of UNIX.

Standardization in Europe is being led by X/OPEN Co., a group of 11 computer makers including Hewlett-Packard, AT&T, DEC and UNISYS of the U.S. In Japan, the government now sponsors a project called Sigma, which includes manufacturers and end users as members and is supposed to define a UNIX System V-derived development environment.

In Santa Clara, CA, `/usr/group/` has been involved in many standardization efforts such as real-time processing and security functions. An earlier `/usr/group/` project now has been merged into the IEEE 1003 Committee. This committee has drafted a standard known as "1003.1 Posix." Posix (Portable Operating System for Computing Environments) combines AT&T's System V and elements of BSD Version 4.2 into a standard programming interface.



Intel, Interactive Systems Corp. and Microsoft, Inc., in a venture begun by AT&T, are working together to port UNIX to Intel's 80386 microprocessor and allow it to process programs written for Microsoft's XENIX and its popular MS-DOS. The expected result is a standard UNIX for all 386-based systems that will run 386-based programs without porting or recompilation.

Based on the membership and success of groups like X/OPEN and IEEE, it may appear that standardization of UNIX is feasible. Vesa Kousa, a product manager in the Information Systems Division of Finland's Nokia Group, has been quoted as observing, "These organizations are working so slowly that development is passing them by."

Whether the effort is appropriately paced certainly is a valid concern. However, it's probably more appropriate to question how so many large corporations, many of their end users (in the case of /usr/group/) and the product author (AT&T) will be able to protect their self interests and serve the industry's need while participating in multiple committees (on multiple continents) formed to study the subject.

Why is the computer industry so enthused by the potential of UNIX as a standard that most of the larger equipment manufacturers are spending so much backing these "standard committees"? John Gosch, author of "UNIX: A Big European Push" in *Electronics* (October 15, 1987) writes, "Users like UNIX as a standard because it promotes portability in software. That means they aren't tied to any particular vendor — they can buy the best hardware for their particular purposes. Software vendors' interests converge neatly with those of users. They can write one version of an application and sell it to anyone with a UNIX-based system, instead of adapting each application to a host of different proprietary operating systems."

Gosch continues, "For hardware vendors, a UNIX standard promotes connectivity — it makes it much easier for them to link different machines. What's more important, though, is that promoting software portability and connectivity — in effect, establishing that all hardware is created equal — makes a UNIX standard a potent weapon against dominance by IBM Corp."

## Better Ideas

**C**AN UNIX REALLY BECOME the standard operating system of the future? It's hard to believe that our computer technology, which has come so far so fast, won't generate some new and, most surely, better ideas in the not-too-distant future.

However, the efforts aren't necessarily in vain. To quote John Totman, UNIX product manager for ICL, from Gosch's article: "UNIX is not necessarily the best system technically to create this open environment — but it is available, it does the job, and its use is already widespread."

A similar, but unrelated standards group, the Automotive Industry Action Group, was formed to identify areas of standardization within the auto industry in order to reduce domestic industry costs and promote greater productivity. The goal: to become more competitive with off-shore suppliers. The results, to date, are not such that Ford, GM and Chrysler all are operating identically. However, many elements of manufacturing and product shipment significantly have been improved, and not just for the Big Three.

Standards developed by the AIAG benefit most suppliers to the auto companies, as well as manufacturing in general. The AIAG only has targeted elements of manufacturing that appear to be void of emotional defenses — simple things that almost everyone would agree could be done the same way by most companies without affecting the unique identity of any company. Operating System Standards ultimately must be addressed by X/OPEN, IEEE and others in the same manner.

After a historical review of operating systems and UNIX, plus an analysis of the push for UNIX as a standard, the conclusion may be reached that both system buyer and seller aren't so much interested in whether or not there's a standard, but in the benefits derived from the development of common bonds between the many large computer manufacturers involved. Using this background information, it's now possible to discuss how the computer buyer and computer sales representative may evaluate UNIX.

With UNIX being proposed as The Standard Operating System, it's also appropriate to describe the "proprietary operating systems" with which it competes. Most of the major computer manufacturers involved with the standardization processes have built their success primarily on equipment innovation and unique proprietary operating systems. Most of these companies, while supporting UNIX in various degrees, aren't abandoning their proprietary offerings.

The continuing advantages of proprietary operating systems are performance, consistency and familiarity. As an industry, progressing from machine language to fourth-generation languages, it has been apparent that, as each generation has provided programmer productivity improvements, it has been at the cost of program efficiency.

Similarly, proprietary operating systems are written to obtain the optimum performance from the equipment design and configuration. This is possible because both the operating system and equipment design are related to the same technological goal and development staff. As evidenced by the inability of UNIX to gain support at the mainframe equipment level, proprietary operating system performance is still a meaningful element in many buyers' decisions.

While many computer users have been irritated in the past by being "locked in" to a vendor by a proprietary operating system, there are others who find comfort in using the same vendor resources (programmers, system analysts, systems programmers, service representatives and others) because they can



be assured of the same quality and consistency of those resources. Internally, these users are able to develop a computer user and support personnel that aren't required to be constantly retrained or replaced when upgrading to the next higher level of computer power.

Because of their length of service, proprietary operating systems support many application software programs that have been time-tested and solidly debugged but remain relatively inflexible regarding change. So, in the eyes of many, the proprietary operating system solution isn't in danger of being eliminated by UNIX. It's obvious, though, that most proprietary operating system-related equipment manufacturers also are gearing up to provide UNIX-based solutions. Why?

International Data Corporation, a market research company, estimated worldwide UNIX sales in 1986 at \$6.2 billion. They've also estimated that the UNIX market will grow at a compound annual rate of 32 percent, more than twice that of the rest of the computer industry. 1991 is expected to see a worldwide sales volume for UNIX-based systems at \$33 billion. This translates into market share in 1986 of six percent, and in 1991, a projected 22 percent. Obviously, these gains in market share relate to associated losses for proprietary operating system-related equipment.

**I**N ADDITION TO the growing market for UNIX-based systems, the list of computer equipment manufacturers now offering UNIX-based solutions to various degrees, reads like a "Who's Who" of the world's computer industry: Hewlett-Packard, IBM, DEC, AT&T, UNISYS, Amdahl, Data General, Altos, NCR, Honeywell-Bull, ICL, Nixdorf, Olivetti, Philips, Siemens and NEC.

More buyers are designating UNIX as a requirement. The Air Force, which had issued a Request For Proposal for approximately 22,000 UNIX-based systems worth around \$3 billion, recently won a court case allowing them to use UNIX as a selection criteria on that contract. General Motors has begun to impose similar selection criteria in its computer purchases.

It's really not too difficult to understand why many of the computer manufacturers are on the UNIX "bandwagon." It makes sound business sense. However, it's still unclear to most computer buyers how to decide between UNIX and other operating system offerings.

The UNIX market will grow at a compound annual rate of 32 percent, more than twice that of the rest of the computer industry.

It shouldn't be a revelation to discover that the advice offered to computer buyers that follows and the recommended sales approach to computer sales representatives are the same. Both the buyer and sales representative have the same goal — a satisfied, referable buyer. Each new computer buyer first

must examine the primary motivation for making a change. That motivation often directs the buyer into different research paths.

If the buyer has an application software system that adequately addresses both current and future business needs, the most appropriate action is to research only computer equipment that will allow retention of the application software and business data. Ultimately, there can be no greater cost to the computer buyer than the purchase of new software when the old software is adequate. New

software calls for changes in the operation of a business, personnel training and data conversion or reentry costs — all of which are costly and not required if the buyer still can utilize the old software. Generally, this is the case with custom written systems maintained and supported by an internal technical staff.

If currently using a proprietary operating system-based computer, the buyer probably will find the options limited to the incumbent supplier and that supplier's limited range of upgrade options. On the other hand, if the same buyer currently uses a UNIX-based solution, the list of options includes most suppliers of UNIX-based computer equipment.


The first option exercised should be to review the upgrade availability within the incumbent supplier's equipment offerings, as this generally is the least costly solution. It's always appropriate to review other UNIX vendors' capabilities to supply the desired equipment and associated costs if a new model or product line is being proposed by the incumbent.

The buyer who doesn't have adequate software already will have reviewed the possibility of retaining his computer equipment while purchasing new software. If the equipment he wishes to keep is proprietary operating system-based, he'll probably encounter a limited, though quality, group of software offerings from which to select.

If the equipment is UNIX-based, the number of application software packages available most likely will be larger (and growing larger annually at a pace probably equaling or exceeding the annual growth rate of UNIX itself) but perhaps less well-tested.

With the large number of well-established software sup-





# Introducing SPOOLMATE. The first spool control system that not only manages your reports, it scans them, too.

Effectively managing the printing and distribution of your reports is tough enough. But it takes the first *intelligent* spool file manager to also find exactly what you're looking for in those mountains of paper.

That's right. SPOOLMATE not only gives you better control of your spool files and increases your throughput, it actually scans your reports for any condition or character string you specify. By scanning your spool files *before* printing, SPOOLMATE lets you avoid unnecessary, wasteful output. That saves you thousands of dollars in paper costs every year.

SPOOLMATE also provides you with an audit trail in the form of an output log, which informs you of all spooler activity. That means when someone comes searching for a particular report, you always know who printed what, on which printer, when it was printed, and its

size. In fact, with SPOOLMATE you get many useful features:

- Spool file scanning
- Extensive report distribution control
- Multiple queuing levels
- Customized banners
- Output log
- Multiple-CPU spool file control
- Statistics gathering
- Predictive report distribution

SPOOLMATE. The new intelligent spool file manager.

Call us today at 415-968-7511 to find out more.



Mountain View, CA  
415-968-7511

Wimbledon, UK  
01-879-3797  
Telex: 928536



## [ HP's UNIX OBJECTIVES ]

HP's recent announcement to expand its HP-UX program to include the business marketplace is a step toward reaching its objective of becoming the industry leader of UNIX-based business solutions. It has all the elements necessary to be successful. First, it offers a broad compatible product family. Second, it can leverage off the marketing and support programs that already exist for its current business customers.

A third key element is experience. HP already is a major vendor in the business marketplace. Finally, it is committed to standards and to the UNIX operating system.

HP offers a broad family of compatible systems which all use the HP-UX operating system, HP's implementation of AT&T UNIX System V. HP can provide customers with an HP-UX solution for situations ranging from one user to as many as 128 users.

The HP 9000 Series 800s are the new HP Precision Architecture family and are object code compatible. The Model 825S can connect up to 64 users, the Model 840S can connect up to 128 users, and the Model 850S can connect up to 102 users. The number of users that can be connected to the Model 850 will be increased significantly in a future release of HP-UX.

The HP 9000 Series 300 is based on the Motorola 68XXX family. The Series 300 also runs HP-UX and is source code compatible with the Series 800. The Model 310 can connect up to 16 users, but is positioned as a single user workstation. The Models 330 and 350 can connect up to 32 users. The maximum number of connected users is limited by the UNIX license.

With the expansion of HP's HP-UX program to include business customers, HP now offers those customers a choice: MPE and HP-UX. HP doesn't see this as a contradiction, rather it views HP-UX solutions as a complementary alternative, with HP-UX appealing to a different set of customers.

The expansion of the HP-UX program to the business marketplace doesn't change HP's stance toward MPE. MPE remains a strategic operating environment. With an installed base of over 30,000 MPE systems, HP 3000 customers have a tremendous amount invested in MPE solutions. For these customers, MPE compatibility is very important.

A second differentiator is the design of MPE. Designed specifically for online transaction processing in a business environment, it contains a very rich business features set and has unsurpassed price/performance in this environment. The final differentiator is the wealth of third-party business solutions currently available. HP has been marketing MPE for 15 years. During that time it has recruited a very large number of third parties.

HP considers HP-UX as a second strategic operating environment for business customers. It will appeal to customers looking for an industry standard solution and/or UNIX compatibility. Two examples of such customers are the Regional Bell Operating Companies, which have a significant investment in UNIX software, and the U.S. Government, which generally specifies SVID compliance in over 70 percent of the RFPs issued.

Finally, HP-UX on the Series 800 has the capability to do real-time processing. Customers who require real-time capabilities will

want HP-UX-based solutions.

In the past, the business and technical marketplaces had been easily differentiated. With today's increased need for integration, the dividing line is becoming less clear (if not downright invisible). HP is in a unique position to capitalize on this.

HP has been selling systems to business customers for over 15 years. It introduced its first business system, the HP 3000, in 1972. The installed base of the HP 3000 currently exceeds 30,000.

For over 30 years HP has been selling technical solutions. In recent years, UNIX has established itself as the de facto standard in the technical marketplace.

Hewlett-Packard began selling HP-UX in 1982. It also was one of the first companies to offer UNIX as a strategic operating environment on its systems. Over the years, the company has learned a lot. HP-UX has been enhanced considerably over time while maintaining adherence to the existing UNIX standard.

At HP the policy is to continue to adhere to standards where they exist and at the same time continue to push forward. While some of our competitors are announcing "Berkeley and AT&T" merged functionality, HP quietly continues to press on. It accomplished that years ago.

HP does more than merely adhere to standards. It actively participates in the setting of standards. If you wait for standards to be formulated, you're always a step behind. Instead, HP's policy is to continue to develop the HP-UX operating environment and propose its value-added extensions as the basis for the standard. Examples of HP's adherence to standards include:

- *HP-UX is AT&T SVID compatible.*
- *Its networking products are OSI compliant.*
- *It actively supports de facto standards such as SNA and NFS.*
- *All the languages are ANSI compatible; its Allbase and SQL/300 DBMS products use the SQL industry standard interface.*
- *GKS and CG-VDI (Starbase) Graphics.*

Examples of where HP-developed extensions have been adopted or proposed as the basis for the standard include:

- *NLS used as a model for the definition of the X/OPEN Internationalization standard.*
- *Real-time extensions have been proposed to the IEEE as the model for the definition of the UNIX real-time standard.*
- *HP actively has supported and funded the development of X Window.*

Some examples of HP's leading this movement include:

- *It actively participates on all eight usr/group committees.*
- *Member of X/OPEN; HP participates on all 10 X/OPEN committees.*
- *Member of IEEE; co-chairs the P1003.1 POSIX committee, participates on all the committees.*
- *Member of International Standards Organization.*
- *Founding member of the Corporation for Open Systems.*

To summarize it all, HP is very well positioned to assume a leadership position in the market for UNIX-based business solutions. It is committed to standards and has a comprehensive background of experience and a superior set of products. — Cynthia McCulley is product marketing manager in HP's Commercial Systems Division of the HP-UX Business Systems Program.



pliers in the industry today, the new computer buyer needing both new software and new equipment must place the highest priority on selecting a software package that best fits the business needs of the company.

The most appropriate means of evaluating many software packages with regard to a business' needs is to develop three "needs" lists. The first list should represent the minimum functions required to equal the desired capabilities from the old system. The next list should contain the functions that were missing from the old package that caused the dissatisfaction and, thus, would be required in any new system. The last list should reflect any other function necessary to complete the optimum application package for the business. These functions, if not present, shouldn't have any negative impact on the business operations.

It will be highly improbable that any software package will meet both lists one and two completely, but comparing each software offering to these lists should define the top two or three options. The computer equipment associated with the top options then should be reviewed.

When beginning the computer equipment review, it will be important to make an early decision on the relative values of a proprietary operating system versus UNIX in the specific business environment.

Each proprietary operating system has specific operating advantages. These should be reviewed and understood as desirable or undesirable based on the benefit to the business.

## Flexibility Of UNIX

**I**F THERE'S A desire to obtain greater flexibility of UNIX, it should be realized that the flexibility comes at a minor performance cost. However, with the ever-decreasing price of equipment, that cost may be negligible.

The flexibility provided by UNIX also may be evaluated in terms of business requirements. The connectivity value often referred to in UNIX will be of business benefit if the ability to have CAD/CAM, data collection, graphics, bar coding, spreadsheets, word processors and other systems (from a wide variety of vendors) integrated with the application software is important. Proprietary operating systems allow integration only with items supplied by the same vendor.

The purchasing choice  
must reflect the  
appropriate application  
software solution and a  
choice between the  
proprietary system or  
the UNIX system.

UNIX allows multiple application software systems to reside and execute simultaneously on the same system, providing new opportunity in multicompany corporate environments. Another UNIX value is the ability to add equipment, generally terminals and printers that aren't manufactured by the computer equipment manufacturer, without great technical expertise. This very frequently results in lower costs to the buyer.

A critical element in reviewing computer equipment for purchase is the ability of the equipment manufacturer to provide for the business growth of the buyer, not only within the chosen model, but also above that model's capabilities. In a UNIX-based system, that growth requirement may be met with another supplier's solutions.

Finally, if a UNIX-based solution is preferred, the buyer should examine the UNIX experience level of the software supplier, since the quality of the application probably will be related to that experience. In addition, the computer manufacturer should show evidence of aggressively addressing the UNIX market rather than taking a "me too" defensive posture.

An aggressive computer manufacturer normally would have a UNIX-based product line that runs only UNIX solutions, rather than applying UNIX on top of product lines originally built to work with a proprietary operating system.

## A Viable System

**F**OR BOTH BUYER and sales representative, UNIX certainly is a viable operating system for use in any business. In reality, it's neither more nor less technical in nature than other excellent operating systems. The purchasing choice must reflect first and foremost the appropriate application software solution and then a choice between the specific performance environment of a proprietary operating system, or the flexibility and adaptability of the UNIX operating system. Business growth and the associated costs of future system changes also must be evaluated.

Should UNIX be purchased because one day it will be "the standard"? Certainly not! However, it won't hurt to have an operating system supported by so many industry specialists. That's the next best thing to insurance for protecting a long-term investment. —Ken F. Sellers is director of consulting services, PILOT Systems, Inc., Brookfield, WI.



# The Growing Workstations Market

Dominated By UNIX

**U**NIX was first designed and implemented in 1969 at Bell Laboratories in Murray Hill, NJ, by Ken Thompson on a DEC PDP-7. This makes it very old for an operating system. Yet somehow it always has been considered an avant-garde system — the bizarre and unconventional, a unique trade-off between power and expressiveness.

UNIX isn't a static system, it's amorphous by design and can be expanded or contracted at will. It transcends hardware restrictions and is almost a formalism of operating system design. Since 1969 it has evolved through the contributions of thousands of individuals and has kept up with changes in software and hardware.

UNIX is especially popular in research and development centers and academic institutions. Furthermore, the ever-widening single-user, high-powered, graphics-oriented workstations market is dominated by UNIX as the operating system of choice.

It's very interesting to note why this is so. Perhaps by noting the trends in the historic evolution of UNIX the workstation environment,

we can predict the future evolution of the operating environment for computer users.

The graphics workstation is the most personal of the creative and development-oriented environments available and it's bound to grow in popularity. To understand the UNIX phenomenon and its link to workstations, we must understand the fundamentals of UNIX. Is UNIX contradictory?

## Understanding UNIX

**A**T FIRST UNIX seems very contradictory. It's simple in concept, yet beginners find it very difficult to use. It's very small in code compared to other systems, yet it always seems to require more disc space than there is available, no matter the installation. It is cryptic to interact with, yet we're told it is elegant in design. It seems to have no hardware support, yet it's used in the most graphics-oriented and hardware-dependent environments.

First, let's look at its perceived deficiencies. UNIX seems to be plagued with many difficul-

**[By Dr. Michael M. Dediu]**



ties, any of which easily could hinder its acceptance:

- *UNIX doesn't have the flavor of any other operating system.*
- *It has very little, if any, corporate support.*
- *It's extremely cryptic and difficult to master.*
- *It never seems to be standard in any way.*
- *There always are several versions floating around.*
- *Many versions are bug-ridden, slow and cumbersome.*
- *Its documentation is at best cryptic; at worst nonexistent.*
- *It has very little security and few system management tools.*
- *It doesn't support some of the most basic data processing tasks such as transaction processing.*
- *It doesn't have a user-friendly, screen-oriented interaction.*
- *It has very poor terminal and printer support.*

To understand why, despite (or, perhaps, because of) these deficiencies, UNIX became what it is today, we must understand why UNIX was developed and for whom.

UNIX was one of the first operating systems incorporating the three fundamental characteristics we now readily expect. UNIX is:

- *multiuser*
- *interactive*
- *time-sharing.*

UNIX was emerging just when these concepts of machine sharing were moving from the description to the implementation stage. It wasn't the first time-sharing system, but it used the desirable concepts in a new and practical way.

The reasons for having a time-sharing system are obvious: Users (in this case, programmers and researchers) could share information and increase productivity and the efficient use of the computing machine at a time when its cost was a premium.

**W**HEN DISCUSSING WORKSTATIONS, the idea of time-sharing seems obsolete since there's only one user and no sharing is necessary. We shall see, however, that the constructs of UNIX allow it to use the sharing concept in a different way — allowing the single user to multitask his activities. The idea is that sharing between users can be abstracted to sharing between processes for the same user. Here we see the use of fundamental and sound principles of computer science applied so that they transcend hardware restrictions. A good idea is never obsolete.

Having noted the utility of UNIX as a time-sharing system, we also must understand the original purpose of UNIX as in its use. The designers' objective was to create a computing environment where the staff of the Computer Science Research Group at AT&T Bell Labs comfortably and effectively could pursue their programming research.

This description is fundamental in understanding UNIX.

UNIX is amorphous by design and can be expanded or contracted at will.

By definition, it's predominantly an environment for research. This doesn't mean that it can't be used for other tasks; in fact, it excels in most functions. However, UNIX is an operating system primarily suited for software development. It provides the programmer with the best environment for the design and implementation of programs.

This description lends itself naturally to the workstation environment, even though the workstation user may not be developing programs. The workstation user is a developer of new ideas and the UNIX environment lends itself to providing the necessary tools.

Looking at the above-mentioned deficiencies, it's clear that some of them appear as advantages to the researcher/developer. A flexible system can be molded to comfort, a lack of security aids in the sharing of information, which is essential if things are to get done.

The UNIX system is carefully designed to be modular, in good programming style. The concept is that at the high level, UNIX is composed of many (more than 200 standard) small programs or utilities, each of which does one and only one task, but it's done in the most efficient and elegant way.

However, the program/utility also should be flexible to the point where its function changes. This is done in two ways. The utility could be given many parameters which extend its functionality; or the source code is provided to allow the user to both learn how things were done, and perhaps to change them, maybe improving them.

The latter method seems extremely risky, since the whole system could thus be rewritten and possibly destroyed. This is, however, the problem of the user. The developers assume responsibility and competence on the part of the user, again assuming that the user is a programmer.

The cryptic nature of UNIX isn't accidental. UNIX developers assumed the users to be competent and careful. They didn't expect casual users, but intensive and knowledgeable ones.

UNIX is cryptic because it's succinct. The reason the names of the utilities are small (less than four letters) is to eliminate unnecessary typing. It's assumed that the user is very intimate with the system and would be very irritated at having to type a long command many times. This leads to the classic trade-off between expressiveness and functionality. The clearer the command seems, the longer it is.

As an example, consider one of the simplest commands in any operating system — list the contents of a directory. In VMS and MS/PC-DOS, the command is "DIR" for directory. In UNIX, however, it is "ls", supposedly a mnemonic for list. "Ls" is more difficult to remember than "DIR" when think-



ing "directory." However, "ls" is easier to type.

UNIX is flexible enough to allow the user to change the name of any utility by using the "alias" command. "ls" can be changed to "dir" by "alias dir ls". Now by typing "dir", the "ls" command is activated. Aliasing can be turned off by "unalias". Aliasing also aids in shortening a long command line. These are small examples of the flexibility of UNIX. The flexibility of the "ls" command is in its options.

"Ls" has the following syntax:

```
ls [ -acdfgilqrstulACLFR ] name ...
```

This is typical of the manual descriptions in the documentation of UNIX. It specifies that "ls" has several options activated by typing "ls -x" where x is one or a combination of the letters within the brackets above. (UNIX is very case sensitive; an uppercase letter has no relation to a lowercase letter. A is completely different from a.) The "name ..." part implies that one or more filenames can be given to check if that file is in the directory. From the 18 different options (which can be combined in any number of ways), it's clear that a simple "dir" command can be much more.

Most of the options have to do with the way the output

is formatted. If only "ls" is issued, the directory is only an alphabetically sorted list of names appearing across the screen. An "ls -laF" command will list all files vertically in columns giving information on size, degree of protection, whether the names are directories, executable files or text files and more. This flexibility resolves one of the problems stated earlier in that UNIX can be considered very sparse and yet it's very rich. If the options are removed, "ls" is austere, but we can customize it with "alias" to have 10 or more different ways of listing our directory.

The standard can be set by the superuser (system manager) so that when each user logs in, the "ls" defaults to "ls -laF". So it happens that incompatibilities arise. One installation may have all the commands changed. This is possible, but it's extremely bad practice. Again, the users are expected to resolve their own problems. If standards are enforced, flexibility is lost. Therefore, a lack of standards can be a blessing in disguise. It's a matter of taste. The designers of UNIX simply let loose a powerful system that can be abused. As with any programming language, how it's used is up to the programmers. The compiler writers provide only a tool.

The power of UNIX is such that applications can be developed as simply a front-end to the user so that no

# THE BOTTOM LINE

SUBSTANTIAL  
SAVINGS

QUALITY  
REFURBISHMENT

ONE  
VENDOR  
SOLUTION

*When you are looking  
to invest in your business for less,  
but want the best value for your dollar...*

*Consider the alternative.*

*Remanufactured equipment from Hewlett-Packard.*

*Peace of mind that only Hewlett-Packard can offer.*



## ...Top of the Line Remanufactured Equipment from HP



operating system interaction need take place. This is one of the reasons the workstations use UNIX. The applications they run easily and quickly are prototyped and executed.

The reason UNIX can run on so many machines is that since it is a software development environment, the easiest programs to write are those written to run on UNIX. Thus, efficient programs are written with proficiency in the three most popular languages in UNIX: C, FORTRAN and LISP — compilers for which proliferate. In fact, a common program to write on a UNIX machine is what else, but an operating system. And what operating system is easy to write, but UNIX itself.

Most UNIXs available on the market were written in 95 percent C code on UNIX machines. UNIX has a habit of reproducing itself at the hands of skilled and disciplined programmers. Of course, new utilities, compilers and application programs also are developed very quickly. Compilers compile themselves and operating systems reproduce themselves. The possibilities are limitless.

The easiest way of introducing UNIX to a new computer is to get a copy (or write your own) of UNIX in C and port it onto the new machine using the available old operating system and C compiler, resulting in executable code. Then reboot the machine using UNIX, which was just compiled, throwing away the old operating system.

Now bring in all the utilities you can get and you're all set. Of course, there are many things that could go wrong, but experienced programmers find solutions.

Another standard feature of UNIX is its use of ASCII. The UNIX user communicates in ASCII, uses ASCII files and produces ASCII programs. The input and output of most programs is ASCII. There are few files that can't be read by the user.

This standard file interface allows the creation of a very characteristic and powerful UNIX feature: the UNIX pipe. When running a series of programs with interdependent I/O, we can "pipe" the output from one program into another, imagining data as a flow of water. Programs can be chained together and data preprocessed, postprocessed and formatted with the utilities of choice.

Suppose we wanted to print a list (long format) of all the C programs in all our subdirectories, and have the output appear on the screen one screenful at a time. This is very simple:

```
"ls -laFR *.c | more"
```


is all we need. The output of the "ls" command (described above) with the R option (recursive search of directories) on all programs with extension ".c" is piped through a socket "|" to the input of the program that lists ASCII information one screenful at a time prompting for paging.

Piping is a very powerful feature that results in increased throughput, since no intermediate files have to be created. This concept is very important in a multitasking workstation. Pro-

**gratit**

## Graphs for on-the-spot data analysis

Are you generating technical data? Use *Grafit* to create one-of-a-kind graphs to analyze and to present your data. Or, let your application program schedule *Grafit* automatically.



## The most popular graphing system for HP technical computers

*Grafit* meets the graphing needs of research and manufacturing environments with features like:

- superscripting and subscripting
- curve smoothing and regression
- multiple charts

And *Grafit* is fully integrated with *Statit*, our data management and statistics system.

If you're using an HP technical computer, call us today to discover how you can use *Grafit*.

ENTER 259 ON READER CARD

**graphicus**

160 Saratoga Avenue, Suite 32  
Santa Clara, CA 95051 USA  
TWX: 9102407809  
FAX: 408-243-7579

**408-246-9530**



cesses (jobs) can interact in inventive ways by piping their output or input.

The flexibility of the user interaction is extended by the use of shells or command interpreters in UNIX. The UNIX C-shell or the Bourne shell are two popular choices. Unlike other systems, UNIX gives the user a choice of two or more operating system command interpreters. These interpreters are almost as powerful as full languages. Complex programs can be written. The syntax and semantics are similar to those of C, hence the portability and ease of use.

The UNIX system allows the user to create many processes running concurrently with very little effort. By specifying a command and following it with an "&" character, the user places the process in the background while still interacting with the terminal in his shell.

A "^Z" within any process such as while editing a document will place the current process in the background and turn control over to the parent process. The "fg" (foreground) command brings it back. Shells and processes are created within each other ad infinitum. Of course machines have limitations and an error message may occur at some point.

## Processes And Multitasking

**T**HE EASE OF CREATING processes and files in UNIX is very notorious. On a time-sharing system, one user may monopolize the CPU with abandon, frustrating the others. This doesn't affect the workstation user except in slowing down his own applications. Files also can be created easily in UNIX. The output redirect ">" can take any output (including that destined for the terminal) and redirect it to a file, such as:

```
"ls > directory.today"
```

which takes the listing of the directory and outputs it to a file named directory.today. This can create a file explosion and even result in a message being printed in the System V.2 administrator's guide:

"Making files is easy under the UNIX operating system. Therefore, users tend to create numerous files using large amounts of file space. It has been suggested that the only standard thing about all UNIX systems is the message-of-the-day telling users to clean up their files."

So, the problem of UNIX being a disc hog is only a result of users having the freedom of creating many files. In UNIX,

the average state of disc use is around 90 percent.

The UNIX environment, when applied to graphical interface workstations, is very impressive. The large screens, high power and high resolution of the graphics on workstations allow for the generation of many windows on the screen. Each window can be a process in UNIX and within each window shells can be created with multitasking actions. The time-sharing, multitasking environment of the mainframes now allows the single user to perform several tasks at once.

An example of the use of UNIX on workstations is the Magic VLSI design program running on a Sun or MICROVAX GPX/II workstation. VLSI design requires the use of a drawing space for the layout and emulation or testing of the chip on another space. The two spaces can be windows. In one window the emulator is producing error messages and the user is looking at the layout in the other to spot the physical faults. Debugging techniques such as these, are possible for many design tasks

The UNIX system  
allows the user to create  
many processes running  
concurrently with  
little effort.

including programming.

Interestingly enough, many of the UNIX text processing utilities are exceptionally good for documents. Researchers often are called on to present papers and documents, so there are utilities available for typesetting and laser printing, document formatting, table and graph generation and the best text editors in the world (emacs and gemacs). These practical tools are very valuable to the commercial users as well and should prove popular with the proliferation of laser printers.

## UNIX Utilities

**U**NIX CONTAINS A large number of utilities for different applications. For example, there are text manipulation tools such as "grep" (for selecting lines from a file according to specific criteria), "ed", "sed", "tr", "rpl", "awk" (for selectively changing the contents of a file), "sort" and "uniq" (for rearranging the order of lines in a file). Other utilities are for formatting documents, such as "nroff" (a text formatter), "troff" (a version of "nroff" for phototypesetter), "eqn" (for setting mathematical equations) and "tbl" (for tabular layout).

There exist interactive arithmetic calculators, such as "bc" and "dc". The utility "make" is for managing large amounts of program source-text; "lex" and "yacc", for building compilers and other computer language products; "who", for finding out who's using the system; and "mail" for communication between users. The shell has facilities to create new tools.



UNIX also has very good communication features aiding in the networking process. Workstations almost always are networked to improve information sharing.

EVERY MAJOR COMPUTER MANUFACTURER has workstations with their implementation of UNIX. For example, IBM has a UNIX workstation, the RT PC, with its Aix (Advanced Interactive Executive UNIX). Aix versions that are subsets of the RT Aix will run on the PS/2 Model 80 and 370 processors. These versions aren't exact subsets, because parts of Aix are written specifically for the RT PC's reduced instruction set processor architecture, and aren't compatible with other processors.

IBM intends to develop a version of Aix for the PS/2 Model 80 that supports Microsoft Corporation's MS-DOS applications as a task. There's also XENIX on the IBM PC, and IBM offers IX/370 for its 370 family of mainframes, along with PC/IX and Series/1 IX. But these three implementations of UNIX are quite different and incompatible. There are many versions of UNIX. For instance, IBM created a version called Acis, for the RT PC, which is sold mostly to universities.

HEWLETT-PACKARD'S VECTRA RS/16 and RS/20, which are 80386-based workstations, are for the user who needs power. UNIX can be ported to the 80386 architecture and it will appear soon enough. The 80386 processor allows for multitasking in support of UNIX.

The HP 9000 Series 300 family of technical workstations includes a selection of processors, display systems, interface and memory cards, operating systems and peripherals. Based on the Motorola 68010 and 68020 processors, the Series 300 is derived from an object code compatible with the earlier 200 systems.

Series 300 technical workstations can run any of four operating systems: BASIC 5.0, PASCAL 3.2, MS-DOS and HP-UX, which provides a superset of UNIX for multiuser, multiprocessing applications, with real-time enhancements. An Application Execution Environment (AXE) is available for single-user execution of HP-UX applications.


UNIX provides an environment for tool-using and tool-building. In any type of application — business, documentation, research, engineering, software development — UNIX can help with a large set of utilities, and with the facility of creating new tools.

UNIX has emerged into one of the most popular operating systems running on almost all varieties of computers (from the smallest PC to the largest mainframe and to the fastest Cray). It's very portable and reproduces quickly. It runs well on networks and is robust. It has a bright future even as an operating system for ultra-high-speed parallel or multiprocessor computers. — *Dr. Michael M. Dedi* is president of *Dedi Computer Consultants, Tewksbury, MA.*

statit

## Statistics for on-the-spot data analysis

Are you generating technical data? *Statit* makes it easy to explore your data using statistical and graphical analysis. And you can tailor and extend *Statit's* capabilities to suit your application.



## A data analysis system that grows with you

Designed for technical and scientific applications, *Statit* is a modular system that lets you select the capabilities you need today while providing room for future growth. *Statit* has modules for:

- Statistics
- Quality Control
- Procedure Writing
- Graphics

If you're using an HP technical computer, call us today to see why *Statit* is the best data analysis system for you.

ENTER 260 ON READER CARD

**graphicus**

160 Saratoga Avenue, Suite 32  
Santa Clara, CA 95051 USA  
TWX: 9102407809  
FAX: 408-243-7579

**408-246-9530**



# X

# WINDOW

## Much More Than Just A Windowing System, Part 3

*This is the third in a series on the X Window system (also called X) as implemented on Hewlett-Packard computers. The first article in the series (January 1988) presented the background and use of X from a user's viewpoint. Part 2 of the series (February 1988) provided an example of programming in the X environment without the use of tools. This part is concerned with user interfacing within X and Hewlett-Packard's Xray library.*

Of great concern to application developers is the need to provide their application with a user interface that is intuitive and therefore easy to learn and use. Most often the interface solution is graphical in nature, using icons, menus and a mouse to point and click. This immediately puts the developer into a bind. To warrant the investment in such an interface, the application must run on many vendors' hardware.

Of course, since every vendor's hardware is different, the developer finds himself with a major hardware interface problem that forces compromise in the finished product. Typically, the developer is forced to write software that begins at the hardware performance level for the least capable hardware; i.e., he builds to the lowest common denominator. In addition, as the vendor's hardware is updated, the drivers developed for each must be changed.

The user doesn't benefit either. Quite often, a software product isn't available on his hardware because the software vendor cannot justify the investment of additional development and maintenance. Furthermore, the user is faced with products from many different vendors, each with its own user interface and personality which increases training costs and user frustration.

What we have is a situation in which the


great power of the computer age is wasted by incompatibility. Everyone loses. The need for a standard is clear.

The X Window system has the potential of being that standard for graphics workstations (not ASCII terminals). One aspect of X is that it defines a common programming interface for the display of graphical information. This is achieved by making different vendors' hardware look the same to application software through an interface program called the display server.

The display server accepts standard format messages which request various server functions including graphics-drawing capabilities and bitmap display manipulations. This capability of X, if seriously adopted by enough vendors, has the promise of resolving the hardware interface problem for most applications developers. The X standard provides much more than a standard graphical hardware interface; however, that's where it's going to make its initial contribution.

X also has the potential of establishing a standard for graphical user interfaces; however, at this time it hasn't been done. As expected, the vendors of these applications are excited about X because it allows them to write one display driver to use for all hardware that supports X. Also, as expected, each developer uses his own, very different graphical interface. In one application, the left mouse button performs the same function for which a different application used the right mouse button.


The X standard is a multivendor windowing system; it doesn't specify a user interface. A user interface defines the methods or techniques used for obtaining input from and providing output to the user. A good one leaves the user in control and is consistent — it *always* works the same way.



## X WINDOW

Ken Fullett





A simple X model.

User interfaces span from the typed command to the spoken word and even use the movement of the eye. Regardless of the technique used, the consistency is the most important aspect of any quality interface.

With X, the user interface standard is left up to program developers so as not to limit their capabilities. If X is too restrictive, it risks not being accepted by the community.

However, the news is not all good. The use of the mouse buttons vary greatly among applications. The right mouse button activates a menu in some, with the left or middle button used on others. This problem is particularly annoying because of the multitasking environment in which the applications are used.

At an X workstation, you can have several applications active at once with each displaying its own window. With the mouse cursor positioned in one window, the function of the mouse buttons is different from their function while the mouse cursor is positioned in a second window.

BEFORE CONTINUING, it would be useful to review some terminology. Recall that the X system is based on a client-server

relationship depicted in *Figure 1*. The server is responsible for input and output at a workstation consisting of hardware for a display, keyboard and mouse.

The computer running the X server program is called the display-server. A client makes request to, and receives user input from, the display-server via a local area network (LAN). The client program may be run locally on the same computer as the X server or it may run on a remote computer that also is on the LAN. In either case, the computer running the client process is called the application server.

The organization of the X software environment, its programs, libraries and software tools, is illustrated in *Figure 2*.

At the bottom of the figure is the X server program for the display-server that is unique to each type of hardware. The program is responsible for managing the hardware and presenting a common programming interface to the developer regardless of the underlying hardware. For the HP 300 Series workstations, this program is called Xhp.

On the client side of the LAN are the basic tools for program development contained in a function library called Xlib. This library creates the programming interface to the X server. Xlib handles the necessary network interface

so the programmer may think in terms of a display keyboard and mouse attached to an X workstation. A program uses functions within the library to send input and output requests to the X server.


In Part 2 of this series, a sample program that generated the image of a telephone keypad and accepted keypad key presses was written using the functions of Xlib. As shown, programming at this level can be quite time consuming.

The next layer of software shown in *Figure 2* is what I'll call the tool layer. At this layer, libraries are constructed that provide complete user interfaces and various other programming tools. Much development activity is expected here. With the HP version of X come the tool libraries Xtty, Xtext, XMenu and Xray.

Xtty and Xtext are libraries for managing text-only windows. Xmenu is a library that provides pop-up menus. Xray, also called Xrlib, is an HP contribution to X providing user interface tools — one of many user interface libraries to come.

The software applications developer is free to use any of these libraries for the creation of an application. This is why X isn't a user interface





*Software organization for X.*

standard; there are simply no restrictions in how X may be used.

HP's Xray library is one solution to the user interface standard. Xray provides the tools necessary for obtaining input from the user. It does this by providing a set of functions called field editors. Each field editor is used to obtain a different type of input from the user. There are field editors for providing the user with a set of choices where he must choose one from many (a particular color from a set) or several from many (files to erase).

The current list of field editors, with a few graphical examples, are

shown in *Figure 3*. The field editors are combined to create a form called a panel that may be filled in by the user. The user may edit each entry in the panel, called a field, hence the name field editor.

Before continuing with the details of the Xray library it's necessary to review some aspects of Xlib by referring to *Figure 1*.

Recall that user actions at the X workstation (keyboard presses, mouse movement and rearranging windows) cause messages called events to be placed into the client's input queue. By examining the events, the client decides the appropriate action.

Xlib defines many different types

of events. For example, if the user presses the left mouse button in the client's window, the X server will put a `MouseButton` event into the user's input queue.

A typical technique for programming a client in this environment is an event loop. The client program waits for events, processes each event as it enters, and waits again. With this concept in mind, let's examine the Xray library.

THE XRAY LIBRARY is object-oriented where each field editor is an object. With this approach, each type of editor has a single function that is called to manage all aspects of the type. The



function handles creation, drawing, current state (active or inactive) and user input to the field.

You can create more than one of each type of field editor. Just as you can create many rectangles with a function that generates rectangles, using the field editor function you can create many field editors. Each is called an instance of the field editor type.

In the C programming language, all field editor functions take the form shown here:

```
XrEditor *XrEditorName
(instance, message, data)

xrEditor *instance;

INT32 message;

INT8 *data;
```

To create an instance, modify an instance or process an X event, the field editor function is called with different messages:

MSG\_NEW — generates a new instance of the editor.

MSG\_SIZE — determines the rectangular screen area required.

MSG\_MOVE — moves the instance of the field editor.

MSG\_GETSTATE — returns the current state of the editor.

MSG\_SETSTATE — sets the editor state.

MSG\_REDRAW — redraws the editor.

MSG\_EDIT — processes an event received from the X server.

MSG\_FREE — removes the editor instance and all its resources.

Each message is accompanied by data appropriate to the message type.

To create an instance of a field editor, you must first collect all the information necessary for describing the particulars of the instance to be created. For example, to create a radio button editor, you must choose the number of buttons, define the labels to appear on each button and specify a default selection, the colors to use for drawing and the rectangular area within a window in

which the instance to be created should be drawn.

Once all of this information is gathered, the new instance is created by passing this information to the field editor function with the message MSG\_NEW. In exchange, the field editor function will return an instance code which you can use to differentiate each instance (this is actually a pointer to data describing the instance).

Once the field editor is drawn on the screen, it will occupy a known rectangular area within a window. If the user tries to access the graphical image of the field editor with a mouse button press or the press of a keyboard key, an X event will be generated and placed on the end of the client's input queue.

The X event includes the X,Y coordinate where the cursor was positioned on the screen when the event occurred. If there are multiple field editor instances within the window, the instance the user was trying to access is determined by comparing the rectangle occupied by each instance with the coordinate contained in the X event.

Once the instance that generated the X event is determined, the event is given to the field editor's function with MSG\_EDIT to process the X event. For example, if the X event for a mouse button press was detected within the rectangle occupied by a radio button editor instance, then this event is passed to the radio button field editor for processing.

If the field editor function determines that the event occurred within one of the circles depicting a radio button, three things happen:

1. The field editor will make this selection the current state.
2. The instance is redrawn to reflect the new state.
3. An Xray event is pushed onto the front of the input queue.

The third action is important because it allows the event loop model for a program to be retained. In the case of the radio button, the event that is pushed onto the queue contains the number of the new button selected. The event is of a new type specific to the

Xray library, but conforms to the Xlib format of an event so you can tell them apart.

Thus far, the model for using the field editors within a client program is:

1. Read an event off the input queue using an Xlib function.
- 2a. If it's an X event, determine in which field editor instance the X event occurred and send it to the appropriate field editor function with a MSG\_EDIT. This may generate an Xray type event that is pushed onto the front of the client's input queue by the field editor function.
- 2b. If the event is an Xray event, it's processed as needed by the application.
3. Repeat with Step 1.

This is one way to deal with the field editors and is more difficult than required. The Xray library provides additional functions to make it simpler to work with field editors.

The Xray function called XrInput() can be used to obtain the next event off the input queue. Before the event is passed to the client's program for examination, XrInput() uses other Xray functions to pass the event to the appropriate field editor instance, thus performing Step 2a above. If the X event doesn't belong to a field editor instance, it's returned by XrInput() to the client process.

The Xray library isn't difficult to use once the underlying concepts are understood. Its major drawback is the amount of information that must be gathered to create a panel. Rather than entering the information to create a field editor instance using text, a graphical editing program is needed that can be used by application developers to design and draw a panel using a mouse for an input device.

On the plus side, the types of field editors can be expanded by the application developer. There's enough information in the documentation to design your own field editors. This includes grouping existing field editors together to create a new type.

Xray cannot address a user inter-



# FIGURE 3

The text editor allows editing of a line or less of text:

File Name

The title bar editor is used for labelling rectangles:

||| Window Name |||

The Radiobutton editor lets the user choose one from many:

☐ WHEAT ☒ BARLEY  
☐ OATS ☐ RYE

The check box editor allows the user to choose several items:

☒ BREAD  
☐ FLOUR  
☒ MILK

Other editors include:

scrollbar  
push buttons  
raster  
page

## The Xray field editors.

face standard unless it's adopted by X developers. A toolkit called Xtools that's being developed for X, but isn't yet available, may become the de facto standard because it originates from the same place as X itself. For the moment, Xtools isn't available and developers are moving their software to X with little guidance on user interface standards.

HP ISN'T QUITE KEEPING PACE with current versions of the X standard. X11 is the current version available from MIT while HP is still shipping X10. The problem is that Xlib has been changed significantly with the X11 release. This

requires that code be changed to use X11.

Although HP hasn't committed to a release date for X11, which has been available since late last year, they should be able to catch up by June or July of this year. If you're interested in the differences between X10 and X11, you can consult your HP sales representative.

You can obtain the source code and some documentation for the X system directly from MIT for a nominal charge. If you're serious about X, this may give you some insight into its operation.

If you purchase X11 from MIT, it will not be directly usable on your HP computer because a version X11 server for HP hardware isn't provided. However, you'll receive a reel tape containing 19 MB of source code. Your HP

sales representative may be able to help you here.

HP is presently supporting two windowing standards: the proprietary system called Windows/9000 and X. Windows/9000 is included with standard HP-UX while X Window is sold separately. HP's stated commitment to standards and the financial burden of supporting two different systems requires them to discourage the use of their proprietary system in favor of X. They've already provided the capability to run Windows/9000 applications under X. Next, I'd hope for a program to help existing applications convert from Windows/9000 to X. Finally, as a demonstration of their commitment, I'd hope they'd include X at no extra cost with all versions of HP-UX.

Everyone is excited about the ability of X to provide a standard hardware interface. We need to get excited about the promise X offers for a standard user interface on workstations. The X standard needs to go a little farther and specify a standard for a graphical user interface. At a minimum, the user interface guidelines and recommendations provided within X must be extended.

The need for standard user interface toolkits clearly is present. What's needed, quickly, is a toolkit that's so powerful and easy to program that it becomes a de facto standard. However, it's needed today — before the window on X closes. — Ken Fullett is a scientist in the Transponders Dept., Comsat Laboratories, Communications Satellite Corporation, Clarksburg, MD.

The source code tape and documentation are available from:

MIT Software Center  
E32-300  
77 Massachusetts Ave.  
Cambridge, MA 02139  
(617) 253-6325





## from CORPORATE COMPUTER SYSTEMS

### Porting your code is a little chancy if your C Compiler is ONLY ANSI

The ANSI standard is the most important thing to happen to the C language in a long time, but a good C Compiler doesn't stop at being just ANSI. At Corporate Computer Systems, we've been producing C Compilers for HP computers since 1979 and we know that it takes a combination of standards and special features to make C code truly portable.

### Function Prototyping

CCS/C is the only C Compiler on the HP 3000 and 1000 systems to implement the draft ANSI standard for function prototyping. ANSI's definition provides function argument typechecking and automatic type conversions making it easier for you to generate better code with fewer bugs.

### Long Pointers

We've added a special feature to CCS/C Compilers called long pointers to give you transparent access to extra memory space. At last you can take full advantage of extended memory without sacrificing portability.

### Standard USLs

HP 3000 programmers have a choice of development methods with CCS/C. "Old hands" at the 3000 can use standard USLs produced by CCS/C while C users from other systems like DEC, UNIX or PC's can choose the classic linkage edit approach.

Being ANSI standard is an important part of the C story, but the complete details on C programming, productivity and portability are only available at Corporate Computer Systems. Call us today at 201-946-3800.



**CORPORATE COMPUTER SYSTEMS, INC.**

33 West Main Street Holmdel, New Jersey 07733 U.S.A.  
201-946-3800 Fax: 201-946-7167 Telex: 642672CCSHOLM

ENTER 168 ON READER CARD



# P PROGRAMMING LANGUAGES

## Where Horizons Meet

The last two issues of *HP PROFESSIONAL* have featured a discussion of various popular computer languages currently being developed and used.

However, if your company already possesses a sophisticated computer installation and has invested a substantial amount of money to acquire a trouble-free library of routines, then the prospect of totally rewriting existing pieces of software may not seem so attractive.

Even after considering new features that might be added and the increased efficiency offered, the costs of hiring new or re-educating existing personnel for the new language often seem prohibitive, especially since these costs are incurred before the software is even examined. These factors can make the prospect of designing, implementing, documenting and maintaining to reimplement an existing piece of software rather bleak.

Fortunately, there's an attractive solution. If the software to be developed already exists, but needs major rewriting for functional enhancements, efficiency requirements or future savings in maintenance costs (maintenance, on average, comprises well over half the cost of a program over its life cycle), one alternative is to continue using the software's existing code, but incorporate sophisticated features from other languages via extensions. Dozens of companies offer packages to provide such extensions as library routines that interface directly to high-level languages.

Examples of efficient graphics, object-oriented programming and database querying extensions will be presented here. These extensions are sophisticated, often optimized, library routines.

The use of libraries to provide programming functions is not a new concept. However,

when radically new programming techniques are introduced, more functionality might be added than would be obtained by even changing languages, since the benefits of both languages can be combined.

Also, a smaller learning curve is required to use the new functions, since the knowledge used in creating the existing version can be incorporated in future developmental stages. This factor, in turn, decreases the algorithmic complexity involved in developing the new version and allows old code to be incorporated, thereby decreasing the cost of documentation.

Finally, using subroutine libraries to affect changes permits incremental development, since increasingly sophisticated versions can be created from previous stable ones over time.

RECENTLY, A NUMBER of graphics-oriented languages/packages have been introduced. These pieces of software allow users to create intricate graphics for CAD/CAM applications, presentations and desktop publishing with a minimum amount of effort involved.

Graphically based languages and packages typically offer users and programmers a variety of primitives, such as point, line, filled and unfilled polygon and text drawing. These functions are offered in user-defined languages such as HP's Device-independent Graphics Language (DGL). Since DGL can be embedded in C, calls can be executed when needed to provide any function so desired.


Whether a filled polygon is to be used for a CAD/CAM application, graphic molecular modeling, desktop publishing or animation is entirely up to the programmer. However, if your dedicated graphics language or software



## LANGUAGES

David Goldstein





# Push button backup.

Low-cost backup  
for HP9000 users.

For all the times you've wanted a simpler, smarter, more reliable way to backup your data, Bering has the answer.

Introducing ECHO. Automatic tape backup you can count on time after time after time.

Our ECHO 40MB tape backup drive is compatible with all HP9000 Series 200/300/500 users. It incorporates the kind of sophisticated features you'd expect from an expensive drive. Yet it's priced at about *half* the price of comparable systems.

ECHO doesn't sacrifice quality, either. It's extremely reliable, with built-in error corrections that let you rest assured you're not missing anything.

At the push of a button, your ECHO drive can copy 40MB of data from your hard disk, creating a "mirror image" of your



files. Other features like off-line operation let you perform backup or restore without a CPU. ECHO's timed-backup lets you automatically backup a project without being present. Menu-driven selections and LCD displays make operation easier. And at 2.4MB per minute, ECHO's backup is *very* fast.

Last, but not least, ECHO uses the latest space-saving 3M DC2000 mini tape cartridges—a tidy little addition to over-crowded work areas.

For a data sheet or more information, call us at **800 BERING 1**. Bering Industries, 240 Hacienda Ave., Campbell, CA 95008.

**BERING™**

**Innovative storage for Hewlett-Packard**  
ECHO is a trademark of Bering Industries. HP9000  
Series 200/300/500 are trademarks of Hewlett-Packard.



## [ DEVICE-INDEPENDENT GRAPHICS LANGUAGE (DGL) ]

The Device-independent Graphics Language (DGL) is one of a variety of C callable subroutine packages available on the market that can be run as a graphics-specific language.

The command set of DGL supports a wide variety of commands in a device-independent manner, so changing hardware often has little effect on a program's useability. Because of the transparency of hardware to application programs, many routines return an error flag that can be examined to determine where an error might have occurred. The DGL commands include:

Command Name	Function
zbegn	Begin processing graphics commands.
zdint	Initialize the device.
zdend	Stop using a device.
zend	Stop using DGL.
zmove	Move to an x,y coordinate.
zmark	Draw a marker. A variety of predefined markers are available. Markers can be used to mark places on a graph or chart or as very quickly displayed small shapes. Markers are affected by zcolor, so they can even be used for animation by drawing a marker and then redrawing it in the background color.
zcolor	Specify the next drawing color.
ztext	Draw specified text at current cursor location.
zcsiz	Specify character size for drawing text.
zaspk	Set the aspect ratio (ratio of x,y distances).
zwind	Work with a new window of the screen for world coordinates.
zdlm	Set the display limits.
zpoly	Draw an unfilled polygon. Filled and unfilled polygons of virtually any size can be drawn, thus allowing curves to be constructed.
zlstl	Draw a line using a predefined style (dashed, solid, thick, etc.).
zpgdd	Draw a filled polygon, with or without a surrounding border.

package does not support a function you need (including often forgotten, but important functions like trigonometric functions and random number generation), you may be out of luck.

Programs created using graphics library languages tend to be of the following form:

- Declare device used
- Set up world coordinates
- Set up window viewing
- Perform drawing desired

Many common graphics routines, such as drawing text on a graphics screen, would be excruciating to develop

from scratch, yet for any reasonable degree of flexibility, features of commonly used programming languages are required.

Much of my most recent work has been in machine perception/image processing (the more subtle dual-to-graphics), so the readily-available *Program 1* is a C program that calls an imaging subroutine library to perform simple thresholding (removing points in an image of a lesser intensity than a given threshold). This program, a library subroutine, makes use of an imaging package "pm" [hence the statements of the form pm\_\_(name)].

More complicated procedures in-

volving convolution, edge detection, smoothing, region growing, histogram creation and stereo matching are available in the library that my colleagues and I have created.

In the January 1988 issue of *HP PROFESSIONAL*, I addressed database-specific languages. These languages commonly are used to perform database queries and obtain statistics on the data when one cares not about the mathematical foundations of the statistics or the intricacies of data storage and retrieval, but only that the information is accurately and efficiently obtained. These languages come in a variety of forms, ranging from command-line interpreters to graphically oriented depictions of everything stored in the system.

Although database languages are extremely powerful and efficient and perform a wide variety of tasks very difficult to implement, they suffer from the same flexibility problems as mentioned above. Further, most of these languages fail when posed the now-classic database problem.

Suppose we have the relation expressing mothers and children of people:

Child	Mother
Tom	Mary
Mary	Jane
Tim	Gretta
David	Sarah
Joel	Sarah

This problem illustrates a major shortcoming of many languages — their lack of "transitive closure." Transitive closure, or the ability to discern all relationships of the form:

```

if
  if A is true then B is true
  and
  if B is true then C is true
then
  if A is true then C is true

```

is the feature of many generic programming languages that allows us to tackle



# Don't Work Harder, Work Smarter.

Companies invest enormous resources of time and money to establish and maintain corporate data. Yet all too often, users must search through lengthy reports to find even small subsets of strategic information. And on-line reports are slow, or worse yet, not done at all because of the cumbersome retrieval most systems provide.

There is a solution.

**OMNIDEX** is an enhancement to IMAGE that provides instant access to information—information that can be used immediately to manage a business more efficiently.

In a recent benchmark, an HP Micro 3000 with **OMNIDEX** was matched against an IBM 3081 with DB 2. Even the 10 MIP horsepower of the IBM couldn't match the retrieval speeds that **OMNIDEX** delivered on the HP. The Micro 3000 ran the test report over *six times* faster.

**OMNIDEX** gives your users fast access to the information they need rather than wading through stacks of paper or waiting for reports that can take hours to run.

**OMNIDEX**. The smart choice.

**DISC**

Dynamic Information Systems Corporation

ENTER 176 ON READER CARD



## FIGURE 1

```
Object: euclideanshape
  area:
  perimeter:
  center:
  perimeter:

Object Rectangle:
  instance: euclideanshape
  area: (y2-y1)*(x2-x1) OR length*width
  perimeter: (y2-y1)+(x2-x1)*2 OR length*width*2
  center: (y2+y1)/2, (x2+x1)/2

mySquare
  instance: Rectangle
  x1: 5
  x2: 10
  y1: 5
  y2: 10
```

## FIGURE 2

```
! Driver object !      message
      ----->
      Add 2 to yourself      ! Driven object !
```

open-ended problems. Yet, many special-purpose languages are designed to handle very narrow domains, and so do not have the inherit constructs to use error handling, loops and sophisticated logical functions.

Manufacturers of several database languages, foreseeing problems, offer two versions of their products. One version is the typical highly functional, attractive user-interface, database-specific language package. The other version, conversely, offers very little in the way of user-interface, but all the database manipulation power of the full-blown package. However, this second version, comprised of a series of subroutines, is accessible via some high-level language. By combining the database algorithms of the database-specific language with the general problem-solving capabilities of a language (such as C or PASCAL, which have the transitive closure pro-

perty), a tremendously powerful tool is available.

An example of using the tool EQUQL, providing QUEL subroutines to be called via C, is shown in *Program 2*. This query produces statistics normally requiring far more time and space than would be necessary in QUEL alone, exhibiting one more advantage of combining the two languages: Database languages tend to create many large, temporary relations with computing results, while generic programming languages are excellent at efficiently performing well-understood computations.

OBJECT-ORIENTED PROGRAMMING has been one of the most widely talked-about topics in recent years. There are a variety of object-oriented programming languages available, probably the most famous being Smalltalk.

Object-oriented languages share the basic capability to treat problems not as sub-problems to be solved, functions

for computation or procedures to be executed, but as a series of "black boxes," each of which performs a specific function. Control is exercised over these "objects" by having each module be of a certain type with very limited courses

*Object-oriented languages treat problems as a series of "black boxes". . .*

of action, while data flows via messages that pass between "boxes."

Object-oriented programs exhibit a variety of desirable traits. First, since the problem is viewed as chunks or "objects," programming is easily modularized and can be adapted to run in parallel. Inheriting information without explicit denotation is a tremendously desirable characteristic and forms the basis of many sophisticated expert and planning systems. For example, an object-oriented language might represent a square in the manner (pseudo-code) shown in *Figure 1*.

Because of inheritance, asking about the mySquare's area, perimeter or center would yield the correct results, even though nowhere have we specified mySquare.center = 7.5,7.5.

Unfortunately, however, object-oriented programming does have its drawbacks, and one major disadvantage is that it tends to be far less time-efficient than programming with more general purpose languages. The concept of message passing requires even the most simple operations to be accompanied by a message, as in *Figure 2*. These messages require resources to be spent in their sending.

Fortunately, as was the case with both database and graphics-oriented languages, there's a version of C



# There's one error even our software won't flag.



When it comes to computer operations, you'll find NSD's JobRescue™ is perfectly matched to your needs.

The reason? It's integrated. Which means you can have one program that answers all your production requirements. That's because JobRescue now has expanded capabilities. So we handle everything from reports to production scheduling to batch job management.

But make no mistake! We are still the standard in error management for HP. During operation, JobRescue works online and in the background. Examining your \$STDLISTs for errors continuously. And alerting you when they occur.

Still, eliminating hidden production errors is just the beginning. Our new report and scheduling modules will help you greatly improve the overall quality of your work as well. So you can now manage virtually every facet of your computer operations.

That's why you should give us a call. We'll answer any questions you have and send you our JobRescue demo.

JobRescue. You need it for a very basic reason. Nobody's perfect.



NSD, Inc. 1670 South Amphlett Blvd.  
Suite 103, San Mateo, California 94402  
800.538.3818, (In CA) 800.538.9058  
Canada 800.445.3818, Local 415.573.5923

ENTER 288 ON READER CARD

JobRescue is a trademark of NSD, Inc.

Looking for Trouble HP 3000 Software



available incorporating many of the features of object-oriented programming, C++. C is, computationally, a tremendously efficient language, but can become rather unstructured. Conversely, object-oriented programming offers a rich structure with which to develop sophisticated applications. By using C++, you gain features like inheritance, natural modularization of problems, and the transparent understanding of data-flow common to

object-oriented programming, but with the efficiency of C for more power to perform your intensive number-crunching.

The common theme throughout this article has been to explore all your possibilities, but not to re-invent the wheel. If an application is being built for the first time, be bold, intelligent and innovative in your approach, but if some version of the software already exists, consider the trade-offs. Redesigning a piece of existing software in a new

language may require new personnel, documentation and algorithms and generally discards much of the clever, careful thought that went into the existing implementation. However, much of this effort often can be saved if the current implementation is simply extended via libraries or more sophisticated versions of the same language.

—David Goldstein is an independent consultant based in Elkins Park, PA.

## Program 1.

```
#include <stdio.h>
#include <local/pm.h>
#define FALSE 0
#define TRUE not(FALSE)

char *malloc();
unsigned char *dthresh();

/*
Name:      thresh - threshold command.
Function:   Perform a threshold on the picture. Floating pmpic are not
            supported. This program is a modification of the given
            sample thresholding program.
Syntax:    thresh [-s] [-p] [-o ofile] [-t ithresh] [-i ifile]
Notes:     -s option not operational yet
*/

/* The options string contain all legal flags. The ':' after the letter
   tells getopt() to set optarg to the string following the flag. */
#define OPTIONS "psot:i:"

main(argc,argv)
int  argc;
char **argv;
{
    extern char *optarg; /* Option argument pointer */
    extern int optind; /* Option index, argv[optind] */

    FILE *ifs; /* Input file stream */
    FILE *ofs; /* Output file stream */
    u_int thresh = 100; /* Threshold value */
    preserve = FALSE; /* Preserve intensities? */
    char *cmd; /* Command name from argv[0] */
    *cmd; /* What we did to the picture */
    *ofile = NULL; /* Name of output file for fopen() */
    *ifile = NULL; /* Name of input file for fopen() */
    int c; /* Next command line flag */
    errflag = 0; /* Command line parser error flag */

    cmd = argv[0]; /* Remember the command name */
    cmd = pm_cmd(argc,argv); /* Copy command line into a string */

    /* Parse the command line. Optarg() returns '?' if it gets
       a flag which is not in OPTIONS. Process input stream options too. */
    while ((c = getopt(argc, argv, OPTIONS)) != EOF)
    {
        switch (c)
        {
            case 'o': ofile = optarg; break; /* get output file name */
            case 'i': ifile = optarg; ifs = fopen(ifile,"r"); break;
            /* open input file as set file stream */
            case 's': ifile = "stdin"; ifs=stdin; break;
            /* use stdio for input */
            case 't': thresh = atoi(optarg); break; /* get threshold*/
            case 'p': preserve = 1; break; /* keep object intensities*/
            case '?': errflag++; break;
        }
    }

    /* If there was an illegal flag, spit out summary of the syntax and exit. */
    if (errflag)
    {
        fprintf(stderr,"s [-i ifile] [-p] [-o o
    if (ofile)
    {
        ofs = fopen(ofile,"w");
        if (ofs == NULL)
        {
            perror(cmd);
            exit(1);
        }
    }

    else
    {
        ofs = stdout;
    }

    /* If pm_do_thresh bombs, it returns -1. Be prepared to print an error
       message. Exit(1) is an error code for the shell. */
    if (pm_do_thresh(ifs,ofs,thresh,cmd,preserve))
    {
        fprintf(stderr,"s: cannot filter %s\n",cmd,ifile);
        exit(1);
    }

    exit(0);

    /* Main processing subroutine. Allocate memory, read in the picture, process
       it, add the comment to the pmpic, and write it out. */

    p3m_do_thresh(ifs,ofs,thresh,ncmt,preserve)
    FILE *ifs;
    FILE *ofs;
    u_int thresh, preserve;
    char *ncmt;
    {
        pmpic *pm1,*pm2;

        /* Pm read with NULL for its second argument, tell it to do the memory
           allocation. If pm_read bombs, it returns NULL. Probably because the file
           couldn't be read, or there was a loose pointer that screwed up malloc. */

        pm1 = pm_read(ifs,NULL);
        if (pm1 == NULL) return(-1);

        /* Allocate memory for the thresholded picture. It is really not needed for
           pmthresh, but someday you may do to something more complicated and then
           you can just steal this code. */

        pm2 = pm_prep(pm1,NULL);
        if (pm2 == NULL) return(-1);

        /* Do the threshold on pm1, return the threshold picture in pm2.
           Here we assume that the image is a 256 x 256 x 8bit image. */

        if (d_thresh(pm1->pm_image,pm2->pm_image,thresh,preserve) == NULL)
            return(-1);

        /* Add the comment to the newly thresholded picture, so you can tell how the
           image was created. */

        if (pm_addcmt(pm2,ncmt) == NULL) return(-1);

        /* Write the picture. */
        pm_write(ofs,pm2);
        return(0);
    }

    /* Return the thresholded picture in image2, and NULL if there was an error. */
    unsigned char *dthresh(image1,image2,thresh,preserve)
    unsigned char image1[][256];
    unsigned char image2[][256];
    unsigned int thresh, preserve;
    {
        int i, j;

        for (i = 0; i < 256; ++i)
            for (j = 0; j < 256; ++j)
            {
                if (preserve) /* preserve original intensities of objects */
                    image2[i][j] = image1[i][j] < thresh ? 0 : image1[i][j];
                else /* set objects to pure white */
                    image2[i][j] = image1[i][j] < thresh ? 0 : 255;
            }

        return(image2[0]);
    }
}
```



## Program 2.

```

/* This program computes standard deviations using EQUEL
(embedded QUEL). This particular example calculates standard deviations of
each supplier for the number of parts he supplies relative to mean number
of parts supplied by suppliers in a part-supplier database.
We also inform the user if a supplier has no standard deviation to
calculate and skip his calculations in order to save processor time.

This calculation can be made entirely within QUEL, but shows several of the
languages drawbacks

- calculatl

QJUEL is the engine for the database package INGRES. All lines beginning with
## are needed by QUEL.

sX - Denotes supplier number X
sp - The name of the relation containing the quantities of parts sold by a
supplier
*/

main()
{
  ## int N, REALSUP;
  ## int PART;
  ## char SN[3], *SNS[10], STEMP[3];

  ## ingres parts

  /* Get number of suppliers, and number of suppliers who actually supply */
  ## retrieve (N=count(s.name))
  ## retrieve (REALSUP=count(sp.snum))
  ## printf("The number of suppliers is %d\n", N);
  ## printf("The number of sp suppliers currently supplying parts is %d\n", REALSUP);
  ## printf("(so the number of suppliers with no standard deviation to calculate is %d)\n",
  ## (N-REALSUP));

  /* Calculation standard deviation */
  ## retrieve (SN=sp.snum, PART=sum((((sp.qty-(sum(sp.qty by sp.snum)/
  ## count(sp.qty by sp.snum))*2)/count(sp.qty by sp.snum)) by sp.snum))
  ## {
  ## printf("The standard deviation for %s is %d\n", SN, PART);
  ## }

```

```

## exit
)

Data:

s Supplier relation
Format is supplier number, name, town of location
.....
s1, Smith, London
s2, Jones, Paris
s3, Blake, Paris
s4, Clark, London
s5, Adams, Athens

```

```

sp Supplier-parts relation
Format is supplier number, part number, quantity of part supplied
.....
s1, p1, 325
s1, p2, 210
s1, p3, 400
s1, p4, 200
s1, p5, 110
s1, p6, 105
s2, p1, 300
s2, p2, 400
s3, p2, 200
s4, p2, 200
s4, p4, 300
s4, p5, 400
s5, p1, 0

```

```

Output:

The number of suppliers is 5
The number of sp suppliers currently supplying parts is 4
(so the number of suppliers with no standard deviation to calculate is 1)
The standard deviation for s1 is 11389
The standard deviation for s2 is 2500
The standard deviation for s3 is 0
The standard deviation for s4 is 6666

```

# MEGAMEMORIES™

**When you think  
of memory,  
think of**



## WE GIVE YOU MORE—

- ★ **Savings up to 60%! No one else even comes close.**
- ★ **Memory—1½ to 16 Meg!**
- ★ **Supported Models—12 different HP 9000 Series 200/300 computers.**
- ★ **Service—2 year warranty and 90 day money-back guarantee.**

### **NEW! Upgrade Your Series 350 to a full 16 Megs!**

MARTINSOUND TECHNOLOGIES has developed an affordable method of expanding the new HP Series 350 computer from 8 Mb to a full 16 Mb of on-line RAM memory. This expansion maintains the quality standards you expect of your HP 350 and achieves the full performance that MARTINSOUND MEGAMEMORIES products are known for, worldwide.

See your local MARTINSOUND TECHNOLOGIES dealer, or

**CALL US TODAY 818-281-3555**

# MARTINSOUND

*"American Built Quality and Service Since 1971"*

Martinsound Technologies

1151 West Valley Boulevard, Alhambra, CA 91803-2493 FAX: 818-284-3092

ENTER 115 ON READER CARD



# RETRIEVAL AND DISPLAY

## The Use Of Computer Graphics To Display Information



**CAD**

**Dr. Michael M.  
Dediu**

Information is the essential ingredient in decision making. The need for improved information retrieval and display in recent years has been made critical by the steady growth in size and complexity of organizations and data. In this article, I'll present various aspects of retrieving and displaying digital and graphic information.

This area embraces a broad spectrum of topics, such as information system theory and design, man-machine relationships, language data processing, artificial intelligence, mechanization of library processes, non-numerical applications of digital computers, storage and retrieval, automatic publishing, command and control, information display and so on.

The term information retrieval, as it is commonly used, refers to the activities involved in searching a body of literature (which may include images) in order to find items (i.e., documents, words, images) that deal with a particular subject area. An information retrieval system is a tool or device that organizes a body of literature in such a way that it can be searched conveniently.

Most information retrieval systems don't store and search documents themselves. Rather, they store some representation of each document: a bibliographic citation (with perhaps an abstract) together with one or more indicators of subject content. These indicators may be numeric or alphanumeric codes from a classification scheme, subject headings, keywords or descriptors selected from a thesaurus.

Information retrieval systems have existed for a very long time, at least as long as we have had printed indexes or the catalogs of libraries in book or card form. The term information

retrieval itself, however, appeared around 1950. The first application of computers to information retrieval occurred in the 1950s. Computers have been used in full text searching for some time.

Titles, titles plus abstracts, or the complete text of a document collection can be stored and searched by computer.

SEARCHES ARE CONDUCTED on any combination of words occurring in the stored text. A retrieval system that operates on words occurring in titles, abstracts or text may be referred to as a natural language or free text system. If the complete text of a collection is available for searching in digital form, the system is best termed a full text retrieval system.


Natural language searching systems are of two principal types. In the first type, the database is stored on magnetic tape and the complete text is searched sequentially. The second type is not searched sequentially. Instead, the computer is used to construct a text concordance that shows exactly where each word occurs (document number, line number, word number) in the database. Searches are conducted in this concordance.

A technique of great importance is word fragment searching; i.e., the ability to search on parts of words (prefixes, suffices or infixes). Also important are word distance indicators or metric operators, which allow the searcher to specify how close two words must be in text before they are considered to be related.

In an associative retrieval system, strengths of association are computed for each term in the database with every other term, based on the extent to which the two terms occur together in documents. A search strategy may consist merely of an unstructured list of terms representing the subject matter sought.



# MANAGEMENT DEMANDS PERFORMANCE...



## Conversionware™ BREEDS EXCELLENCE.

In management, excellence means delivering on time. Because business won't wait.

You must anticipate problems and have the best solution ready. What happens when you discover your trusted software applications won't migrate to your new hardware or development environment? If you rewrite or replace them, how will your performance be judged?

The real question is:  
"Will you be prepared to deliver excellence?"

Your answer is "Yes" with Conversionware language translation solutions from Rapitech.

Conversionware breeds excellence because the cost is 10%—20% of manual conversion. That's even less than the cost of time spent discussing alternatives!

Fortran to C  
**FORTRIX® —C**

Cobol to C  
**COBLIX™ —C**

Fortran to Ada  
**FORTRIX® —Ada®**

You'll enjoy the immediate benefit of a new language while saving time and effort. Also, your users will have consistency and continuity during transition and maintainability of the code after translation.

Most of all you'll be preserving your most critical assets, the software that is the backbone of your organization.

*That's excellence!*

Make the decision that top performers at companies like IBM™, Boeing, Los Alamos, Honeywell, AT&T™, Lockheed, Ford and over 100 others have made. Call or write for information today!

800-FORTRIX 800-COBLIX  
914-368-3000 (within New York)



**RAPITECH  
SYSTEMS  
INC.**

MONTEBELLO CORPORATE PARK  
SUFFERN, NY 10901

IBM is a registered trademark of International Business Machines Corporation. / AT&T is a registered trademark of American Telephone & Telegraph.  
FORTRIX, COBLIX and Conversionware are registered trademarks of Rapitech Systems, Inc. / Ada is a registered trademark of the U.S. Government, (Ada Joint Program Office).

ENTER 164 ON READER CARD



# Teach Me/ 3000™

- \* Train new employees on the HP 3000
- \* Modules range from introductory material to system management
- \* Modules on IMAGE, VPLUS, COBOL and Dictionary for the programmer
- \* Less expensive than sending your staff to off-site classes
- \* Better trained employees become more productive, they have higher morale
- \* Improved job satisfaction leads to lower employee turnover
- \* Authoring language available to write your own modules
- \* Free demonstration tape available of all modules and authoring language

For more information, contact:  
Innovative Software Solutions, Inc.  
10705 Colton Street  
Fairfax, VA 22032 U.S.A.



ENTER 142 ON READER CARD

## HP-IB

EASIEST HP-IB (IEEE 488) INTERFACES  
**GUARANTEED\***

- ✓ HP-IB plotter/printer interfaces for PCs & PS/2s (Autocad & Lotus compatible)
- ✓ HP-IB controller boards for PCs & PS/2s with easy device driver software
- ✓ Fiber optic and RS-422 HP-IB bus extenders
- ✓ RS-232 & RS-422/HP-IB converters
- ✓ Parallel (Centronics)/HP-IB converters
- ✓ Modem/HP-IB converters
- ✓ Digital I/O (BCD)/HP-IB converters
- ✓ Macintosh/HP-IB controllers
- ✓ HP-IB chronometers (10 yr. battery backup)
- ✓ HP-IB expanders (control up to 30 devices)
- ✓ HP-IB hardware & software for Lotus 1-2-3® and Asyst



Call or  
send for  
your **FREE**  
Technical Guide

**IOtech**

(216) 439-4091

23400 Aurora Road • Cleveland, Ohio 44146

ENTER 214 ON READER CARD

Important factors that significantly affect the performance of all information retrieval systems are indexing policy and practice, vocabulary control, searching strategies and interaction between the system and its users.

THE REPLACEMENT OF PAPER as a drafting medium is perhaps one of the most widely claimed advantages of a graphics system. A graphics system that presents the proper tools for image creation and manipulation can make a user much more productive. For instance, in an engineering drawing environment, repetitive construction components don't have to be redrawn, but can be instantaneously called for from storage using a retrieval technique.

Computer graphics are an essential tool for designers in many disciplines, such as engineering drawing, art work, fashion, textiles, carpeting and similar areas. For example, complex fabric patterns involving several figures can be generated automatically by the computer graphics system. These patterns can be displayed in any combination to determine the overall effect, and many alternative designs can be tried in less time than is required to draw a single pattern manually.

This type of computer assistance promotes the designer's imagination and creativity. With a sophisticated graphics system, the computer design can be sent directly to production via control programs that manufacture fabrics.

A technique such as the example above in which designer and computer blend into a problem-solving team often is referred to as computer-aided design.

One of the first decisions that must be made regarding graphics display concerns how the screen area is to be used. In many applications, the screen simply isn't large enough to accommodate menus, prompts and other messages.

The need to optimize the use of screen space normally will call for a screen division into at least four windows: one for a menu, a second containing the status messages, a third for prompts and a fourth as the drawing

area. Here the windows are rectangular screen regions whose positions and dimensions are set by the user. The boundaries of the windows can be tailored to each graphics program.

In designing graphics commands, we must pay special attention to conventions familiar to the user. At the same time, we must be as economical as possible to the use of screen space. This often leads to a situation where we cannot exactly match standard graphics conventions. If it happens, it is necessary to experiment with different representations in order to find one that satisfies the user.

A utility command is used to save only the picture on the screen, excluding any status messages and other command menus displayed on the screen. Therefore, the technique used in saving the picture is different from just saving the total screen image. Approximately 15K of diskette storage is needed for any one picture.

Another utility command can be used to retrieve an image file from a diskette into the drawing area on the screen. This command will not erase any contents already on the screen. Thus an image file can be called and superimposed on the current screen image. This is a very powerful feature in creating a picture based on repetitive elements.

The principal argument in favor of the use of graphic displays is their effectiveness in displaying information. This poses a problem for the user interface designer: How should information be presented on the display in a manner that promotes the most effective interaction between user and computer? This is the central issue in information display as a component of user-interface design.

THE 3-D VIEWING PROCESS produces additional complexity in obtaining the graphics image on the screen. This is because the display screen is a 2-D space. We cannot actually display 3-D objects,





## ***The application builder for the HP3000***

---

### **"Must I buy a runtime system?"**

A single copy of ARTESSA/3000 for your development site is all you need, because you can despatch compiled code to your user sites. ARTESSA/3000 saves you money!

### **"But what if I need to change my DP environment?"**

Because ARTESSA/3000 generates COBOL source, migration couldn't be easier. ARTESSA/3000 protects your investment!

### **"Won't it restrict my choice of design?"**

No, ARTESSA/3000 allows you to define your own standards, and ensures that they are consistently employed throughout your applications. ARTESSA/3000 gives you quality control!

### **"How can I ensure that we deliver what the user wants?"**

Using ARTESSA's powerful prototyping facilities, you can interactively design the man/machine interface, together with the user. ARTESSA/3000 will lead to satisfied end-users!

### **"How will it help with my maintenance workload?"**

To accomplish a change, mostly only requires a simple update to the System Inventory, and re-generation of affected programs.

The ARTESSA/3000 user has a shorter maintenance backlog, and is not afraid of changes!

**ARTESSA/3000 is a powerful, sophisticated tool, designed for the professional COBOL development environment.**

**Call or write today! 1-800-3383772**

Assyst Computer Services (UK) Ltd  
Arden House, West Street  
Leighton Buzzard  
Beds. LU7 7DD  
United Kingdom  
+44-525-38 26 26

RAET Netherlands  
PO Box 4077  
6803 EB Arnhem  
The Netherlands  
+31-85-24 69 11

N.V. RAET Belgium S.A.  
Excelsiorlaan 4 a  
Zaventem  
B-1930 Brussels  
+32-2-720-9060

Field Technologies Pty Ltd  
62 Wellington Parade  
East Melbourne  
Victoria 3002  
Australia  
+61-3-4 17 56 61

COA Computer Systems, Inc.  
3370 South Service Road, Suite 207  
Burlington  
Ontario L7N 3M6, Canada  
(416)333-0611

Wescom Systems  
212 Pleasant Street  
Norwood  
Massachusetts 02062, USA  
(617)769-4344

Quality Consultants, Inc.  
1775 The Exchange, Suite 380  
Atlanta  
Georgia 30339-2016, USA  
(404)980-1988

Hawaiian Software Company  
4025 Avati Drive  
San Diego  
California 92117, USA  
(619)270-6316



Artesa/3000 is a registered trade-mark of  
RAET Software Products B.V.,  
PO Box 4077, 6803 EB Arnhem, Netherlands, +31-85-24 62 18



only their projections. Projectional transformations generally are quite expensive computationally; they also are slow in execution, depending on the programming language and on the hardware. HP computers are very efficient for computer graphics.

Since generating a perspective view of a given object may require the projec-

tional transformation of a large number of points, some use a special case of central projection, the parallel projection. The use of parallel projection will not simplify the programming effort, but will keep the resulting execution time within reasonable limits.

The most common types of parallel projections often are referred to as

orthographic projections — projections in which the projection plane is perpendicular to a principal axis (the direction of projection). Orthographic projections often are used in engineering drawings to depict machine parts, assemblies and buildings, because distances and angles can be measured from them.

One of the weaknesses of using only orthographic projections is that the 3-D nature of the projected object can be difficult to perceive, because each projection depicts only one face of the object. You can circumvent this difficulty to some extent, however, by providing a rotated view of the object.

When a great deal of retrieved information must be displayed to the user, it should be presented in a structured form, so the user can perceive and understand it with no confusion. The information can be structured by dividing the viewing surface into different areas, where different specific types of information can be presented.

Prompts, system status, commands and the graphical representation itself each have their own areas. This provides an organized display presentation and allows the user to locate relevant information.

A zoom capability is very useful in 3-D object manipulations. This feature permits the user to decrease visual clutter by enlarging a small area of the display to expose details not otherwise distinguishable.

The ability to zoom (or "window") in or out from a given part of the drawing area also partially overcomes the physical limitations of the screen size. When an enlarged part of the original drawing is being displayed, however, the original drawing must be retained in some way so that the enlarged portion can be placed in its overall context.

The area for retaining the original drawing is referred to as the viewing area and the area for displaying the transformed drawings is called the work area. A small square inside the viewing area can indicate which part of the overall drawing is being shown. (This can be done even more effectively with

# PURCHASING MANAGEMENT SYSTEM FOR MANUFACTURING ON HP3000 COMPUTERS

*Designed to stand alone, or be integrated with HP's MM/3000 package, Procurement*

*Requirements*

*Processing is an*

*interactive, databased,*

*closed loop*

*system.*

*Standard*

*features include automatic sourcing and preparation of PO's from MRP plans; contract and blanket PO management;*

*quotation requests and recording; buy history; vendor performance; consignment PO's and much more.*

*Systems are*

*operational at*

*Anderson-Clayton,*

*Ford/USX,*

*General*

*Electric,*

*General Mills, Hughes Aircraft, Pillsbury, Weyerhaeuser, and other large and small companies.*



**HP 3000  
NATIONAL  
PROGRAM**




Data Systems for Industry. 5400 Orange Ave., Cypress, CA 90630 • (714) 995-2399

*Additional sales support from resellers in the U.S., England, the Netherlands, Italy and Australia.*



# The Preferred Payroll/Personnel System



**"Collier-Jackson's integrated payroll/personnel data system was phased in during the year.**

**It substantially upgrades the reporting and payroll processing capabilities**

**while saving \$400,000 annually.**

**This state-of-the-art system appears to be the best on Wall Street.**

**— Kidder, Peabody Group, Inc.**

**1986 Annual Report**

**part of a comprehensive business system that integrates financial and human resource information.**

**So, your payroll can be automatically passed to the G/L during processing — providing current, comprehensive information for timely reporting.**

**Collier-Jackson, Inc.**  
a CompuServe Company  
3707 West Cherry Street  
Tampa, FL 33607  
(813) 872-9990

**ENTER 163 ON READER CARD**

When Kidder, Peabody went looking for an interactive payroll/personnel combination, they took stock of what was on the market, then invested in Collier-Jackson. Who better to handle the payroll/personnel requirements of more than 7,500 employees (and 3-4,000 applicants annually) than management systems designed to work together to better work for you.

Systems backed by a nationally acclaimed software firm with all the support and services that status implies. A positive profile earned by providing human resource systems that keep pace and

outdistance others. Products adaptable by design to keep you on top — no matter how many changes to taxes, deductions and company-paid benefits are on the horizon.

If you're looking for payroll and personnel systems, look to Collier-Jackson. They're part of a comprehensive business system that integrates financial and human resource information. So, your payroll can be automatically passed to the G/L during processing — providing current, comprehensive information for timely reporting.

Collier-Jackson, Inc. is a leading provider of payroll and personnel systems. Their systems are designed to be flexible and adaptable to a wide range of business needs. They offer a comprehensive suite of services, including payroll processing, personnel management, and financial reporting. Their systems are backed by a nationally acclaimed software firm, ensuring that they are always up-to-date and reliable.



two monitor displays — one for the overview, the other for the enlarged portion. This is the approach commonly used in a sophisticated CAD environment.)

The file structure of a 3-D object consists of four data elements for each vertex of the object, the world coordinates (x,y,z) and a flag. The flag simply identifies whether the vertex being defined is the starting point for drawing the object. One can assign 0 if the vertex is the starting point; otherwise, we assign 1. If the flag of the current vertex is 0, no attempt will be made to draw a line from the previous vertex (if any) to the current vertex. Otherwise, a line will be drawn between the two vertices.

AN IMAGE THAT REPRESENTS a surface can be presented as a sequence of wire-frame curves. Obviously, the image obtained by the program depends on the function selected. In plotting a 3-D function, you may use a crosshatched square in lieu of the wire-frame curve. Crosshatched squares often produce a more pleasing image than the wire-frame curve, one that shows the significant characteristics of the surface.

The mathematical functions that perform the various stages of viewing transformations are rather complex. Consequently, the system and user interface needed for 3-D object displays require a quite laborious design effort. The most difficult aspect is the design of the overall screen layout. The zooming feature helps the HP user control the object size. Good computer graphics enhance our capability and creativity.

## **Application In Business Forecasting**

Many production and inventory managers need to forecast a seasonal time series. The Winters' method is widely used for this and is frequently applied to other practical problems including financial planning, investment analysis, facilities planning and marketing.

With this method, historical data is

## *Information retrieval and computer graphics play an important role in the development of an automated forecasting system based on the Winters' method.*

retrieved to determine the underlying process generating the variable of interest (assuming that the process is stable), and then, using this knowledge, to extrapolate the process into the future. The statistical logic is clearly stated and the operations are mathematical.

Information retrieval and computer graphics play an important role in the development of an automated forecasting system based on the Winters' method. The forecasting technique can be an exponential smoothing procedure that's best used to forecast a time series with a linear trend and multiplicative seasonal variation.

Winters' method requires the HP user to specify values for the smoothing constants in the model for the forecasting system. The smoothing constants act as weighting factors, thereby controlling the number of past realizations of the time series that affect the forecast. For instance, small smoothing values give more weight to past observations (which are stored and must be retrieved); this makes the forecasting system respond slowly to changes in the parameters of the time series. Larger values of the smoothing constant include less historical data; consequently, the forecasting system responds more rapidly.

Several approaches serve as a rational basis for selecting the smoothing constant. The forecast generated by each combination must be compared to the actual observations in the historical time series. The combination minimizing the sum of squared forecast errors is the set of smoothing constants used in the actual forecasting.

For example, if three years of monthly observations are available, the program will use the first two years to

optimize the smoothing constants, and then simulate a forecast for each month of the remaining year to see how the optimum smoothing constants respond to new data. As a general rule, smoothing constants range between 0.01 and 0.3. If the results of a set of trials indicate an optimum value greater than 0.3, then the validity of the model should be questioned.

We must accept the fact that no forecasting system ever can produce perfect forecasts of future observations. There always will be some difference between the forecast for a period and the actual realization for that period. This difference is usually referred to as the forecast error or residual for that period.


When forecasting is made over several periods, a series of error values is obtained, one for each time period. A summary of these errors provides a basis for measuring the accuracy of the forecast.

Two methods are frequently used as a measure of forecast accuracy. One method is to compute the mean absolute deviation. Another method is to compute the squared error for each period and average these squared errors for the number of forecasted periods. The basic difference between these two measures is that the mean squared error penalizes a forecasting technique much more for larger errors than for small errors.

These measures can be used in two ways. First, they can be used to select a forecasting method that produces the most accurate predictions of future values. A common strategy is to simulate historical data and compare the performance of the various methods in



# Target In On COMPUTER GRAPHICS



**At the 1987/88 Computer Graphic Series of the Invitational Computer Conferences (ICC)**, computer graphic manufacturers will meet with a pre-qualified group of system integrators, OEMs and large end users throughout the U.S. and Europe.

If you're a computer graphic manufacturer, you can time and cost efficiently bring the latest technical information and products to where your volume buying prospects live and work—and support your regional sales force in their territory.

If you're a volume buyer of computer graphic products, you can locally attend technical product seminars and see the latest graphic products demonstrated. As invited guests of the exhibiting companies there is no admission charge to the seminars or product displays.

Manufacturers of workstations, image processors, CAD/CAM software,

business graphics software, graphic enhancement boards, graphic displays/terminals, printers/plotters, laser and ink-jet printers, film recorders, input devices and other associated computer graphic peripherals—target your U.S. and Europe sales territories. And volume buyers—target the Computer Graphic ICC closest to you and call your local computer graphic supplier, or our offices, for an invitation.

In the U.S. contact: Invitational Computer Conferences, B.J. Johnson & Associates, Inc., 3151 Airway Avenue, C-2, Costa Mesa, CA, Tele.: (714) 957-0171 — Telex: 5101002189 BJ JOHN.

In Europe contact: Invitational Computer Conferences, C.J. Nicholl & Associates, Ltd., 37 Brompton Road, London SW3 1DE, England—Tele.: 01-581-2326—Telex: 888068 CJNAD G.




**Ask about the OEM Peripheral Series and the PC Reseller Series of the Invitational Computer Conferences.**

ENTER 152 ON READER CARD



# QEDIT



## Classic Text Editor

QEDIT is both a programming tool and an optimizing tool. Imagine full-screen editing with built-in compile, prep and run, access to your favorite UDCs, instant file OPEN, date tagging of COBOL changes, smart string search, easy listing of any file while editing another, TDP final and draft, holding QUIZ™ as a suspended process, and much more.

### Positions Wanted

#### Experienced Text Editor Looking for Work

Text editor, 10 years on HP 3000. Fast worker -- knows COBOL, FORTRAN, SPL, 4GLs. Full-screen or line edit, compile, PREP, RUN, UDCs. Also does documents. Salary desired: \$3000 to start, \$600 per year after first. Willing to relocate. Non-smoker. References. Call (604) 888-3666 and ask for QEDIT.

**Request a free trial today and use it for 30 days. See for yourself how much faster you can program.**

**News:** QEDIT works on Spectrum, and has for over a year, thanks to HP's Fast Start program.

### ROBELLE Consulting Ltd.

8648 Armstrong Road, R.R. #6  
Langley, B.C. Canada V3A 4P9  
Phone: (604) 888-3666 Telex: 04-352848

Australia 03.420.5400 England 01.262.5050 (x363)  
France 06.907.7079 Germany 07621 791101  
Holland 4242.15655 South Africa 021.61.9001  
Sweden 08.35.4666 Switzerland 031.46.1664

**ENTER 281 ON READER CARD**

forecasting that historical data.

Second, these measures can be used to monitor the accuracy of an installed forecasting method. A monitoring device may be needed, because a specific forecasting method, based on past observations, may not remain valid in the future. The underlying data pattern might change in the course of forecasting. Thus, it's common to use a tracking signal test for each period.

*In developing a risk analysis model, the information retrieval techniques and interactive computer graphics can facilitate the understanding of simulation results.*

The tracking signal is a statistical constant computed by dividing an estimate of the expected forecast error. If the tracking signal deviates from zero by more than a prescribed amount, we must determine whether the forecasting model should be modified to better represent the time series process. The tracking test is a useful modification to the Winters' model.

Having obtained an estimate of future forecast at a certain period, it is useful to make probability statements about the accuracy of the estimated value. To do so, you can compute an interval that has a stated probability of containing the actual future value. This range is called a prediction interval. This statistical term is often used in lieu of confidence interval, which has the same statistical interpretation, but is based only on the data used to fit the forecasting model.

The Winters' method is an exponential smoothing technique that is best used to forecast a time series with linear trend and multiplicative seasonal variation, but it also can be used to forecast a time series having no trend.

The use of an appropriate forecast method depends on the user's knowledge of how to analyze the underlying data pattern and monitor the perform-

ance of the chosen forecasting technique. No information retrieval technique, computer graphics or any computer software can replace the essence of human judgment in forecasting; they simply help the HP user in making a better decision.

### Application To Economic Analysis

Computer simulations often produce large amounts of output, because users

want to vary the model's constraints, relationships or input conditions. This ability to vary conditions is precisely what makes simulation valuable.

As models become more complex and users pose more questions, the amount of data to be retrieved and the output can become enormous and the task of interpreting the results overwhelming. At the same time, failure to try enough conditions may leave the analyst without an adequate understanding of the model's behavior.

When you must interpret large amounts of output from a simulation based on a certain information retrieval technique, the computer graphics is an important tool. In developing a risk analysis model, the information retrieval techniques and interactive computer graphics can facilitate the understanding of simulation results.

The principal determinants of economic worth in engineering projects are the cash flow streams. Cash flows are projected at the time the project is first proposed and are considered to be subject to probabilistic deviation from their



# DBTUNE/3000

...by **HI-COMP**



With all the talk about higher productivity, through automating data processing functions, the areas of tuning, maintenance and backup of live production databases have been left in the darks ages... UNTIL NOW!!!

Look how DBTUNE/3000 can save your organization money in the areas of:

- Database Preventive Maintenance
- Database Performance Tuning
- Hi-Speed Database and File Backup
- Hi-Density Data Compression
- Hi-Speed General Database Maintenance

...all rolled into one easy to use product – with features such as: Automated Functionality, Hi-Speed Execution and Unattended Operation.

DBTUNE/3000 is a fully modular product, which can be configured to meet your current needs today and expanded to meet your needs tomorrow. DBTUNE/3000 will save you money every day you use it.

**PRICES BEGIN  
AT \$ 750**

- Automated Capacity Management at database or dataset level – done ONLY when it's needed.
- Automatic Reblocking of IMAGE and TURBOIMAGE datasets for faster online access.
- Unattended Hi-density database and file compression to your systems freespace for backup or network transfer.
- Hi-speed combined database and file backup to: Tape, Disc, Cartridge and Serial Disc.
- Across network STORE for unattended backup of distributed systems under central control.
- Automatic Analysis and Repair of database structural problems – including broken chains.
- Hi-speed reorganization and repacking of individual sets for faster batch processing.
- Unattended balancing of datasets over multiple drives for better online database performance.
- Shared access STORE lets you start your database backup earlier.
- Hi-speed general database maintenance to: Copy, Rename, Extract, Erase, Purge, Pack, Reblock, Load or Change capacities.

To see just how DBTUNE/3000 can help you save your organization money call your local DBTUNE/3000 supplier today!!!

ENTER 165 ON READER CARD

HI-COMP Hinrichs GmbH  
Eichenlohweg 24  
2000 Hamburg 60  
Telephone: 040/6 30 40 11  
Telefax: 040/6 31 60 04  
Teletex: 26 27- 40 39 60

**H · I · C · M · P**  
**INTERNATIONAL**  
Professional Software Tools for Hewlett Packard Computers

HI-COMP America, Inc.  
11 Cranberry Street  
Brooklyn, New York 11201  
Toll free: 1-800-DBETUNE  
Telephone: 718/855-4437  
Telefax: 718/875-4906

For Scandinavia: TDP A/S, Postboks 527, N-1301 Sandvika, Tel: 02/139090

For the UK: Systems Software (UK) LTD, Mahler House, WR9 8DN, 130 Worcester Road, GB-Droitwich Worcester, Tel: 0905/77 99 02

For all other countries contact HI-COMP for the supplier nearest you.




# KEEP UP IN A CHANGING WORLD

Take advantage of the wealth of knowledge available from your Government. The U.S. Government Printing Office has just produced a new catalog. It tells about the most popular books sold by the Government—nearly 1,000 in all. Books on agriculture, business, children, diet, energy, health, history, space, and much, much more. For a **free** copy of this new catalog, write—

## **New Catalog**

Post Office Box 37000  
Washington, D.C. 20013



expected values. Variations in the outcomes of the future events have been of primary concern to most decision makers in evaluating investment proposals. The variation from the judgmental estimates often is named risk.

Often the variance or standard deviation is used as the principal measure of risk, thereby summarizing the spread of a statistical distribution. We also might compute the probability that the net present value of a project will be negative.

Another way of expressing this is the probability that the present value of cash inflows will be less than the present value of the cost of the project. To derive this probability, we need at least part of the statistical distribution of present values. This is obtained by introducing the concept of risk analysis.


Risk analysis is defined as the process of developing probability distributions for some measure of the merit of an investment proposal. To do this, probability distributions are required for random variables, such as cash flow, the planning horizon and the discount rate. The probability distributions then are aggregated analytically or through simulation to obtain the desired probability distribution for net present value.

Information retrieval is extensively used for catalogs, library references, stock quotations, news and entertainment programs. The databases usually are page-oriented and often are maintained expressly for videotext in dedicated computers. Data retrieval is the prime application of teletext.

A major area in which information retrieval and computer graphics have just begun to be applied is the home computer business. In the future, every home will have an information retrieval system connected to a huge international database and, using an efficient and very fast computer graphics technique, everybody will be able to display, in a relaxed and cozy atmosphere, any type of information in a highly attractive and useful format. — *Dr. Michael M. Dediu is president of Dediu Computer Consultants, Tewksbury, MA.*



# Introducing, the 4GL Environment



The fourth generation language (4GL) was a revolution. It allowed programmers to code 10-20 times faster than COBOL! That's a benefit that is difficult to live without. However, when developing and running application systems, there is more to life than coding. Much more.

Enter the 4GL Environment. The next revolution.

If you also want to improve the speed and quality of systems analysis and design, produce user manuals automatically, integrate PC's into your applications and still squeeze the most performance out of your hardware.

Then you need to find out about the SPEEDWARE ENVIRONMENT.

Call us . . . . . Right now . . . . . Or else!

Marketing Dept.  
Telephone (416) 678-1841

Infocentre Corporation

**info**centre

For more information contact:

Infocentre Corporation  
7420 Airport Road  
Suite 210  
Mississauga, Ontario  
L4T 4E5

In Europe call:  
London (01) 828-1897

Only one product does it all,

 **SPEEDWARE™**  
ENVIRONMENT

Offices throughout the world including:  
New York, Los Angeles, Montreal, Toronto, London, Paris, Sydney.

ENTER 198 ON READER CARD





## DEVELOPMENT

**Lisa Burns  
Hartman**

You're working on a new application, due to be delivered in a week. Because of the tight schedule, all you're able to do is get a clean compile on some of the modules and run a few test cases through the others. As a result, you go into the live installation knowing that much of your code has never been run, and certainly that you've never run the complete system together.

Sure enough, the conversion process to install your new system falls over several times, and the project team is up all night trying to fix it. Finally, the database is loaded, but the online system has several major problems, causing program aborts and unpredictable data record contents. ...

You know the rest. Your test site personnel are angry, the users are disappointed in your system and don't trust it, and the project team is demoralized. What could you have done differently to prevent this kind of occurrence? Software inspections or walk-throughs would've helped you catch some of these problems, and better management support of adequate schedules would've given you more time. But perhaps the most important thing you could've done was to TEST that conversion job and TEST that online module.

In this article, I'll discuss the levels of testing performed in our shop, and give you some advice about setting them up in your environment. Finally, I'll talk about how project teams in our area have performed testing and the results we've achieved.

We do three, and sometimes four,

I'm sure many of you have had the following experience:

different levels of software testing in our MIS department. We call the first level of testing unit testing. This is the lowest level of testing and tests a single, newly developed module or single change to an existing program. The purpose of unit testing is to verify that the module being tested performs according to its requirements. In our shop, unit test plans follow a standard testing process and are documented so that they'll be easily repeatable if additional changes are made, if defects are discovered, or if the tests are repeated as part of the next level of testing, system testing.

System testing is begun when all coding and unit testing is completed for a new project or update to an existing project. This level of testing integrates all modules to be released to users. System testing also includes testing of all system interfaces. All online and batch functions are tested in an environment as close as possible to that of production.

For some of our projects, an intermediate level of testing between unit and system test may be performed. This level of testing, called integration testing, incorporates the interface between two or more new modules in a system.

The final test of a system, of course, is when your users get their hands on it. We call this test an Alpha test. Sometimes, especially for new systems, the first phase of an Alpha test consists of a parallel run, where new software is installed on a separate machine or account and run at the same time and with the same data as the live system. The results of the two systems then are compared.

Other systems may go to their Alpha test directly into production. The users then simply do their job functions using the new software, carefully monitoring the results.

"So," you say, "how do I go about doing these various levels of testing?" First, sit back and design the process you'll use for the tests. Let's think about unit testing first.

As you prepare to revamp the process of testing individual modules in your shop, you should consider the following questions:

- *Who should perform the testing?*
- *What tools will be used?*
- *Which conditions and cases will be covered?*

First, you'll need to decide who should perform the testing. Some teams have the programmer who wrote the module test it. This certainly is the easiest approach, but may lead to missed test cases. You might consider having another programmer who is familiar with the system, but didn't write the code, perform the test. Alternately, user representatives or users themselves may execute tests. This is especially good for ensuring that your software is easy to use. Users may not be the best choice for running a sophisticated conversion job, however.

Next, you should decide what tools you'll use in your testing. A good set of tools might consist of a test plan outline document, problem tracking log, file compare utilities and test file naming and tracking conventions. A written test plan ensures that no cases are forgotten, and since it's documented, it can be repeated when a module is changed. The problem tracking log ensures that all bugs are noted and fixed before the system is released. The file compare utility allows easy checking of database and flat file contents against known good results.

Finally, by organizing your test data files, source code and object code files by group and filename, you'll easily be



## TEST PLAN FOR ORDER NUMBER TABLE CONVERSION JOB

Module tested: Conversion job

Release affected: G.00.00

November 27, 1987

## A. OBJECTIVE

The purpose of this test is to ensure that order numbers in the OMSTBL database are properly converted to the new order number format. The three fields affected are LAST-USED-NUM, BEGINNING-NUM and END-ORD-NUM in the ORDER-NUM-TABLE dataset. The current order numbers are stored with a leading zero. The zero should be at the end of the order number.

## B. EXECUTION STEPS

1. Record what is currently in the ORDER-NUM-TABLE.

## PROCEDURE:

Use QUERY to go into the OMSTBL database. ORDER-NUM-TABLE = dataset. Do a FIND ALL ENTITY-CD-SF. Report all entries found to a line printer.

## EXPECTED RESULTS:

Listing is produced of current entries in ORDER-NUM-TABLE.

## ACTUAL RESULTS:

2. Convert ORDER-NUM-TABLE entries.

## PROCEDURE:

Stream CABCONVJ and check the \$STDLIST to ensure that all steps completed successfully.

## EXPECTED RESULTS:

Job completes successfully.

## ACTUAL RESULTS:

3. Verify that the new ORDER-NUM-TABLE entries are correct.

## PROCEDURE:

Use QUERY to go into the OMSTBL database, ORDER-NUM-TABLE dataset. Do a FIND ALL ENTITY-CD-SF and report all entries to a line printer.

## EXPECTED RESULTS:

Listing of current entries is produced.

## ACTUAL RESULTS:

## PROCEDURE:

Compare this listing to the one created in step 1.

## EXPECTED RESULTS:

All Fields should be exactly the same except LAST-USED-NUM, BEGINNING-NUM and END-ORD-NUM. In the first listing, these three fields should have a zero in the first position, then five numbers after it. In the second listing, those same five numbers should be the first five characters, followed by a zero in the sixth position.

## ACTUAL RESULTS:



able to ensure that you're testing and ultimately installing good code.

The question of which conditions and cases should be covered is perhaps the most important question for unit testing. You may decide, for a critical system, that all of your code should be

## **F**ile naming and release procedures are especially critical during system test.

tested and that you'll track path execution coverage using a Path Flow Analysis (PFA) tool. For other systems, you may decide that production data cases plus a few boundary conditions constructed by your programmers will be adequate to catch a majority of defects.

Cases and conditions should be chosen according to the specifications for your modules. Be sure to include no input, too much input, and erroneous input in your test plans. Obviously, the more tests you run, the more resources you'll need to invest. This is a decision you'll have to reach with your project management. Remember, however, that it's much better for YOU to catch and fix a problem than for your user to find it, so the more testing the better.

The answers to the questions above will allow you to design an effective unit test process. Now it's time to think about system testing. In addition to the three questions we answered for unit testing, we need to pay particular attention to the system test setup.

Your system test process should include an installation step where all necessary files are placed into the test environment. Ideally, this step should include the same procedures as you'll

use when you move your new software onto your users' machine during the Alpha test.

Remember that you should include all interfaces and external databases that you'll need for the test. Your goal should be to get as close as possible to your users' environment. The more data files and interface modules you can steal production copies of, the better off you'll be when it comes time to Alpha test.

NOW YOU KNOW HOW to go about testing in your particular environment, and it's time to write a unit test plan. This should include:

- *A test objective.*
- *Step-by-step procedures for running the test.*
- *Expected results for each step.*
- *Area to record actual results for each step.*

A sample test plan with each of these is shown in *Figure 1*.

The person executing this test should record the results of each step in the "ACTUAL RESULTS" section. If the actual results differ from those expected, a problem log should be completed. A sample is included in *Figure 2*. Problems identified on this log sheet should be corrected and the test plan then should be re-executed. This process is repeated until all expected results are obtained.

The process of writing and executing unit tests should be completed for each module in a new system, or for each change in an update to an existing system. Once unit testing is completed, it's time to conduct a system test. The system test plan should include the following:

- *A description of all modules in the system in the case of a new system, or a description of each change in the case of an update.*
- *Steps to follow in assembling the test environment.*
- *Objective for each step.*
- *Steps to follow in the complete test.*
- *Expected results for each step.*
- *Area to record actual results of each step.*

Excerpts from a system test plan are shown in *Figure 3*. During the system test, you may repeat some or all of the unit test plans developed earlier. At this

point, especially if they were run by the original programmer at unit test time, you may wish to have a second test person execute the unit tests.

In addition to the unit tests, be sure to push data through your entire data flow, from data entry to reporting and through each of your interfaces. Test all major functions within your system. For system updates, you'll want to ensure that your new enhancements and defect corrections didn't create new bugs!

For some testing, you may need to include personnel from other project teams. This will be especially important for interface testing. Be sure these programmers know that they'll be involved and how much time they'll need to allot for this effort. Explain what data you'll provide to them and what kind of data or reports you need back from them. Will they run this data through their own test system? Will they desk-check the file? How soon will you need the results? Be sure they know what's expected and when.

As you execute the system test, follow the error-logging described above to track defects and their correction if actual results don't match those expected. File naming and release procedures are especially critical during system test. You'll want to be sure that the corrected modules moved into the system test environment are also the ones you take with you to the user machine!

Once your system test is completed, or as it's in progress, you may want to sit down with your users and discuss how to conduct the Alpha test. For a new system, users may want to conduct a parallel. For a system with a lot of data entry, this can be a big time commitment. Decide how data will be entered into both the live and the test systems and how the data will be compared.

If you're going live immediately, discuss how to test each module or change, and how results will be recorded. Also, establish clear communi-



# "WHAT?" "YOU'RE STILL USING EDIT/3000?"

"My lands, don't tell me you're still using an editor that treats your expensive HP terminals like an old fashioned *teletype*!"

Take it from someone who's been around for a while: "The powerful SPEEDEDIT full screen editor speeds work flow because it takes full advantage of your HP terminals' capabilities...so powerful, it can handle many word processing and office automation applications as well as a host of data processing functions."

- Fast high speed file texting. How fast? Only 6 seconds for a 5000-line program.

- Advanced features, such as syntax error trapping, combined with full screen editing, reduces programming time by more than 40%.

- Edit a file in seconds with simple key driven operations.

- Text scrolling, line copies and moves, even sweeping changes are all just fingertips away. Merely use an XEQ file to eliminate repetitive commands and functions.

- Compile and run programs directly from SPEEDEDIT.

ENTER 194 ON READER CARD

- Relentlessly, SPEEDEDIT keeps track of the date the file was created, version and release numbers, number of times a program was compiled, how long it took to edit and debug, and more!

- Runs on HP-2621B as well as more expensive HP terminals in addition to many TeleVideo® terminals and does not require block mode.

- And unlike most editors, what you see on the screen is what you get on the disk. You always know precisely where you are.

The data processing department is no place for old fashioned ideas. With SPEEDEDIT, you'll achieve greater productivity, save time and money...with far less frustration! An because SPEEDEDIT is fully compatible with EDIT/3000, there's no need to convert your present files.

SPEEDEDIT...no other HP editor offers so much capability and so much simplicity at such a low price. So versatile, it can do most everything except bake cookies.



**BRADFORD BUSINESS  
SYSTEMS, INC.**

25301 Cabot Road, Suite 201, Laguna Hills, CA 92653  
(714) 859-4428

Yes! Tell me now to make life easier with...

☐ SPEEDEDIT Advanced Full Screen Editor

Also, send me information on the following:

☐ SPEEDDOC Advanced Word Processing System

☐ BBS-PRISM Full Screen Editor for PC's

☐ SPEEDCOPY High Speed File Copier

☐ STUDY/3000 On Line Tutorial

Name

Firm

Address

City  State  Zip

Telephone (  )  Best time to call

Bradford Business Systems, Inc.

25301 Cabot Road, Suite 201, Laguna Hills, CA 92653





## PROBLEM LOG FOR ORDER SYSTEM RELEASE G.00.00

Date: MARCH 15, 1987

Severity (H,M,L): M

Person: LISA BURNS HARTMAN

Priority (H,M,L): H

Screen or job affected: FIND CUSTOMER SCREEN

## What happened:

CUSTOMER LOOKUP SEARCH ROUTINES DO NOT WORK. A KSAM ERROR "BLANK ARGUMENT" IS PRODUCED. PROBLEM IS RELATED TO USING CUSTOMER INTERFACE VERSION B.03. WORKS CORRECTLY WITH VERSIONS B.04, B.05. WITH B.03, NO KEY IS BEING MOVED TO THE KSAM BUFFER.

## What should have happened:

SEARCH SHOULD WORK FOR ALL VERSIONS OF CUSTOMER INTERFACE.

## Where should this error have been detected:

ERROR SHOULD HAVE BEEN CAUGHT DURING INSPECTION OF UNIT TEST PLAN.

## PROBLEM RESOLUTION

Date: March 17, 1987

Person: Lisa Burns Hartman

## Description of Resolution:

PATCH INSTALLED ON 3/17. MODIFICATIONS TO OMS2470. FUTURE TESTS SHOULD INCLUDE ALL VERSIONS OF CUSTOMER INTERFACE FILE.

cation paths with your users in case a problem is discovered. Who on the development team should be contacted? How quickly can a fix be expected? How long will the test last? How will user sign-off be obtained? These questions should be answered up front, so no surprises are encountered come Alpha.

In our shop, we've found the steps listed above to work very well in producing excellent Alpha test results and very happy users.

For an update to a new system, testing takes between 20 percent and 30 percent of our construction time and is done as coding for a particular change or enhancement is completed. This means that unit tests are being written, inspected and executed throughout our

typical six-month development cycle for a system update.

The last two months of development for an update are spent in testing. First, unit tests are completed, then the last four to six weeks are spent in system testing. No code changes, except those required to correct defects found in system testing, are made in those last four to six weeks.

Finally, we take our code to the user site, and it's installed and run there for about one month before being signed off.

For a new system, unit tests are done as modules are completed, with some integration testing done as modules are linked together. Because of this extra level of testing, percent of time spent in testing may be slightly higher for a brand new system, between 25 percent and 35 percent of the total development time. Then, just as for an

update, a system test is run for four to eight weeks.

Finally, user testing is completed at an Alpha site, with a new system typically running parallel to production for a few weeks before going live at the Alpha site.

AFTER THE ALPHA TEST is completed, our project team meets to discuss what could've been done better in our development and testing process. The recommendations from this meeting will be used as we begin our next project. Through these debriefing sessions, we've found the following points to be especially important when planning and executing tests:

■ *Ensure that your test environment matches the one you'll find at your user site.*

Problems frequently are caused by



## SYSTEM TEST PLAN — ORDER SYSTEM UPDATE G.00.00

## A. Changes to be tested:

SR#	Description
12345	Renumber order numbers in ORDER-NUM-TABLE.
50789	Add new edit to check order type.
67542	Show product shipments in transit on status display.

## B. Assembling test environment:

1. Set up MKTING account on test machine.
2. Set up ORDERD, ORDERP, ORDERJ groups in MKTING account. Follow security specified in standards manual.
3. Ensure availability of the following interface software:

CUSTOMERS	Version B.03. Load offices 2417, 2403.
PRODUCT	Version A.04. Load Product lines 99, D3, 58.
CENTRAL	Load test environment matching 3/15 production version.
MPE	Version G.A2.B0 (U—B MIT)

4. Load previous version of order system (F.03.00).

5. Following installation procedures, load new version of order system (G.00.00).

## C. Testing steps.

1. Test new order edit.

## PROCEDURE:

Follow unit test plan 50789.

## EXPECTED RESULTS:

See unit test plan.

## ACTUAL RESULTS:

2. Ensure current reports still run.

## PROCEDURE:

Run JOB5, JOB6, JOB7.

## EXPECTED RESULTS:

Reports are produced.

## ACTUAL RESULTS:

## PROCEDURE:

Use QUERY to dump STATUS dataset contents. FIND ALL STATUS NE SPACES; REPORT ALL. Compare to reports produced by JOB5, JOB6, JOB7.

## EXPECTED RESULTS:

Reports match database contents.

## ACTUAL RESULTS:



testing with incorrect versions of interface files, interfacing software or utility programs during unit and system testing. These problems can be very frustrating to debug. Be sure that your test files are correct. If you can, make copies of the files you need from your users' machine. Allow enough time in your testing schedule to set up an accurate environment on your test machine or in your test account.

■ *Ensure that boundary conditions are covered.*

What will your program do if it encounters no input at all? If it encounters too many records? If it can't obtain access to an interface file? These are cases to watch out for and to be sure to include in your unit and system test plans.

■ *Be sure that test cases match reality.*

In addition to watching for boundary conditions, be sure your test cases are an accurate reflection of how your

program will be used in production. Test using data taken from your user site if possible. For an online system, you may wish to have users try out your programs using data they bring from their daily work.

■ *Allow enough time.*

Be sure the programmers on your project have enough time built into the schedule to perform adequate unit and system testing. Also, if you require assistance from programmers from other projects or departments, be sure they understand your testing schedule and can support it.

The time we invest in testing, although significant, pays off. We've found that by carefully writing and executing test plans, we've greatly reduced the number of problems encountered at the user site. For our project, we typically find under five defects during user testing. None of these are typically seri-

ous defects and can be corrected quickly.

I hope that the information in this article allows you to implement improved testing procedures in your own shop. I've worked on projects where little or no testing was done, and the results usually matched the situation I described at the start of this article! I've also been fortunate enough to work on projects where the programmers took a disciplined, structured approach to unit and system testing, similar to the one described above. The testing effort pays off 10-fold in bug-free code, smooth installations, and very happy users. I plan to keep testing! —*Lisa Burns Hartman manages an internal business software programming team at Hewlett-Packard corporate headquarters, Palo Alto, CA.*

Would you like to continue to see articles on this topic?  
Enter on reader card  
yes 806 no 807

# ELECTRONIC FORMS

## The complete solution is now available !

The **IPRINT** Electronic forms products from **Indigo** provide the capability to print your data on laser printer forms. **No more pre-printed forms!**

**IPRINT** is a powerful forms design product for PCs. The design on the PC screen corresponds to the output on the laser printer. The complete camera ready copy for this ad was prepared using **IPRINT** on the **HP LaserJet Series II**.

**IMERGE** provides production printing capabilities using compiled **IPRINT** electronic forms. These forms can be stored in the printer. When **IMERGE** prints your data with the forms, only the data is sent. **IMERGE** is available now for the **PC, PC LANs, HP3000, DEC VAX, HP9000/300** and **HP9000/840**. Ask about **IMERGE** on your computer.

**IPROMPT** provides an automatic data entry and print facility using **IPRINT** electronic forms on a PC. The data entry screens can be customized.

### BENEFITS OF USING ELECTRONIC FORMS:

- No investment in pre-printed forms inventory and storage is required;
- Short lead time and low cost to create new forms and change existing forms;
- No waste in discarding obsolete forms;
- Easy distribution to all your forms users;
- No operator is required to change forms;
- Improved operational efficiency and flexibility.

For more information contact:

*Barry H. Gillespie*

Product Manager, Indigo Software Ltd.  
560 Rochester St. #400, Ottawa, Ont., K1S 5K2  
Phone: (800) 267-9976 or (613) 594-3026

ENTER 220 ON READER CARD



# Speed and endurance you can bet on.

Introducing a true thoroughbred among 24-wire printers, the new Hewlett-Packard RuggedWriter 480. It's the fastest printer in its class pounding out letter quality text at a furious 240 cps. And breaking the record for draft copies at 480 cps. So you get a full page of text in less than 10 seconds flat.

We take the lead in endurance, too. Our new RuggedWriter printer outlasts the competition by a longshot. Running a strong 20,000 hours MTBF, RuggedWriter reliability pays off big in keeping your projects on track.

Our pace doesn't slack off when changing paper types either. Just one push of a button takes you from tractor feed to cut sheet — instantly. All while producing crisp, clean letter quality

printing. For everything from spreadsheets to memos to multi-part forms.

The RuggedWriter 480 printer performs equally well for one person or five. On either a personal computer or small business system.

So take an inside tip and put your money on the industry frontrunner, the HP RuggedWriter 480 printer. Call your local HP sales office or dial 1-800-752-0900, ext. 905A and ask for the RuggedWriter Fast Pack. It's a sure bet.




ENTER 281 ON READER CARD



**HEWLETT  
PACKARD**

*we never  
stop  
asking*

*What if...*






# professional press publications

Professional Press launched the DEC-specific publishing industry in 1979 with the publication of its first DEC magazine RSTS PROFESSIONAL.

Today Professional Press offers two DEC-oriented publications and a third, geared to the Hewlett-Packard marketplace. Plus two important texts for computing pros who want to learn about C language and VAX/VMS.



## DEC PROFESSIONAL

The largest circulation DEC publication in existence — 100% buyer qualified\* and dedicated to improving staff and equipment performance at DEC installations.

## VAX PROFESSIONAL—The Software Journal for VMS

This bimonthly publication is the only technical journal dedicated solely to the users of VAX/VMS. It's the source of practical advice on how to write better software and make better use of the hardware on every VAX system — from the MicroVAX to the 8800.

## HP PROFESSIONAL

A monthly magazine written for professional users and managers of Hewlett-Packard's business/commercial and technical computer systems. With 30,000 buyer qualified-subscribers, it offers by far the largest and most clearly targeted circulation in its marketplace.

## INTRODUCTION TO VAX/VMS, SECOND EDITION

This revised and expanded self-teaching text explains and illustrates how to use VAX/VMS systems. Easy to learn for the computing novice . . . an excellent reference for VAX/VMS pros. Covers the basics and teaches systems and programming as well, plus glossary and appendices. Authors: David Bynon and Terry Shannon.

## LET'S C NOW

A complete guide to learning C language in two volumes. Over 300 pages in 26 chapters in a self-instructing workbook format. All the information needed to become proficient in C. Plus chapter summaries, glossary, and author Rex Jaeschke's hints and suggestions.


**PROFESSIONAL**  
*press*

\*June 1987 BPA Publisher's Statement, May issue analyzed.

For More Information Call (215) 542-7008

HP28801





**SCRUG '88**  
■  
**MAY - 18 - 19 - 20**  
■  
**THE PASADENA CENTER**  
■  
**PASADENA, CALIFORNIA**

## **For the Best Value in HP3000 Training**

Someone smart once said, "If you think training is expensive, consider ignorance." But what if you were able to get excellent training real cheap? Too good to be true, you say? Not if you consider the SCRUG '88 Conference, May 18-20, in Pasadena where you can join 700 of your fellow HP3000 users from Southern California for the best three days of HP3000 education available.

### **A full 3-day conference registration includes:**

- \* 60 technical sessions on such topics as programming, data communications, databases, networking, graphics, (etc.) and Spectrum, by recognized experts in the HP3000 community
- \* 6 roundtables: management, MPE, IMAGE, LANS, security, and performance
- \* an optional, one-day, pre-conference tutorial for novice users covering the basics of the HP3000 (which will be held on Tuesday, May 17, 1988)
- \* A 4GL "Show & Tell" presented by the manufacturers of several 4GL packages, to give users the chance to evaluate the options in depth (this event will be held on Tuesday, May 17, 1988)
- \* a several-hundred page proceedings containing the text of all sessions
- \* a two-day vendor show representing at least 70 exhibitors of various leading software and hardware products
- \* attendees from all over the U.S. and various parts of the world, enhancing your contacts and networking opportunities
- \* daily luncheons with featured lunchtime speakers, daily breakfasts, and break-time refreshments
- \* all social events (Tuesday-night Wine and Cheese Welcome, Wednesday-night Conference Buffet, and Thursday-night Barbecue)

What would you think such an extensive and comprehensive conference would be worth? Well, look at some of the mail you get for other conferences. Education such as this typically costs \$150 - \$200 per day! Now, here's the good part: SCRUG charges only \$175 for the entire 3-day conference! There is no extra charge to attend the 4GL Show & Tell or roundtables; (there is an extra charge to attend the pre-conference tutorial).

So what are you waiting for? A better deal?

To get more information and a registration package, call Karen Zimmerman at (213) 453-5664 or write SCRUG, P.O. Box 84219, Los Angeles, CA 90073.





## OPINION

Greg Goebel

# Looking Back, Looking Forward

On November 1, 1987, the last Series 80 products — the HP 85B and the HP 86B — were removed from HP's price lists. Our organization had built up a large inventory of these products on the last run of the production line before it was closed and dismantled, but that inventory was bought out with surprising speed. Except for the old junkers sitting around the plant, Series 80 was no more.

As an HP online support person whose duties partly include supporting Series 80, I felt a small sense of relief. Series 80 had lived several years longer than anyone expected it would, and support was becoming more and more difficult. Third parties that supported Series 80 either had gone out of business or had forgotten about the product. HP lab people who were familiar with Series 80 either had left town or had, like the third parties, forgotten about it. We support folks increasingly were being left to our own resources.

Furthermore, it was astonishing that machines with a 625-KHz, 8-bit CPU that (effectively) only ran BASIC and, in the case of the HP 85B, had all of 64K RAM (of which only 32K could be used to run programs) could be sold at all. I recall trying to deal with one irritable customer who demanded of me: "Why does a machine like this cost so much?" (I don't recall what I replied; all I recall clearly is the sense of dread that comes from being confronted with such open-ended questions.)

Nonetheless, I deal with Series 80 with respect. The machines were well-engineered; I sat down to tinker with an HP 85 a few weeks ago and was pleased

with its ease of use. The machines were popular, profitable and useful; they were put to an amazing set of applications.

It is, as a result, not surprising that there was a loud clamor at the obsolescence of Series 80 by its dedicated users. Since I'm familiar with many of these users, I sympathize with them, but to a limit.

Series 80 was an idea whose time had come and, like its contemporaries, CP/M and the Apple II, gone. The era of BASIC-only computers is over and I doubt that it ever will come back. (There are minor flaws in this theory. The Apple II lingers on in its latest incarnations, and pocket computers using BASIC appear to be reasonably popular. But as generalizations go, it seems to me to be a good one.)

I can't swear to the course of a vehicle I'm not driving, but I see no prospect in my own surroundings for building another generation of BASIC-only machines. HP's current work is to port Rocky Mountain BASIC to the Vectra PC (and to UNIX, though I have little involvement in that and can't discuss it).

There are a number of good reasons why this is so.

First, there are major barriers to selling a PC that's not fully compatible with DOS. In many major corporations, the users are required to buy fully compatible DOS machines.

Second, using an existing PC as the basis for a BASIC workstation greatly simplifies design and manufacture. People who aren't familiar with the industrial production of complicated products often are astounded to learn the amount of time, effort and money it takes to get those products out the door.

Producing a computer involves

several iterations of design and prototyping. At each stage of this process, parts need to be specified and designed, purchased and fabricated, put together and tested. By the time the product reaches "week zero" (introduction to manufacturing), a huge number of tediously detailed specifications have been generated and volumes of expensive parts have been purchased. Time-consuming and expensive testing and qualification must be performed. The fact that in the real world the process is never completely smooth only makes the problem greater.

As a result, using existing parts and designs greatly reduces the production risks. And, as a corollary, it's very difficult to justify such a commitment for a specialized product that appeals only to a relatively narrow market.

Third, using an existing PC as the basis for a BASIC workstation lowers the cost of production and marketing. The cost of parts, not surprisingly, decreases with volume (as long as the supply is plentiful); increasing the sales of a product by offering a common family of products to as wide a range of customers as possible provides much greater efficiencies of scale than would the sale of several largely different products.

Furthermore, the cost of PC parts generally declines over time, due to increasing volume of overall PC sales, persistence of competition among PC parts suppliers, and continuous technology improvements. This means the PC itself becomes cheaper over time. A more specialized product that relies on unique low-volume parts will, over the long run, find its costs escalating as its parts supplies dry up, which is one of the



main reasons HP obsoleted Series 80.

The availability of parts for PCs also means that the manufacturer isn't dependent on a single supplier (a situation that places the manufacturer at the mercy of the supplier).

The overhead of marketing is similarly reduced, since marketing can focus on a single product or group of products, providing coherent advertising and other promotional efforts.

Fourth, using a PC makes support much easier. The need to completely train support personnel on a new product is reduced as they may have or are obtaining training. Knowledge of how to use PCs (in greatest detail) is commonly available; the Waldenbooks store near my residence has two full racks of computer books, mostly focused on PCs. That would be impossible for a specialized product.

The fact that the product is sold in reasonable volume makes a commitment to support much easier. When HP introduces a product, it is, in a sense, "stuck with it." It has to provide a certain level of support to maintain its credibility with the customers. I've seen HP pump resources to support unpopular products that everyone knew would never provide a good return on the investment. In other words, not only is there a risk associated with production and manufacture, but also with support. Using a PC helps minimize that risk.

Fifth, and most important, there's plenty of good software at low prices available for PCs. In the days of Series 80, HP couldn't possibly provide adequate software for a non-standard product. Even if it could, it couldn't sell it at competitive prices.

THESE ARE GOOD ARGUMENTS from HP's point of view, but a little thought shows that many are good arguments from a user's point of view, too. A user with a PC has a product that's better supported and probably better built than a

more specialized product, with an unrestrained variety of high-quality software accessories at the lowest possible prices.

HP's current efforts to port Rocky Mountain BASIC to the Vectra PC has drawn fire from some quarters, but consider the PC-305 Vectra CS/Rocky Mountain BASIC workstation in detail.

The PC-305 incorporates a low-cost PC CPU board, as well as a BASIC processor board. However, the apparent redundancy of this approach isn't as great as it sounds. The BASIC processor board uses the resources of the PC CPU board — its serial port, parallel printer port, real-time clock, disc controller — as its own. The only redundancy is that both boards have their own CPU and RAM.

The additional cost of DOS over BASIC is small and, given what DOS offers, not necessarily a liability. The cost of the base model of a PC-305 (monochrome display with no hard disc) is similar to that of a comparably equipped HP 86. Once accessories are added, the cost comparison shifts decisively in favor of the PC-305.

Even if a user regards DOS as a liability, that user doesn't need to worry about it much, as the team that designed the PC-305 went to great lengths to allow the PC-305 to boot straight into BASIC, so a user never has to worry about DOS.

Finally, the effort to port RM BASIC to the Vectra is still in its early stages. Assuming the current level of effort is sustained (which is a good assumption, though second-guessing the management can be risky), the RMB/Vectra system will continue through greater refinements and, presumably, cost improvements.

Series 80, for better and, yes, for worse, is the past. As far as I can see, realities dictate that HP move away from the BASIC-only computer to a richer, if admittedly more complicated, environment. But is that so bad? A good close look may reveal the advantages of the new ways. — *Greg Goebel is a support engineer for HP's Corvallis Workstation Operation, Corvallis, OR.*

## **Why this magazine and more than 1,000 others let us go over their books once a year.**

Some magazines, we're sorry to say, keep their readers undercover. They steadfastly refuse to let BPA (Business Publications Audit of Circulation, Inc.) or any other independent, not-for-profit organization audit their circulation records.

On the other hand, over 1,000 publications (like this one) belong to BPA. Once a year, BPA auditors examine and verify the accuracy of our circulation records.

This audit provides the name, company, industry and job title of every reader each publication reaches. The information helps advertisers to determine if they are saying the right thing to the right people in the right place.

It also helps somebody else important: you. Because the more a publication and its advertisers know about you, the better they can provide you with articles and advertisements that meet your informational needs.

BPA. For readers it stands for meaningful information. For advertisers it stands for meaningful readers. Business Publications Audit of Circulation, Inc. 360 Park Ave. So., New York, NY 10010.



**MEDIA INTELLIGENCE**



allocated and there's a six-extent "hole" in the middle.

Needless to say, this condition doesn't happen very often. One place where it occurs "naturally" (rather than by an explicit effort on the part of too-tricky programmers) is in USL files. If you :LISTF a few of your USL files, you may see some in which the EOF is greater than the number of sectors. All USL files have record size 128 words, so it would appear that a file with EOF 100 would take up at least 101 sectors; however, since USL files often have "holes" in them, the sector count actually may be less than the EOF.

Finally, the Q&A quite correctly points out that "all extents will be of equal size except the last one, which may be shorter than the rest." I'd like to elaborate a bit on the ramifications of this fundamental MPE file system rule.

Try entering the command:

```
:BUILD X;DISC=321,32
```

You've explicitly asked for a file with room for 321 records organized into up to 32 extents. Instead, when you :LISTF it, you see that the file was built with 30 extents.

Is MPE just being cranky? Does it take pleasure in this insubordination? Actually, there's a good reason for this. Remember, all extents must be of equal size except the last one,

which may be shorter. You've asked for a file of up to 321 records, each one sector long (the system default). This means a total of up to 322 sectors (321 data sectors plus one file label sector).

How many sectors can fit into each extent? Well, take 322, divide by 32, and ROUND UP (as the Q&A says). This means each extent is to be 11 sectors long. However, 32 extents of 11 sectors each will yield not 322 sectors, but 352 sectors; even if the last extent is only one sector long, that still leaves us with  $31 \times 11 + 1 = 342$  sectors.

To have a 322-sector file with 11-sector extents, we must have 29 (322 divided by 11) extents of 11 sectors each and one extent of three sectors. Therefore, the file can have at most 30 extents. It is impossible for the file system to build a file with room for 321 records *and* have each extent be the same size except for the last (which may be shorter) *and* have a maximum of 32 extents.

I hope that these points may clarify things a bit for you. In any case, I'm very happy to see HP PROFESSIONAL tackling complicated technical questions like this, and look forward to more interesting articles in the future.

**Eugene Volokh**  
**VESOFT, Inc.**  
**Los Angeles, CA**

**Believe it or not...  
...lightning causes  
more computer  
problems due to  
sags and outages  
than to power spikes!\***

**FREE  
CATALOG**  
1-800-356-5794  
Ext. 3070

Impulse-suppression equipment in the AC distribution system momentarily shorts the power line in response to lightning, producing sags and outages throughout the system. In contrast, impulses, or spikes, are usually quickly attenuated, unless the lightning strike is fairly close. Another study\* suggests that, on average, a computer can expect to encounter some 128 events per month that can be disruptive to its proper operation.

Best Power Technology, Inc. has become the world's largest manufacturer of single phase, uninterruptible power systems (UPS). Best is on the cutting edge of technology, resulting in the most reliable uninterruptible source of computer grade power on the market today. Fewer parts to fail. Uses less electricity. Costs less to buy.

Discover the Best difference. Send for our FREE CATALOG today!

**Call 1-800-356-5794 ext. 3070 TODAY!**

In Wisconsin call (608) 565-7200, ext. 3070



**Best Power Technology, Inc.**

P.O. Box 280, Necedah, Wisconsin 54646

*"Advanced Technology . . . for less."*

\*Documentation available in catalog.

**ENTER 120 ON READER CARD**

## KNOWING THE RIGHT MOVES



In today's rapidly expanding and highly competitive computer marketplace, making the right move in equipment and service options takes careful strategy. Sometimes, buyers "Play it safe" by purchasing well known, high quality products from the manufacturers, and end up paying royal prices.

HyPoint Technology chose to concentrate our expertise on Hewlett Packard and their high quality 3000 series. By offering previously owned HP equipment, often more reliable than brand new components, at costs of up to 50% less, we are leading our customers to make the right moves. And this equipment is guaranteed eligible for maintenance.

When you buy direct from HyPoint Technology, you are guaranteed to get quality selection, fast delivery, and performance you can depend on. Add this to our low price and professional service and you come up with a winner, every time.

**HYPOINT TECHNOLOGY, INC. 1-800-231-5500**

4343 East Royalton Road • Cleveland, Ohio 44147 • (216) 526-0323

**Specializing in the full line of HP 3000 hardware.**

**ENTER 156 ON READER CARD**





# Become a 'C' Expert...

## Order *Let's C Now*

by Rex Jaeschke

*A Self-Teaching Guide to C Language  
in Two Volumes*

**Volume 1:** Introductory material  
13 User-friendly chapters  
A guide to learning C

**Volume 2:** Advanced instruction  
13 self-teaching chapters  
All you need to know to use C

26 lessons from *DEC PROFESSIONAL* magazine's  
"Let's C Now" column, updated and compiled by  
author Rex Jaeschke. Written for any operating system  
using DEC hardware, primarily for VAX and PDP.

**Plus:** Tested examples  
Chapter summaries  
Glossary  
Author's hints and suggestions  
Workbook format

**For fast service** call (215) 542-7008 with credit  
card information, or clip and send the attached  
order form.

Please complete and return with payment to:

**PROFESSIONAL PRESS, INC., P.O. Box 503, Spring House, PA 19477-0503**

Payment must be made in US dollars and drawn on a US bank.

Please send me:

\_\_\_\_\_ **two-volume set(s)** of *Let's C Now* at **\$42.95** plus \$3.00 (Canada \$6.00) for postage and handling per set.  
\_\_\_\_\_ copy(ies) of *Let's C Now, Volume 1* at \$22.95 plus \$1.50 (Canada \$3.00) for postage and handling per copy.  
\_\_\_\_\_ copy(ies) of *Let's C Now, Volume 2* at \$22.95 plus \$1.50 (Canada \$3.00) for postage and handling per copy.

Please charge my credit card: ☐ VISA ☐ MasterCard

Account # \_\_\_\_\_

Expiration Date \_\_\_\_\_ / \_\_\_\_\_

Signature \_\_\_\_\_ Date \_\_\_\_\_

Name/Title \_\_\_\_\_

Company \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Country \_\_\_\_\_ Telephone ( ) \_\_\_\_\_

HP



*Continued from page 25.*

sometime this month. The PC version currently is available.

The project is designed to plan, analyze and report on small or large complex projects. The Critical Path Method is used to analyze projects. PROJECT MANAGER includes online processing, Gantt and PERT charts, I-J or precedence notation, time scale network diagrams and resource leveling to help plan and analyze projects.

Reporting options include graphics output for laser or dot matrix printers and plotters. PROJECT MANAGER also includes 14 standard management reports, or users can develop their own reports with an integrated report writer.

Other features include: Multi-Project option (99 projects with up to 297,000 activities), Micro to HP 3000 data exchange, forecasting for resource, cost and risk analysis, work breakdown structure and a cost module.

Contact Michael P. Sweeney, TEI Inc., E. 3151 29th Ave., Spokane, WA 99223; (509) 534-7225.

**Enter 903 on reader card**

## Kentek Introduces K-4 Duplex Printer

Kentek Information Systems Inc. has introduced the K-4, a 24-page-per-minute duplex printer. The K-4 prints by host command on both sides of sheets up to 8½ inches by 14 inches and delivers 1 MB RAM, 300-dpi resolution output in page sequence.

The controller, based on a Motorola 68000 microprocessor, simultaneously manages four full bit-mapped pages while maintaining the full rated speed of the printer even for complex jobs.

Paper handling for the K-4 (under \$19,000) is via two standard input cassettes — a 550-sheet primary cassette and 250-sheet secondary cassette, each handling 16- to 24-lb. stock and specialty papers, including labels and transparencies. A 1,200-sheet primary cassette, 550-sheet secondary cassette and 15-bin sorter with stacker also are available.

On the output side, a 550-sheet tray is standard, and a 1,500-sheet output stacker is optional. Both output trays can be jogged to separate jobs.

The printer provides full-page resolution graphics, image rotation and text and graphics merge, in portrait or landscape and reverse-portrait or landscape format. Standard interfaces for the K-4 are serial RS-232 and RS-422, and parallel Centronics. Data-

products parallel and video interfaces may be added.

Contact Kentek Information Systems, Six Pearl Ct., Allendale, NJ 07401; (201) 825-8500.

**Enter 907 on reader card**

## PC Publisher Kit Supports HPGL

IMAGEN Corporation recently announced support by its PC Publisher Kit Line for Hewlett-Packard Graphics Language (HPGL), a language commonly used for plotting applications.

The PC Publisher Kits, comprised of a raster-image processor on a card that resides in an IBM PC or compatible, are high-performance enhancements for laser printers. Complete desktop publishing capabilities including full-page graphics and powerful font capabilities can be provided for their users.

The PC Publisher Kit now supports four major printer control languages including HP's PCL and HPGL, IMAGEN's DDL and Adobe Systems' PostScript. The kit also supports numerous printer emulations such as Diablo, Epson and NEC to provide compatibility with applications supporting those printers.

In addition, support for the Microsoft Windows environment is provided under the high-performance DDL language. This provides compatibility with major application programs, such as Aldus Corporation's PageMaker. Direct DDL support is also provided by Xerox Corporation's Ventura Publisher.

The PC Publisher Kit is targeted to users within the installed base of LaserJet and other Canon-based laser printers who require complete control over page content; faster

document printing; full-page graphics; scaleable, rotateable fonts and other more powerful font capabilities than possible with the basic printer. The HPGL compatibility option (\$149) will allow the Kit to be used in scientific and engineering applications such as AutoCAD, which previously required a plotter for output.

Contact IMAGEN Corp., 2650 San Tomas Expwy., P.O. Box 58101, Santa Clara, CA 95052-8101; (408) 986-9400.

**Enter 909 on reader card**


## MPROLOG Available For MPE XL, 800 Series

Brant Computer Services Limited has released MPROLOG on the HP 3000 MPE XL Series and the HP 9000 Series 800. In conjunction with MPROLOG, Brant is also releasing TWAICE, an Expert System Shell developed in MPROLOG.

MPROLOG is an advanced, modular implementation of the PROLOG programming language, which is especially suited to the development of artificial intelligence applications, including expert or knowledge-based systems.

MPROLOG features a complete program development environment and allows programmers to build and test independent modules that later can be combined into more complex systems. Source compatibility across all versions means that a project begun on the PC can be transported easily to a more powerful architecture as it evolves.

TWAICE is a full-function Expert System Shell for creating sophisticated rule-based systems that model human expertise. It escapes many of the restrictions and limitations normally found in shells with the ability to access MPROLOG and external pro-



**K-4 prints on both sides of the paper at 24 sides per minute.**



cedures directly. TWAICE features the same portability as MPROLOG, allowing applications to be developed on one machine and delivered on another.

MPROLOG was developed and is maintained by Logicware Inc. of Toronto, Ontario.

Contact Karen Hopmans, Brant Computer Services Ltd., 2605 Skymark Ave., Mississauga, Ontario, Canada L4W 4L5; (416) 238-9790.

**Enter 904 on reader card**

## Arkwright Improves Overhead Transparencies

Arkwright, Inc., now has available its improved DATA/VIEW Pen Plotter Transparency Film that has eliminated the grey background, providing increased color intensity and high-image resolution and definition.

The new Pen Plotter film is optically clear, .004 (4-mil) polyester that provides rapid drying and high resistance to smears and fingerprints. Eliminating the need for duplicate sets of pens, the new Pen Plotter film is compatible with both water-based and solvent inks. The superior ink-receptive surface of the new overhead transparency film provides fine image definition, well-defined color separation and low pen wear.

Arkwright's Pen Plotter Transparency film (\$41.75—\$61.75) is available in standard 8½-inch by 11-inch and A4 sheet sizes. Contact Arkwright, Inc., Marketing Dept., Main St., Fiskeville, RI 02823; (800) 942-5900. In Canada, contact Arkcan Graphics, 1690 Dellbrook Ave., Pickering, Ontario, Canada, L1X 2B1; (416) 427-9212. In Europe, contact Arkwright Inc., P.O. Box 220, 5900 AE Venlo, Holland; Telephone 077825315.

**Enter 914 on reader card**

## Bradford Business Systems Enhances WP Packages

Bradford Business Systems Inc. recently announced enhancements to the SPEEDEDIT full-screen editor and SPEEDDOC word processing packages.

The enhanced release of SPEEDEDIT now supports UDC commands. UDCs are handled differently than they are under MPE, but its files are compatible with MPE UDCs and can take advantage of existing UDCs. SPEEDEDIT UDCs can contain MPE as well as SPEEDEDIT commands and have various predefined variables available to pick up various filenames and other settings.

SPEEDEDIT now supports the new HP



*DATA/VIEW Pen Plotter Transparency Film has increased color intensity.*

700 Series terminals. This support includes the 132-column mode of operation and proper terminal identification.

Another feature of this release is the access to the new BBS-LIBRARIAN product, which allows users to easily check files in and out of a central library as a standalone operation or as an automatic extension of SPEEDEDIT.

Since SPEEDEDIT is an integral part of the SPEEDDOC word processing system, these enhancements also apply to SPEEDDOC.

SPEEDEDIT and SPEEDDOC run on all models of the HP 3000, including the Spectrum series.

Contact Bradford Business Systems, Inc., 25301 Cabot Rd., Suite 201, Laguna Hills, CA 92653; (714) 859-4428.

**Enter 905 on reader card**

## Software BackPlane Supports TPS

Atherton Technology recently announced that its integration portability platform, the Software BackPlane, now supports Interleaf's Technical Publishing Software (TPS).

TPS now can be used in an integrated software development environment enabling users to create software documentation and automatically establish traceability with other software life-cycle components.

The Software BackPlane is an Integrated Project Support Environment (IPSE) that increases software development productivity

by linking the various software tools used in large-scale development projects. It provides management control services to monitor, track and coordinate activities across the entire system development life-cycle and also provides portability services to fully integrate tools across multiple CPUs.

When Interleaf TPS is run in conjunction with the Software BackPlane, many tasks are automated and users can access and share data with other software development phases, such as analysis and design code development, compilation and test, via the Software BackPlane's object-oriented database.

The Software BackPlane provides TPS users with three important integration features. First, it provides a consistent user environment regardless of the applications being used. Second, the Software BackPlane has a "versioning" feature specifically designed for environments where many people are working in parallel on a single project.

Finally, the Software BackPlane provides link facilities. For example, it can formalize the relationship between a requirement in a document and its associated design. Then, if a requirement changes, the Software BackPlane automatically notifies those involved in design and testing to assure compliance throughout the project development environment.

Contact Atherton Technology, 1333 Bordeaux Dr., Sunnyvale, CA 94089; (408) 734-9822.

**Enter 916 on reader card**



## High Quality HP Computer Supplies At Low, Low Prices!

Stop paying more for your high quality HP computer supplies! All orders are shipped within 24 hours of your call, no minimum purchase required. Call for prices on a wide assortment of other supplies not listed in this ad.

### Diskettes (10/bx)

Sony 3.5" SS	19.95
Sony 3.5" DS	29.95
Sony 5.25" MD-2DD DSDD (96 tpi)	26.95
Sony 5.25" MD-2HD DSHD	32.95

### Supplies

3.5" Disc File Holder	15.95
5.25" Disc File Holder	15.95
Inkjet paper (500 sheets)	8.95
HP92261A Inkjet cartridges	7.95
HP10833B 2 meter HPiB cable	80.95
HP92205Y HPiB ABC Switch box	229.95

### Plotter Supplies

Multi-Media plotter pens (4/pk)	3.95
Multi-Media plotter pens (5/pk)	4.75
Rollerball plotter pens (4/pk)	7.95
Disposable plotter pens (4/pk)	15.50
Premium gloss paper 8.5x11	4.95
Plotter bond paper 8.5x11	3.75

### Memory Boards Series 9000 200/300

1 Mbyte RAM board	649.00
2 Mbyte RAM board	1249.00
4 Mbyte RAM board	2549.00
8 Mbyte RAM board	5419.00
2 Mbyte Error Correcting RAM	1749.00

### Peripherals

HP7475A 6 pen plotter, B size	Call for prices
HP2225A Thinkjet printer	

### Data Cartridges

3MDC600HC 600' Data Cartridges	29.95
3MDC615HC 150' Data Cartridges	21.95
HP88140LC 600' Data Cartridges	37.00
HP88140SC 150' Data Cartridges	27.00

Questions? Talk to our friendly technical staff for help on all your HP supply needs. Visa and MasterCard accepted. \$2.00 shipping charge for orders under \$100.00. Call or write for school and government discounts.

**pcm**

P.O. Box 3482  
Thousand Oaks, CA 91359  
805-482-5585

## PSP/Plus Supports LaserJet Printers

OPT Inc. has released a new version of PSP/Plus, a software package that provides system-level laser printer support for the HP LaserJet family of printers, including the HP LaserJet 2000.

Release A.01.00 of PSP/Plus now provides full environment file support for LaserJet printers. Users can print electronic forms and downloadable fonts with the convenience of a file equation without changing their application software. HP 2680 and HP 2688 users can use the same environment files for LaserJets as for their larger printers.

The new release also provides the ability to create simplified environment files (terminal-type) for LaserJet control, and a reduction-printing facility that puts two, four, or eight line-printer pages on a single letter-sized sheet of paper. Legal and ledger-size paper is supported on the LaserJet 2000 in both single-sided and duplex printing applications.

In addition, PSP/Plus supports downloadable fonts, electronic forms and graphics on LaserJet family printers, as well as all standard HP Laser printer control intrinsic. Contact Vicki Toback, OPT Inc., 299 W. Foothill Blvd., Suite 230, Upland, CA 91786; (714) 985-1581; (800) 858-4507.

Enter 908 on reader card

## Entek Announces Software For HP Systems

Entek Scientific Corporation recently announced several new software products that operate on HP's Series 200/300 computers, the Vectra PC, MS-DOS, PCs and compatibles.

The Entek software line includes EPRAN, EMODAL, ESMOD, EFORCE, ESIM, EMONITOR, EXAMINE, EMAP and ETREND. It supports HP 3561A, 3562A, 3565A (Paragon), 3582A, 5420A and 5423A Spectrum Analyzers.

EPRAN provides data acquisition for Spectrum Analyzers, data block-oriented signal processing and data processing. It operates in Entek EASY under HP BASIC. User programming facilities on several levels are included for customizing the program including macros, softkey redefinition, command mode and user programs written in BASIC, PASCAL or assembler.

EMODAL characterizes the dynamic behavior of complex mechanical structures in terms of natural frequencies, damping and mode shapes.

ESMOD analytically computes the ef-

fect that various structural changes would have on the dynamic behavior of a structure.

EFORCE computes the complex dynamic response of a test structure to a set of arbitrary forcing functions. The forced response of the structure tells the engineer how a structure will react in various operational environments.

ESIM maps the sound field radiation pattern of a noise source as a function of frequency and computes the total sound power emitted by the source.

EMONITOR involves periodic monitoring of critical machine parameters to detect and correct pending machine problems. It increases warning time before mechanical failures.

EXAMINE is a first-line troubleshooting tool that quickly diagnoses large quantities of spectral data to isolate defective components in complex machinery.

EMAP is a signal analysis product aimed primarily at rotating equipment analysis including order tracking and spectrum mapping. It's capable of transferring about 12 spectra per second from the Paragon to the computer, which provides for analysis of machine problems during rapid changes in operating condition.

ETREND complements the EPRAN multichannel data acquisition and block operation routines with an extensive set of graphics routines that provide for spectrum or time history waterfall mapping, sorting, order tracking, trending and managing large sets of data blocks.

Contact Entek Scientific Corp., 4480 Lake Forest Dr., Suite 316, Cincinnati, OH 45242; (513) 563-7500.

Enter 910 on reader card

## CAM Upgrades ViewPoint

Computer Aided Management Inc. (CAM) has begun shipping an upgrade to ViewPoint, its PC project management program. The upgrade performs five to 10 times faster, supports EGAs in 43-line mode and is configurable for international use.

CAM ported the new release, ViewPoint 3.0, to Microsoft's C compiler series. Version 3.0 uses better data buffering and intelligent recalculation to perform typical calculations five to 10 times faster. Almost every operation is twice as fast and many have gone from taking several minutes to several seconds. Intelligent recalculation was achieved by designing improvements to the scheduling algorithm, the basic calculation operation in the system.

The 43-line mode approximately

ENTER 119 ON READER CARD



doubles the amount of information displayed at once with an EGA. A full year's calendar can be displayed at once, as can twice as many bars in the Gantt or network chart. Basic internationalization includes configurable number formats, date formats, currency symbols and formats, ability to input and output foreign character sets, and support of European paper sizes.

Other enhancements include increased memory efficiency, easier RAM-disc use, and the ability to easily find networks in the ViewPoint network tree. With this release, CAM will support all DOS local area networks.

The new release will support PostScript devices, HPGL plotters, remote plotter support on networks, and a variety of new printers and plotters. Additionally, ViewPoint Graphics 3.0 has several improvements to the plots and user interface.

Contact Computer Aided Management, 24 Professional Center Pkwy., San Rafael, CA 94903-2703; (415) 472-5120.

Enter 918 on reader card

## CUSTOMIZATION EXPRESS Increases Productivity

Eagle Consulting & Development Corporation recently announced CUSTOMIZATION EXPRESS, a product designed to increase the productivity of users of HP Application Dictionary/Monitor-based manufacturing products, particularly MM/3000 and PM/3000.

CUSTOMIZATION EXPRESS contains some 30 modules in one integrated and menu-driven online development, upgrade and maintenance utility. It extracts, compares and reports critical application definition information.

This package reduces the time needed to perform customization tasks, increases the accuracy of customization, educates application support personnel, documents application customization and helps resolve application-related problems.

CUSTOMIZATION EXPRESS performs such functions as comparing VPLUS formsfiles to Application Dictionary formats, and reporting transaction, screen and terminal activity information from application log files.

It has been developed to solve inherent difficulties in the support, maintenance and customization of HP Application Dictionary-based products.

Contact Eagle Consulting & Development Corp., 170 Kinnelon Rd., Suite 3, Kinnelon, NJ 07405; (201) 838-5006.

Enter 912 on reader card

## NEED AN EXTRA COMPUTER WORKSTATION?



- Expandable - 256K to 2 MegaBytes
- Multiple Copy and Plot Queuing
- Bidirectional Buffering
- Fast Installation/Easy Operation
- Automatic Self-Test
- 30 Day Money-Back Guarantee
- 1 Year Warranty - 24 Hour Service

### MicroPlot 80 HPIB Buffer

256K - \$895                      512K - \$1095

### MicroPlot 80A HPIB Buffer

### MicroPlot 55 Serial Buffer

256K - \$995                      512K - \$1245  
1 MB - \$1645                      2 MB - \$1995

## INTELLIGENT INTERFACES, INC.

P.O. Box 1486, Stone Mountain, GA 30086-1486

1-800-842-0888 In Georgia Call (404) 381-9891

Telex: 910 2502628 INTELLIGENT UD

ENTER 250 ON READER CARD

Dealer and Value Added Reseller Inquiries Welcome

Chances are you're sitting in front of it - waiting for a slow printout or plot to finish. The MicroPlot series of buffers eliminate the waiting. You keep working while the plotter or printer is running. The result? System availability is increased by a factor of 5 to 20.

Three models save you money while you're saving time. The **MicroPlot 80** HPIB buffer offers intelligent performance at below dumb buffer prices. Copy, Pause, Multiple Plot Queuing, and Purge features are standard. Expandable to 512k, the MicroPlot 80 is ideal for large printing or small plotting applications. The **MicroPlot 80A** includes all MicroPlot 80 features plus full buffer and I/O status indicators, custom firmware support, and Pen-Up pause mode. Memory expansion to 2MBytes and compatibility with major software packages make the MicroPlot 80A the logical choice for CAD/CAM/CAE applications. The **MicroPlot 55** Serial buffer gives RS-232 interface users all the operational features of the MicroPlot 80A PLUS automatic "learn end-of-plot" and manual "mark end of plot" features.


## Save up to 45% on over 60 products

for the Portable Plus, HP110,  
Portable Vectra, and HP150

Catalog highlights:

- **The Norton Utilities** customized to the HP Portables and HP150.
- **Word Perfect**, best-selling word processor, customized to the Portable Plus and HP150.
- **The Portable Paper**, the information-packed, bimonthly newsletter that shows you how to unlock the full potential of your HP Portable.
- **Great buys on new and used HP equipment.**
- **Clear, thorough descriptions of every product.**
- **60-day money-back guarantee.**

For your free catalog, use coupon or reader card, or call:  
**Personalized Software**  
P.O. Box 869  
Fairfield, Iowa 52556  
515/472-6330



Yes, please send me your free catalog, "Products That Make HP Portables (and the HP150 Touchscreen) Smarter."

Name \_\_\_\_\_  
Title \_\_\_\_\_  
Company \_\_\_\_\_  
Address \_\_\_\_\_  
City/State \_\_\_\_\_  
Zip \_\_\_\_\_ Phone \_\_\_\_\_

Send to: Personalized Software  
P.O. Box 869, Fairfield, IA 52556

HPPRO8801

ENTER 110 ON READER CARD



## AST TurboLaser/PS Emulates LaserJet+

AST Camintonn Digital Division recently announced the AST Turbolaser/PS, an eight-page-per-minute laser printer with a resident PostScript controller and an optional board for HP's LaserJet Plus, LN03 and Diablo 630 ECS emulation. It is designed to produce both high-quality text and graphics.

AST TurboLaser/PS (\$4,595) is equipped with the most up-to-date revision of Adobe's PostScript page description language for faster, more flexible printing and more fonts that include 35 typefaces from the Mergerthaler, International Typeface Corporation and Letraset libraries.

With PostScript, these fonts can be scaled to any size, rotated to any angle and shaded with various patterns for special artistic effects. AST TurboLaser/PS combines the advantages of PostScript with the Ricoh 4081 engine, which uses white-write technology to optimize the range of grey scale shades, to make black appear blacker and white appear whiter.

AST TurboLaser/PS provides LN03 emulation with RS-232C connectivity and a choice between a DataProducts or Centronics parallel interface for compatibility with this environment. This board will be available both as a field upgrade for the AST TurboLaser/PS and as an add-in option in-

stalled in the printer. With this upgrade, the printer provides HP LaserJet Plus, PostScript, DEC and Diablo ECS 630 compatibility. The operator can easily select the emulation with either software commands or with an external switch. In addition, the AST TurboLaser/PS has an RS-422/AppleTalk port, which also makes it compatible with the Apple, IBM and DEC environments.

The AST TurboLaser/PS 12.5 MHz controller board incorporates a 68000 microprocessor, 3 MB RAM and 1 MB ROM. Full-page graphics are printed at 300-dpi resolution.

Contact AST Camintonn Digital Div., 2121 Alton Ave., Irvine, CA 92714-4992; (714) 553-0247.

**Enter 911 on reader card**

## Numonics Unveils Model 7191 Plotter

Numonics Corporation, a computer graphics peripheral company, recently introduced the new leader of its plotter line, the Model 7191 eight-pen plotter. It's faster and offers more storage capacity than any previous Numonics plotter.

The Model 7191 accepts all standard media from sizes A to E and features dual processors and a 500K buffer. This represents a major increase in memory storage capacity when compared to the standard 60K buffer. It's built for speed, accuracy and high per-

formance, and produces plots at speeds up to 25 ips.

The Model 7191 offers four different pen types — liquid ink, ball point, fiber tip and ceramic. Acceptable media types include paper, vellum, mylar and bond. Two RS-232C interfaces and one IEEE-488 interface are standard. The plotter's control language is HPGL.

Contact Numonics Corp., 101 Commerce Dr., Montgomeryville, PA 18936; (215) 362-2766.

**Enter 913 on reader card**

## Electronic Data Director Increases Flexibility

Computer Accessories Corporation has introduced Electronic Data Director, the first four-channel electronic data switch in its Data Communications product line. The new Electronic Data Director increases the flexibility of larger microcomputer systems by allowing four computers to share one peripheral, such as a laser printer.

The Electronic Data Director is easy to install and operate with no special hardware or software to configure. It automatically scans each computer port for data to be printed and then sends the data to the printer. To the user, it appears as if each computer is directly connected to the printer. There are no switches to turn and no software codes to send.

Product features include an automatic form feed insuring that each printout starts on a clean page and not on the last page of a previous printout. It also has a selectable "timeout" button that enables users to delay the disconnecting of the printer for 15 or 60 seconds before it resumes scanning the four computer ports.


The Electronic Data Director is available in parallel and serial versions. Its serial model automatically will adjust itself to the baud rate of the computer and printer so there's no concern about serial protocol. With an Electronic Data Director, computers and peripherals in parallel can be placed up to 30 feet away from each other.

Contact Computer Accessories Corp., 6610 Nancy Ridge Dr., San Diego, CA 92121; (619) 457-5500.

**Enter 915 on reader card**

## Matrix Plotter Provides Image Plotting

Insight Development Corporation has developed a new software utility program that can be used to rasterize complex graphics images and format them for output on ordi-



*AST TurboLaser/PS is an eight-ppm laser printer with a resident PostScript controller and an optional board for LaserJet Plus emulation.*



nary matrix printers. This utility allows users of scientific and engineering application software to obtain hardcopy output from low-cost matrix printers, in many cases eliminating the need for more costly pen plotters typically used in these systems.

The Matrix Plotter is designed for applications that are used on DOS-based PCs and require an HP 7470A, 7475A or Color-Pro plotter for output. Versions of the utility can control a variety of matrix printers including the Toshiba 300 series, the Epson Matrix printers and compatible units. The program accepts the drawing vectors used by plotters and converts them into the high-resolution, raster-oriented, bit-mapped images required by the matrix printer. The resultant image is printed at the printer's full resolution, allowing plots containing significant detail to be printed on higher resolution 18- and 24-pin matrix printers.

The Matrix Plotter will allow CAD/CAM, business and scientific graphics programs to use the matrix printer for plotting and will reduce the cost of output in

these applications. The utility is self-configuring and doesn't require an installation program or any configuration file modifications. Once loaded into the system, Matrix Plotter becomes a transparent "bridge" between the application package and the attached printer.

Contact Insight Development Corp., 1024 Country Club Dr., Suite 140, Moraga, CA 94556; (415) 376-9451.

**Enter 920 on reader card**

## MDSS Offers Four Report Writers

MDSS, Inc., recently announced the addition of a fourth report writer/query facility. MDSS users now can choose one of four different facilities to access corporate data online and to print reports.

The latest and fourth facility supported by MDSS is Infocentre's EasyReporter.

The styles of report writer/query systems supported by MDSS are:

■ **Quiz**, a text-oriented report writer. To get

data out of the system, the user makes requests in English-like statements in appropriate sequence. Users usually have some experience in programming languages such as BASIC.

■ **Inform**, an unsophisticated method to view data requiring less than 15 minutes of training. This method doesn't provide the functionality of a text-oriented report writer/query facility.


■ **EasyReporter**, a menu-driven, non-text-oriented, report writer/query facility that gives a non-technical user the ability to select desired data files through a series of menus. It provides appropriate arithmetic functions and print-out formats and can format these into text languages to display the data on the screen.

■ **Query**, the oldest of these, provided by Hewlett-Packard. Programmers are most comfortable with this report writer system. Contact MDSS, Inc., 300 East Ohio Bldg., 1717 East 9th St., Cleveland, OH 44114; (216) 861-8100.

**Enter 919 on reader card**

## Looking For A Solution?

Computer Solutions, Inc. has provided HP users with high quality, re-marketed equipment for twenty years. Our production engineers guarantee this high quality through complete testing before shipment. To prove it, we offer the choice of a 120 Day Warranty or a 30 Day Warranty with guaranteed HP maintenance. If you need it quickly, our large on site inventories allow immediate delivery from both the East and West coasts. High quality combined with low prices make re-marketed equipment today's most practical solution. So, whether it be HP 1000 or 3000, CPU or peripheral, new or used, our sales people are eager to provide you with solutions.



## Isn't the Solution Obvious?

**Computer Solutions, Inc.**

NJ (201) 672-6000 CA (213) 541-7171  
TLX 130098 FAX (201) 672-8069

**ENTER 105 ON READER CARD**

# WORKHORSE.


## The DeRex S-3000 II: A heavy duty page printer without peers.

Fast, quiet, reliable and cost effective, the S-3000 has been designed specifically as a high-volume printer. And it is thoroughly backed by the expertise, technical support and nationwide service of DeRex.

- 30 pgs. per min./Up to 150,000 per month
- Less than 55 DBA
- Vector and Raster Graphics
- High resolution: 300x300 DPI

- Bar codes
- Dual input feeders/High capacity (2500 sheet)
- Remote or local attachment
- Compatible with IBM (including channel attach) DEC, H-P, Prime, UNISYS and most other popular computers
- Forms overlay—up to six forms
- Versatile output: up to 32 character sets

For heavier output, the S-6000-II is another DeRex field-proven, high speed, reliable printer. At 75 pages per minute, with both portrait and landscape orientations, it provides great versatility of output at higher speeds.



**DeRex Inc.**

ELECTRONIC PRINTER SPECIALISTS

7716 Wiles Road  
Coral Springs, Florida 33067  
305/753-0840 • 800/245-7282

**ENTER 162 ON READER CARD**



## CAMM-2 Creates Engraving Workstation

Roland DG has introduced an extension to its CAMM product line of computerized machine tools. The CAMM-2 is a compact engraving machine that can transform an ordinary CAD system into a professional-quality engraving workstation.

The CAMM-2 has a total working area of 8½ inches by 5½ inches, a maximum speed of 71 inches per minute, and a resolution of 0.0004 inches per step. The CAMM-2 has two sets of controlling commands. The first set is compatible with Roland DG's CAMM-3 milling machine. The second set of commands is compatible with HPGL plotter protocol. By manually setting the depth of cut, users can output to the CAMM-2 just like they do to their plotter.

A 20-character, two-line LCD display with interactive software allows users to quickly modify all operational settings including workpiece origin, Z-axis origin, speed and depth of cut, and communications protocols. Standard Centronics Parallel and RS-232C Serial interfaces provide links to all types of software.

Contact Roland DG, 7200 Dominion Cir., Los Angeles, CA 90040; (213) 685-5141.

**Enter 917 on reader card**


## MD-GRAFTEXT Uses HP Laser Printers

Maersk Data A/S has released an enhanced version of MD-GRAFTEXT, the software product that allows users to print advanced text documents generated with DCF/SCRIPT and DisplayWrite/370 on non-IBM laser printers. The enhanced version includes handling of scanned images in text documents.

One of the major advantages of MD-GRAFTEXT is the utilization of low-priced, Hewlett-Packard (or compatible) laser printers instead of the more expensive IBM printers (IBM 38xx). Thus, laser printers can be fitted into the IBM network as departmental printers.

MD-GRAFTEXT allows users of IBM mainframe word processing to create and print documents with a variety of fonts, thus gaining a document appearance compared to an ordinary, typed document. Any graphics produced with one of the GDDM-based graphics software packages for IBM mainframes also can be included in the text. Images scanned into the computer with an IBM 3117/18 scanner can be printed as part of a text document.

Contact Maersk Data Inc., Giralda Farms,



**CAMM-2 turns an ordinary CAD system into an engraving workstation.**

P.O. Box 883, Madison, NJ 07940; (201) 514-5000; or Maersk Data A/S, Titangade 11, DK-2200 Copenhagen N Denmark; Phone +45 1 83 82 11.

**Enter 921 on reader card**

## IEM's Buffer/Converter Speeds Communication

IEM, Inc., recently introduced its high-speed Buffer/Interface Converter. This device facilitates communication between host processors and primary-address devices (one-way communication devices, such as printers and plotters) in two ways:

The unit buffers data from the host processor and transfers it to the receiving devices, enabling the host computer to be used for other tasks while the information is being transferred.

The unit has a number of input ports (RS-23, Centronics and [optionally] HP-IB) and the same number (and types) of output ports. Any port on the input side can be connected to any port on the output side. This allows data transmission from HP-IB to Centronics, HP-IB or RS-232; from Centronics to Centronics, HP-IB or RS-232; etc.

The Buffer/Interface Converter (\$1,425 to \$2,850) can be ordered with a 1-, 2- or 4-MB buffer capacity. The copy mode feature enables text copying under control of the buffer unit. It can produce multiple copies of a single text item without processor control. Several units can be attached to increase the overall buffer capacity.

Up to six devices can be connected to the unit (four, without the optional HP-IB interface ports), though only one input and one output port can be active at any given time. Switches in the Buffer/Interface Converter are used to designate the active ports. Independent switches for each port control its interface characteristics and I/O capabilities. The HP-IB and Centronics ports sup-

port DMA on both the input and output sides.

Contact IEM, Inc., P.O. Box 8915, Fort Collins, CO 80525; (303) 223-6071 or (800) 321-4671.

**Enter 923 on reader card**

## CDS Offers Total Scheduling

Software Technology Inc. (STI) recently enhanced Critical Date System (CDS) software. CDS enables firms with up to 99 employees to schedule and track dates for clients. It allows users to distinguish between critical dates, such as filing deadlines, and non-critical dates. CDS can handle up to a million date entries in all.

A new feature of CDS is a scheduling program that automatically locates an available time slot for any desired date transaction entry. The program is useful for scheduling activities requiring the involvement of several employees. The user simply selects a range of dates, a range of employees and a time frame, and CDS displays the earliest available time slot for the date entry.

The improved CDS (\$300) also includes a program that displays a six-week calendar showing the number of critical date entries and the total number of entries for each day.

CDS can generate reports by employee, or by a range of clients, for a selected range of dates and activities including critical dates, non-critical dates or both. All reports can be displayed on the screen, printed or saved to a disc file.


CDS is a menu-driven system that runs on all PC-compatibles utilizing PC-DOS or MS-DOS.

Contact Ken Merkt, vice president of marketing, Software Technology, Inc., Lincoln Trade Center, 6101 South 58th, Suite B, Lincoln, NE 68516; (402) 423-1440.

**Enter 922 on reader card**



*Porting your code is a little chancy  
If your C compiler's not strictly ANSI.*




**W**hy program in C? Because it's got a powerful preprocessor and an extensive runtime library? Because it combines the structure of a high-level language with the power of an assembler? Because that's what all the top programmers want to use?

All these are persuasive reasons. But there's one factor that really tips the scales. Portability. That's the ability to run software written on the HP3000 on other systems, including HP Precision Architecture machines. To ensure portability, a C compiler must adhere strictly to the proposed ANSI standard for the language and libraries. C/3000™ does exactly that.

A successful compiler must also interface smoothly with the architecture of its host system. Here too, C/3000 shines. C/3000 produces standard USL files and provides unrestricted access to the MPE file system and intrinsics.

Complete ANSI compatibility in a true HP3000 compiler. With C/3000, there is no compromise.

**C/3000. From Tymlabs.**



Tymlabs Corporation ■ 811 Barton Springs Road ■ Austin, Texas 78704, U.S.A. ■ (512) 478-0611 ■ Telex 755820

Tymlabs-APPIC ■ 123 Rue de Petit-Vaux ■ 91360 Epinay sur Orge, France ■ (1) 64-54-82-32 ■ Telex 603409

Wick Hill Associates Limited ■ 42A-44 High Street ■ Egham, Surrey, England TW20 9DP ■ 0784-38441 ■ Telex 268764

Megatec Pty., Ltd. ■ 2 Brunswick Road ■ Mitcham Victoria 3132, Australia ■ (03) 874-3633 ■ Telex 152692

**ENTER 108 ON READER CARD**



To understand much of what we're doing with respect to cancer research, you'd need a graduate degree in microbiology or biochemistry.


But to understand how well our educational programs and service resources help both patients and their families, simply talk to one out of every 100 Americans who are part of our volunteer program. Or talk to one of the 3 million who've survived cancer.

The battle isn't over but we are winning.

Please support the American Cancer Society.



## NEW PRODUCTS



*Access/One's "hot card" insertion enables network managers to add or exchange system modules as needed.*

### Access/One Provides Platform For Networking

Ungermann-Bass, Inc. has developed Access/One, a new system architecture that provides MIS and telecom directors with the only standard platform for the delivery of network services to their diverse network users.

Access/One (\$10,000—\$25,000) connects asynchronous and 3270 terminals, PCs and other distributed devices via Ethernet and token ring over common twisted-pair wiring.

Access/One provides the platform upon which protocols, application services and network management run. It satisfies the need for both local access and corporate manageability. The system also provides a practical platform for the integration of application services such as OS/2, LAN Manager, mixed PC and Macintosh connections.

Access/One uses a structured wiring architecture, which takes advantage of common twisted-pair telephone wiring to provide end users with cost-effective access to data communications networks.

Contact Ungermann-Bass Inc., 3900 Freedom Cir., Santa Clara, CA 95054; (408) 496-0111.

**Enter 927 on reader card**

### New Paradox Taps 386 Processor

Borland International Inc. recently introduced its new Paradox 386 relational database management system (DBMS) with the most

advanced, comprehensive database support available for Intel's 80386 microprocessor technology.

Paradox 386 (\$895) is suitable for various database applications such as investment portfolio analysis, lead tracking systems in a corporation's field operations, or large inventory/order entry systems. It already has been tested in these types of environments with the result that financial institutions, airlines, large manufacturers and other types of organizations are looking to adopt Paradox 386 as a new database solution.

Paradox 386 maintains database file sharing and application compatibility across a network where different versions of Paradox may be installed on top of a variety of operating systems running on a mixture of hardware. It is among the first relational DBMS products to break through the 640-KB barrier. It takes advantage of the 80386 processor through use of the 32-bit instruction set to speed performance of typical database operations; and by breaking through the 640K barrier using the large memory address space provided by the 80386 architecture.

Paradox 386 uses up to 16 MB as efficiently as other applications that typically use 640K. This is accomplished by using the larger linear address space of the 80386 processor, in contrast with more limited use of memory provided by the Lotus/Intel/Microsoft Expanded Memory specification. Contact Borland International Inc., 4585 Scotts Valley Dr., Scotts Valley, CA 95066; (408) 438-8400.

**Enter 924 on reader card** ■






**T**wenty-two percent of *HP PROFESSIONAL* Readers . . .  
have DEC VAXs at their site. Are you one of them?

**A**re you a DEC computer user . . .  
a buyer of DEC hardware, software, peripherals?

**D**o you read *DEC PROFESSIONAL* . . .  
the leading monthly magazine for DEC computing?

- It's FREE!
- It's informative.
- It's monthly.
- It's read by over 94,000\* professionals like you.
- It's time you had a free subscription too!

Read *DEC PROFESSIONAL* for information on the latest hardware, software, programs, new products, industry trends, problem solving suggestions and more. Each issue has timely, relevant DEC computing information. And each issue is a valuable reference you'll want to keep on hand for months to come. (Some of our subscribers have *DEC PROFESSIONAL* "libraries.")



**S**tart Your Free Subscription . . .

Enter 299 on the Reader Information Card  
and we'll send you a subscription application today!

*It's Free!*



**The Computer Museum Memory Poster**  
We have created a limited edition, 20"x32"  
poster of the picture shown below. Printed in


Please allow six weeks for delivery.

Located on Museum Wharf  
300 Congress Street, Boston, MA 02210  
(617) 426-2800

F

Special thanks to this publication, Scitex America Corp. (color separations), Grafik Communications, Ltd. (design), David Sharpe Studio (photography) and VM Software, Inc. (poster).

# COMPUTER MEMORIES FOR SALE





## INFORMATION

Rates: 1 time: \$375  
3 times: \$345  
6 times: \$315  
12 times: \$250

Size: 1/9 page — 2<sup>3</sup>/<sub>16</sub>" x 2<sup>3</sup>/<sub>4</sub>"

Typesetting and composition available.

Camera ready mechanical required.

For more information call  
Cynthia Leitzel at  
(215) 542-7008.

## Large Discounts On HP-9000 Stock

We stock a large variety of used  
310s in various configurations.

9872A	19" high-res color.....	\$3500
98627A	RGB color interface .....	\$ 495
98635A	Floating point board.....	\$ 395
82901	5 1/4" disc .....	\$ 300
82905	Printer .....	\$ 175

**\* SPECIAL \***

7475 Plotter/RS232 (Almost NEW) \$ 900

**Ted Dasher & Associates**

(205) 324-8526  
(205) 322-6013

ENTER 127 ON READER CARD

## Why Not . . . Used HP

Delivery, Savings,  
Guaranteed Maintenance

HP 3000/9000/1000/100/80

Buy, Sell, Lease, Trade

**— SPECIALS —**

3000/37W/1Mb, PIC, ATP-37

7945A & 9144A ..... \$9,500

Add 7945A ..... 2,500

Add 7914P ..... 4,200

Add I/O Bay ..... 3,500

**WESTCHASE COMPUTER COMPANY**

800-538-8013/245501

713-589-7671

FAX 713-589-7690

ENTER 154 ON READER CARD



## 1 MEGABYTE MEMORY BOARD MicroRAM

Expand your HP Series 200/300 memory  
without stretching your budget.

- \*Easy "snap-in" backplane design
- \*Compatible with HP memory boards
- \*Switch selectable addressing
- \*2 year warranty
- \*90 day money back guarantee
- \*50-1200 MicroRAM ..... \$775

**INTELLIGENT INTERFACES INC.**

1-800-842-0888

In Georgia (404) 381-9891

Telex: 9102502628 INTELLIGENT UD

ENTER 149 ON READER CARD

## HEWLETT-PACKARD

BUY  
and  
SELL

REPAIR  
and  
SERVICE

**ADVANT**  
**Computer Exchange**

**HP Systems Specialists**

US (800) 824-8418

CA (209) 823-6777

FAX (209) 823-3304

ENTER 166 ON READER CARD

## H.P. UPDATE

INTERNATIONAL CORPORATION

**I.E.C.**

Astonishing  
PRICES

1000 3000 9000

HP systems & peripherals

Bought & sold with integrity

Guaranteed for HP maintenance

**Personalized  
SERVICE**

1209 U.S. Hwy. 19 N. Suite 223

Palm Harbor, FL 34684

813-785-6003

ENTER 307 ON READER CARD



## HP 3000 S/70 & S/68

**HP 7933H**  
404 Mb Disc Drives  
Call for current price

### COMPLETE HP 3000 SYSTEMS AVAILABLE

All items in stock — immediate delivery.  
Subject to prior sale.  
All warranted to qualify for  
manufacturer's maintenance.


### ConAm Corporation

It's Performance That Counts!

800/643-4954 • 213/829-2277  
FAX 213/829-9607

ENTER 139 ON READER CARD

## Oswego Software, Inc.



**IBM PC,  
PS/2**  
Vectra & compatibles  
**can read  
and write  
HP FILES**  
BDAT, ASCII,  
Series 80  
IBM PC to  
HP FILE COPY... **\$495**  
Call us, 312/554-3567

**Oswego Software, Inc.**  
507 North Adams St.  
Oswego, IL 60543

ENTER 258 ON READER CARD

## HP-IB to Centronics Converter



### MicroPrint 45C

**NEED AN EXTRA PRINTER FOR YOUR HP COMPUTER?** The MicroPrint 45C is the solution you've been waiting for - an inexpensive way to use an inexpensive printer with your HP computer.

- \*Use with any HPIB Computer
- \*Use with any Centronics Printer
- \*No programming, transparent to system
- \*Laser Printer compatible
- \*1 year warranty

\*51-6200 MiroPrint 45C ..... \$199  
\*52-2207 Centronics Cable ..... \$ 25

### INTELLIGENT INTERFACES INC.

1-800-842-0888

In Georgia (404) 381-9891

Telex: 9102502628 INTELLIGENT UD

ENTER 148 ON READER CARD

## HEWLETT-PACKARD

*Buy, Sell, Rent and Repair  
Computers, Peripherals  
and Options*

★ ★ ★ ★ ★

**SALES SERVICE**

(408) 270-1100 (408) 270-1170

★ ★ ★ ★ ★

FAX — (408) 270-1183

ELM — 62015192

TELEX — 9102500341

### CRISIS COMPUTER CORP.

2298 Quimby Road  
San Jose, CA 95122-1356

ENTER 186 ON READER CARD

## HP CAREERS NATIONWIDE

### SEARCHING FOR THE RIGHT OPPORTUNITY?

Look no further! Specializing 100% in the HP marketplace, Diane Amos can end this search. With her proven success record and 12 years experience, she will lead you to the right career path. Numerous opportunities available.



Call Diane Amos, C.P.C.

**Amos &  
Associates**

633B Chapel Hill Road  
Burlington, NC 27215  
(919) 222-0231

ENTER 191 ON READER CARD

## Save up to 60%!

*Top dollar when you sell!*

We buy or sell any HP equipment, including:

COMPUTER SYSTEMS • DISK DRIVES  
SOFTWARE • ACCESSORIES  
TERMINALS • MAG TAPES

*All Equipment Guaranteed.*

Specialists in hard-to-find equipment.  
Immediate delivery of in-stock items.

CALL Bill Alexander at

**312-916-1400**

**FAX 3129161361**

**COMPUTER MEDIA, INC.**

1420 Brook Drive  
Downers Grove, IL 60515

ENTER 138 ON READER CARD

## VT 100/102/220

Terminal Emulation  
File Transfer

- For Series 200/300
- Runs Under Basic



**\$395.00**

30-day unconditional  
money-back guarantee

### SYSTEM WORKS

4318 Centennial Trail  
Duluth, GA 30136

**(404) 446-6098**

Preferred by major  
U.S. industries & educational  
institutions.

ENTER 306 ON READER CARD

## BUY • SELL • RENT • LEASE

### HEWLETT-PACKARD Computer Equipment

SERIES 80, 100, 200, 300, 9800

ALSO . . . Plotters, Printers, Disk  
Drives, CPUs, Printers, etc.

Available for Immediate Delivery

**(713) 855-4528**

**TSA**

**TECHNICAL & SCIENTIFIC  
APPLICATION, INC.**

4654 Highway 6 N., Suite 101  
Houston, TX 77084

ENTER 185 ON READER CARD

## NORCO COMPUTER SYSTEMS, INC.

*Hewlett-Packard Quality  
at a NorCo Price*

**1000 • 3000 • 9000 • 250**

**BUY — SELL  
TRADE — LEASE**

Processors, Peripherals  
and Systems

**925D Bassett Road**

**Cleveland, OH 44145-1108**

**FAX 2168925507**

**216-892-1920 1-800-892-1920**  
(Outside Ohio)

ENTER 184 ON READER NUMBER




## IBM ↔ HP File Interchange

PCLIF is a software utility which permits the transfer of files between IBM PC's, PS/2's and HP technical (LIF) computers thru the exchange of floppy disks. Using the PC for 5.25" or the PS/2 for 3.5" transfers does not require additional hardware. An internal and an external 3.5" disk drive is available to allow the PC family to perform 3.5" disk transfers.

Innovative Software Systems  
14252 Culver Dr., Suite A-444  
Irvine, CA 92714 (714)249-2056

ENTER 286 ON READER CARD

## 30-60% OFF LIST

 in Inventory  
Fully Guaranteed



**Performance — Not Promises!**  
8370 Dow Circle • Cleveland, OH 44136  
216-234-8040



BUY • SELL • LEASE • TRADE



ENTER 116 ON READER CARD

## 9000, 3000, 1000 SYSTEMS PERIPHERALS COMPATIBLES

Buy • Sell • Trade  
Maintenance



**(206) 883-4107**

ENTER 117 ON READER CARD

## BUY • SELL • TRADE Series 80/100/ 200/300/9800

**TED DASHER  
& ASSOCIATES**

1220 33rd St. So.  
Birmingham, AL 35205  
(205) 324-8526 (322-6013)

*We specialize in 310's,  
217's, 9816's, 9836's  
and all peripherals*

ENTER 126 ON READER CARD

## HP

9000,3000,1000,  
100,80 series or ATE  
**CompuChange**  
813-796-8388

Buy • Sell • Trade

ENTER 140 ON READER CARD

C.S.U.  
INDUSTRIES,  
INC.



The second source for  
**HEWLETT-PACKARD  
3000 equipment**

- Complete Configurations
- Individual CPUs — Peripherals
- Memory Upgrades and Feature Enhancements

**WE BUY:**  
Highest Prices Paid

**WE SELL:**  
All Items Sold Are Guaranteed for HP Maintenance  
\* Trade-Ins Accepted \* Short and Long Term Leases Available \*  
Over 850 satisfied Hewlett-Packard users  
are our customer references.

**CALL (516) 239-4310  
ASK FOR CAROL.**

135 Rockaway Turnpike • Lawrence, NY 11559

ENTER 211 ON READER CARD

## HP 3000

WE BUY & SELL  
Guaranteed for  
HP Maintenance

**Call  
713-690-6100  
CBSI**

4407 Clark, Houston, TX 77040

ENTER 155 ON READER CARD

## The HyPoint Advantage . . . INVENTORY

"Specializing in Full  
Line of  
HP 3000 Products"

Buy ■ Sell ■ Trade ■ Lease

HyPoint Technology  
550 E. Royalton Road  
Cleveland, OH 44147

1-800-231-5500  
216-526-0323

ENTER 305 ON READER CARD

## HEWLETT-PACKARD

1000 • 3000 • 9000 • 250

**BUY-SELL  
RENT-LEASE**

**Maintenance  
Disaster Recovery Services**

Processors, Peripherals, & Systems

**EURODATA INC.**  
613-745-0921

2574 Sheffield Rd.  
Ottawa, Ontario, Canada K1B 3V7  
Fax: 613 745-1172 Telex: 053-3259

ENTER 131 ON READER CARD



# ADVERTISERS INDEX

Reader Service Number	Page
100 Adager.....	26-27
166 Advant Computer .....	93
191 Amos & Assoc.....	94
196 Bering Industries .....	49
120 Best Power Technology, Inc.....	80
194 Bradford Business Systems Inc.....	71
234 Bradmark Computer Systems, Inc.....	5
216 Carolian Systems International, Inc.....	4
155 CBSI.....	95
103 Cognos Corp.....	1
163 Collier-Jackson Inc.....	61
140 CompuChange .....	95
117 Computech .....	95
138 Computer Media .....	94
620 Computer Museum .....	92
105 Computer Solutions, Inc.....	87
139 Con Am Corp.....	94
168 Corporate Computer Systems .....	47
186 Crisis Computer.....	94
211 CSU Industries Inc.....	95
153 Cumulus Technology Corp.....	10-11
217 Data Systems for Industry.....	60
132 Datagate Systems.....	79
162 De Rex Inc.....	87
176 Dynamac Information Systems Corp.....	51
102 EMC Corporation.....	9
131 Eurodata Inc.....	95
259 Graphicus .....	39
260 Graphicus .....	41
252 Hewlett-Packard (Business Systems).....	6-7
242 Hewlett-Packard (Finance Div.).....	38
281 Hewlett-Packard (Peripherals).....	75
165 Hi-Comp International.....	65
156 Hypoint Technology .....	80
305 Hypoint Technology .....	95
219 IMACS Systems Corp.....	13

Reader Service Number	Page
220 Indigo Software Ltd.....	74
159 Industrial Computer Corp.....	17
198 Infocentre Corp.....	67
272 Infotek Systems .....	23
142 Innovative Software Solutions.....	58
286 Innovative Software Systems.....	95
250 Intelligent Interfaces, Inc.....	85
149 Intelligent Interfaces, Inc.....	93
148 Intelligent Interfaces, Inc.....	94
152 Invitational Computer Conferences.....	63
214 IOTECH .....	58
115 Martinsound Technologies .....	55
116 Microtek Systems International.....	95
184 Nicro Computer Systems, Inc.....	94
288 NSD, Inc.....	53
113 OPT.....	2
258 Oswego Software, Inc.....	94
119 P.C.M.....	84
171 Persoft Inc.....	I.B. Cover
110 Personalized Software.....	85
Professional Press.....	76,81,91
114 RAET Software .....	59
164 Rapitech Systems.....	57
281 Robelle Consulting Ltd.....	64
SAS Institute .....	90-91
170 SCRUG .....	77
307 SEC International .....	93
306 System Works .....	94
185 Technical & Scientific Applications, Inc.....	94
127 Ted Dasher & Associates.....	93
126 Ted Dasher & Associates.....	95
108 Tymbals Corp.....	89
109 Tymbals Corp.....	15
291 Unison Software.....	33
248 Walker, Richer, & Quinn, Inc.....	B. Cover
154 Westchase Computer Co.....	93
111 Zentec Corp.....	I.F. Cover

## [ CALENDAR ]

### [ MARCH ]

**20-24:** NCGA '88, Anaheim, CA. Ninth annual conference and exposition of the National Computer Graphics Association. Contact NCGA, 2722 Merrilee Drive, Suite 200, Fairfax, VA 22031; (800) 225-NCGA or (703) 698-9600.

**25:** SCRUG (Southern CA Regional Users Group) Seminar on HP Computer-to-Computer Networking Capabilities, Fullerton, CA. Taught by Peter Hansen of Hughes Aircraft. To cover the networking of CPUs on the HP 3000, HP 9000, HP 1000, Vectra and Macintosh. \$125 fee includes lunch and course notes. Contact Karen Zimmerman, SCRUG Office Manager, P.O. Box 84219, Los Angeles, CA 90073; (213) 453-5664.

**28-31:** 16th Annual Interface '88 Conference and Exposition, McCormick Place, Chicago, IL. Also, World Congress on Computing (WCC). Sponsored by McGraw Hill's *Business Week* and *Data Communications* magazines. Over 400 exhibitors will display communications and computer-related products and systems. Interface Conference will focus on network design/implementation-management issues and trends. Call (617) 449-6600.

### [ APRIL ]

**6-7:** Performance Maximization Seminar, New York. HP 3000-related seminar sponsored by Volz Associates (Winthrop, MA). \$525 includes all course material, lunches and

refreshments. Discounts are available for three or more attending the same session from the same company. Contact Charles H. R. Volz, Volz Associates, Inc., 15 Pauline St., Winthrop, MA 02152-3011; (617) 846-3837.

**18-20:** Interex HP 1000 Users Conference, Lyon, France. Contact Interex, Conferences, 680 Almanor Ave., P.O. Box 3439, Sunnyvale, CA 94088-3439; (408) 738-4848; Telex: 4971527.

### [ MAY ]

**9-10:** Performance Maximization Seminar, New York. For information, see April 6-7 entry.

**17-20:** SCRUG '88 Technical Conference and Vendor Show, The Pasadena Center, Pasadena, CA. Pre-conference tutorial for new users May 17 (extra charge). Two-day vendor show May 18 and 19. Conference fee \$175 for full conference, \$75 per day. Call Karen at (213) 453-5664 or write P.O. Box 84219, Los Angeles, CA 90073.

**30-June 3:** The International HP Users Conference, Goteberg, Sweden. Write Box 266, S-421 23 V. Frolunda, Goteberg, Sweden.

**31-June 3:** NECRUG Ninth Annual Eastern American HP Users Conference, The Trump Plaza, Atlantic City, NJ. Fee for members \$275 if you register by April 29; \$315 thereafter. Early/late non-member fees, \$300/\$400. Exhibitors call Jeri Fuller, U.S. Mortgage Insurance Co., (215) 825-4666.

# SALES OFFICES

**VICE PRESIDENT** Helen B. Marbach  
**ASSOCIATE PUBLISHER/**  
**MARKETING & SALES** Leslie Ringe  
**ADVERTISING**  
**SERVICES MANAGER** Connie Mahon  
**ADVERTISING**  
**COORDINATOR** Lori Goodson  
**LIST RENTAL COORDINATOR** Cathy Dodies  
**POSTCARD DECKS** Mary Browarek

## REGIONAL SALES MANAGERS

**CANADA** Helen B. Marbach  
**MID-ATLANTIC** Mark Durrick  
**SOUTH ATLANTIC** Cynthia Leitzel  
**MIDWEST/SOUTHEAST** Peter Senft

**Professional Press, Inc.**  
**921 Bethlehem Pike**  
**Spring House, PA 19477**  
**(215) 542-7008**

## NEW ENGLAND/ INTERNATIONAL

**Leslie Ringe**  
Professional Press, Inc.  
238 Bedford Street, Suite 3  
Lexington, MA 02173  
(617) 861-1994

## NORTHERN CALIFORNIA and NORTHWEST

**A. G. Germano**  
**Regional Sales Manager**  
**Alonna Doucette**  
**Account Executive**

Professional Press, Inc.  
715 El Camino Real, Suite 206  
San Bruno, CA 94066  
(415) 873-3368


## SOUTHERN CALIFORNIA/ SOUTHWEST/COLORADO

**David Beardslee**  
**Regional Sales Manager**  
**Karen Altonaga**  
**Account Executive**

Professional Press, Inc.  
1010 East Union Street, Suite 101  
Pasadena, CA 91106  
(818) 577-5970

**HP Professional**





## **SmarTerm 2392. HP terminal emulation. Perfect solution.**

To access Hewlett-Packard 3000 applications, you no longer need an HP terminal. SmarTerm<sup>®</sup> 2392 emulation software, running on an IBM<sup>®</sup> or compatible PC, provides host-system connectivity for a perfect \$225.

Virtually every HP 2392 terminal capability, including printer support, is duplicated. HP, ANSI, EM52 text handling and 132-column display mode are fully supported. As are European DOS and international keyboards.

Communications features include Kermit and Xmodem protocols, file over-write protection, background file transfer, RAM-resident operation, and 2-way trace mode.


Window-based setup allows for multiple system configurations, remappable keyboards, and smart softkeys making SmarTerm 2392 exceptionally easy to use. On-line help makes it easy to master.

Contact your dealer or call us at 608-273-6000 for more reasons why your choice for HP terminal emulation should be SmarTerm. Period.



# Reflection.

## A family of solutions for a host of problems.



How can you connect hardware and software systems as diverse as Hewlett-Packard and DEC minis, IBM and Macintosh PCs, Novell, Ungermann-Bass, and Bridge's 3Com- and IBM-compatible-LANs? With the Reflection Series software solution.

Reflection supports the widest variety of minicomputers, personal computers, LANs, and communication protocols of any single vendor.

Sophisticated features like command language, file transfer, background processing, and the PLUS backup option, give you the power you need to achieve your unique connectivity objectives.

RSVP and Dispatch address special needs of host-connected PCs. They take you one step further in automating your Reflection office.

Call us today to join over 100,000 satisfied Reflection users.

**1-800-872-2829**

ENTER 248 ON READER CARD

**Reflection 1 Plus**  
HP 2392A and VT102 emulation.

**Reflection 2 Plus**  
VT220 and Tektronix 4010 graphics.

**Reflection 3 Plus**  
HP 2623A, HP 2392A and VT102.

**Reflection 7 Plus**  
HP 2627A color graphics, HP 2392A and VT102.

**Reflection for the Macintosh**  
HP 2392A emulation.

**DISPATCH**  
New independence from HPDesk.

**RSVP**  
Links your PC with host-connected printers.

**REFLECTION<sup>TM</sup>**  
SERIES  
**SOFTWARE**

Walker Richer & Quinn, I

2825 Eastlake Ave. E., Seattle, WA 98102 (206) 3